



- (C) 0.20 Concrete Pavement for Drives
- (K) Full Depth Bituminous Pavement
 - 60 kg/m² Surface 11, HV on
 - 150 kg/m² Binder 8, HV on
 - 270 kg/m² Base 5, HV on
 - 248 kg/m² Base 5C, HV on
 - 270 kg/m² Base 5D, HV
- (15) Combined Curb and Gutter, Barrier
- (16) Curb, Barrier
- (22) Center Curb, Type D
- (26) Sodding
- (30) Line, Thermoplastic, Solid, White, 100mm
- (31) Line, Thermoplastic, Solid, Yellow, 100mm
- (32) Line, Thermoplastic, Skip, White, 100mm
- (33) Line, Thermoplastic, Skip, Yellow, 100mm
- (34) Line, Thermoplastic, Solid, Yellow, 200mm
- (35) Line, Thermoplastic, Solid, White, 600mm
- (36) Line, Thermoplastic, Solid, Yellow, 600mm



All topo taken from Line "B" unless otherwise noted.
 All R/W taken from Line "PR-B" unless otherwise noted.
 All R/W on this sheet to be as shown.

P:\96403\DWG\PP6 PP6 7-28-96 5:11:21 pm EST



RECOMMENDED FOR APPROVAL DESIGN ENGINEER _____ DATE _____ DESIGNED: ATW,DAV DRAWN: ATW,DAV,JLF CHECKED: DAS CHECKED: DAS	INDIANA DEPARTMENT OF TRANSPORTATION PLAN & PROFILE BURKHARDT ROAD	HORIZONTAL SCALE 1:200 BRIDGE FILE _____ VERTICAL SCALE 1:50 DESIGNATION _____ SURVEY BOOK _____ SHEETS _____ 22 of 100 CONTRACT _____ PROJECT _____ VCP 90-08-01
---	---	--