



P:\jobs\96403\dwg\CENTRAL\DET-019 9-17-97 9:41:02 am EST

- LEGEND**
- (K) Full Depth Bituminous Pavement  
60 kg/m<sup>2</sup> QC/QA HMA Surface 9.5mm, Mainline on  
150 kg/m<sup>2</sup> QC/QA HMA Intermediate 19.0mm,  
Mainline on  
270 kg/m<sup>2</sup> QC/QA HMA Base 25.0mm, Mainline on  
248 kg/m<sup>2</sup> HMA Base C25.0mm, Mainline on  
270 kg/m<sup>2</sup> QC/QA HMA Base 25.0mm, Mainline
  - (15) Curb and Gutter, Concrete, Modified
  - ▣ Temporary Erosion and Sediment Control,  
Culvert Pipe Protection
  - ▤ Temporary Erosion and Sediment Control,  
Curb Inlet Protection

All R/W taken from Line "S-4-B" unless otherwise noted.  
All R/W on this sheet to be as shown.

	RECOMMENDED FOR APPROVAL: <i>Kent D. Downey</i> 9/19/97	<b>INDIANA DEPARTMENT OF TRANSPORTATION</b>  <b>CONSTRUCTION DETAIL</b> <b>OAK GROVE ROAD</b>	HORIZONTAL SCALE: 1:200	BRIDGE FILE
	DESIGNED: ATW		DATE: 9/19/97	VERTICAL SCALE: N/A
	CHECKED: GLR		SURVEY BOOK	SHEETS: 93 of 90
			CONTRACT	PROJECT: VC97-09-01