

Township No 5 South of Range No 107 at 2nd Mer

| | |
|--------|--|
| | South Boundary |
| West | On Town line between Sec. 36. & 35 1/2 25 2R 107 On Random line |
| 240.00 | Set post for temp 1/2 sec cor |
| 112.00 | at brook 50 lbs mid; course South |
| 80.00 | Set temp 1/2 mile post cor to sec 35. 136 25 2R 107 Lands level and part wet; Timber Oak, Ash, Gum (Maple) |
| West | On Random line South side of sec 35 25 2R 107 53 ch. wet ground |
| 140.00 | Set temp 1/2 post for cor to 1/4 sec |
| 80.00 | Set temp 1/2 mile post for cor to sec 34. 135 25 2R 107 The last 23 ch. high; Timber 1/2 Oak, & Hickory; The wet ground set Elm & Hickory. |
| West | On Random line South side of sec 34 25 2R 107 |
| 4.00 | at brook 1/4 the mid; course South |
| 140.00 | Set temp 1/2 post for 1/4 sec cor |
| 70.00 | Set lands to post |
| 80.00 | Set temp 1/2 mile post for cor. sec 33. 134 25 2R 107 Timber W. 1/2 Oak; Lands good for wheat and grass |
| West | On Random line South side of sec 33 25 2R 107 |
| 50.00 | Set lands |
| 140.00 | Set temp 1/2 post for 1/4 sec cor |
| 67.50 | at brook 30 lbs mid; course S 30 W |
| 80.00 | Set temp 1/2 mile post for cor to sec 32. 133 25 2R 107 Lands level to the ground; Timber Elm, Ash, & Oak; the rising to the post; Timber Oak, & Hickory |
| West | On Random line South side of sec 32 25 2R 107 |
| 140.00 | Set temp 1/2 post for cor. to 1/4 sec |
| 141.50 | at brook 1/4 the mid; course N. |
| 62.50 | " " 6 " " " N 40 E |
| 80.00 | Set temp 1/2 mile post for cor to sec 31. 132 25 2R 107 Lands level ridges; Timber Oak, & Hickory some Poplar |

T. No 5 D.R. No 1077. 2nd M^oTimber Elm, Ash, Maple in the wet lands, Iron Oak
Hickory;

East On Random Line between Sec 27 & 34

14.75 At Brook 6 1/2 the mid; Course South

23.75 " " 6 " " " "

40.00 Set temp^y post for cor to 1/4 sec

78.00 At Brook 6 the mid; Course N 40 E

80.00 Set temp^y post for cor to Sec 26, 27, 34, 35
T. 5 D.R. 1077. Timber Oak, Hickory, Elm, &c

West On true line between Sec 27 & 34-35 D.R. 1077

40.00 Set temp^y post at aver. dist on true line for cor
to 1/4 sec from which a W. Oak 10 in dia bears
S 45 E. 8 links dist; under W. Oak 10 " " "

N 88 W. 12 " "

80.00 To cor for Sec 27, 28, 33, & 34.

North Between Sec 26 & 27 T. 5 D.R. 1077

11.50 At Brook 7 the mid; Course East

17.00 Under Oak 20 in dia. in the line

40.00 Set post for cor to 1/4 sec from which an R. Oak
12 in dia. bears N 76 E. 43 the dist; under an R. Oak
14 " " " N 84 W. 54 " " "

51.00 At Brook - the mid Course N 6 E.

54.58 " " 25 " " " S 20 E

69.75 Under Oak 20 in dia in the line

80.00 Set post for cor to Sec 26, 27, 28, 29. T. 5 D.R. 1077
from which an R. Oak 20 in dia bears N 18 W. 14 the
dist; under an R. Oak 13 " " " N 25 E. 34 "
" Lands level generally; Timber W. Oak & Elm

North Between Sec 32 & 33 T. 5 D.R. 1077

28.00 At Brook 15 the mid; Course S 60 E

40.00 Set post for cor to 1/4 sec from which a Hickory 20
in dia bears S 8 E. 14 the dist; under a Do 14T. No 5 D.R. No 1077. 2nd M^o

beas N 22 W. 25 the dist;

64.00 At Brook 20 the mid; Course S 40 E.

68.50 " " 20 " " " S 50 E

79.00 " " 20 " " " West

80.00 Set sec post for cor to Sec 28, 29, 32, & 33
from which a W. Oak 24 in dia bears N 32 E. 13
links dist; under W. Oak 16 " " " S 21 W. 24 "
" " Lands level Timber Oak, Hickory & Elm
Spruce brush

April 29 1866

East On Random line between Sec 28, 33 T. 5 D.R. 1077

2.50 At Brook 20 the mid; Course S 30 W

40.00 Set temp^y post for cor to 1/4 sec80.00 Anticipated at the post cor to Sec 27 & 28, 33 & 34
The last 53 ch. To the edge of Timber Oak, & Hickory
Some Gum

West On true line between Sec 28 & 33 T. 5 D.R. 1077

40.00 Set temp^y post at aver. dist on true line for cor
to 1/4 sec from which a Gum 8 in dia bears N 8 E
of the dist; under a Do 8 " " " S 33 E.
8 " " "

80.00 To cor for Sec 28, 29, 32, & 33

North Between Sec 27 & 28 T. 5 D.R. 1077

30.10 At Hickory 14 in dia. in the line.

40.00 Set post for cor. to 1/4 sec from which a W. Oak 8 in
dia bears S 40 E. 36 the dist; under a W. Oak 16 "
" " " N 87 W. 14 " "

78.00 Under Oak 22 in dia in the line.

80.00 Set sec post cor to Sec 26, 27, 28, 29, 32, 33 D.R. 1077
from which a Gum 12 in dia bears S 30 W. 30 the dist
under a W. Oak 18 " " " S 80 E. 62 " "
Lands level in the Wedges Timber Oak, & Hickory

T. No 5 R. No 107. 2nd M^o

- North Between Dec. 31. & 30 J. 5 R. 107.
 34.50 W. Brook 5 lbs wide; Course East
 37.50 W. Oak 20 in dia in the line
 40.00 Set post for cor. to 1/4 sec from which W. Oak 6
 in dia bears N 40 E. 11 lbs dist; and also 13 Oak 6
 " " " N 67 W. 13 " "
 47.50 W. Brook 15 lbs wide; Course S 35 E.
 59.62 W. Hickory 14 in dia in the line
 80.00 Set post for cor. to lot. 29, 30, 31 & 32 from
 which W. Oak 22 in dia bears N 83 W. 33 lbs
 dist; and also W. Oak 30 " " " N 72 E. 54 "
 " " " Sandston hills; Timew Oak, Hickory; some
 bottom on the Brook.
-
- East On Randoms line between Dec. 29. & 30.
 9.50 W. Brook 15 lbs wide; Course S 40 E
 40.00 Set temporary post for cor. to 1/4 sec
 60.00 W. Brook 40 lbs wide; Course South
 79.50 Iron stake at post cor. to lot. 28, 29, 30, 31 & 32
 Some low hills & bottom on the Branches; Timew
 Oak, Hickory.
-
- West On true line between Dec. 29. & 30
 39.75 Moved temp. 1/4 sec post to cover. dist; on true line
 for 1/4 sec cor. from which W. Oak 12 in dia bears
 S 33 W. 23 lbs dist; and also W. Oak 12 " " "
 N 41 W. 14 " "
 79.51 To cor. of lot. 29, 30, 31 & 32
-
- North Between Dec. 28. & 29
 40.00 Set post for cor. to 1/4 sec from which W. Oak 10 in
 dia bears N 59 E. 10 lbs dist; and also on Oak 6 "
 " " " S 36 W. 9 " "
 45.75 W. R. Oak 14 in dia in the line
 80.00 Set 1/2 sec post cor. to lot. 20, 21, 28 & 29 J. 5 R. 107
 from which W. Oak 18 in dia bears S 88 E. 43 lbs dist

T. No 5 R. No 107. 2nd M^o

- and also W. R. Oak 10 in dia bears S 40 W. 42 lbs dist
 Some generally wet; Timew Oak, Oak, Hickory
-
- West On true line between Dec. 30 & 31 J. 5 R. 107
 20.08 W. Oak 22 in dia in the line.
 40.00 Set post for cor. to 1/4 sec from which W. Oak 20
 in dia bears N 80 E. 30 lbs dist; and also 1/2 of post
 on " " " S 29 E. 6 " "
 70.75 Intersection Range line 65 links South of post.
 Cor. to lot. 25, 30, 31 & 36 J. 5. 5 R. 10 & 11 W.
 from which W. Oak 13 in dia bears S 75 E. 62 lbs
 dist; and also W. Oak 16 " " " N 71 E. 36 "
 " " " Sand Ridge; Timew Oak, Hickory &
 Sandstone for about
-
- North Between Dec. 29. & 30 J. 5 R. 107
 5.00 W. Brook 12 lbs wide; Course E
 40.70 Set post for cor. to 1/4 sec from which W. Oak 20 in
 dia bears S 77 W. 42 links dist; and also W. Oak 21 "
 " " " S 7 E. 36 " "
 66.00 W. Oak 22 in dia in the line
 74.00 W. Brook 12 lbs wide; Course E
 50.00 Set post for cor. to lot. 19, 20, 29 & 30 J. 5 R. 107
 from which W. Oak 21 in dia bears N 15 W. 19 lbs dist
 and also W. Oak 13 " " " S 30 W. 18 "
 " " " Sandstone in low ridge Timew Oak & Hickory; some
 bottom on the Branches
-
- West Between Dec. 19. & 30 On true line J. 5 R. 107
 23.50 W. Brook 4 lbs wide; Course South
 35.50 " " 10 " " " " S 60 E
 40.00 Set post for cor. to 1/4 sec from which W. Hickory 16
 in dia bears S 43 E. 18 lbs dist; and also Red Bud 7
 " " " N 49 W. 21 " "
 58.00 W. Oak 24 in dia in the line.
 70.20 Intersection 85 lbs South of post set on Range

J. No 5 SR No 1077 2nd Mer

Line for cor to sec. 19, 20, 21 SR 1077
 from which a P. Oak 10 mi dia bears N 62 E 31 lbs
 dist; and a P. Oak 12 n n S 25 E 32 n
 n Sands in ridges; Some bottom in the branch
 as Timber Oak; Hickory, & Elm.

| | |
|-------|---|
| East | Between Sec. 20, & 29 Random line |
| 10.00 | at Brook 6 1/2 mds course South |
| 40.00 | Set temp post for 1/4 sec cor. in at Brook 12 1/2 mds course East |
| 43.00 | Same Brook N 60 E. |
| 50.50 | Same 12 1/2 mds mid; course S 50 E. |
| 57.00 | at Brook 12 n n S 50 E |
| 62.00 | n n 25 n n South |
| 80.00 | Intersected at the post for cor to sec. 20, 21, 28, 29 Sands level just bottom; Timber Oak, Hickory & Hazle bushes |
| West | On true line between Sec. 20, & 29 Blazed back |
| 40.00 | Set temp post at aver. dist; on true line in at Brook 12 1/2 mds course East from which a Honey Locust 12 mi dia bears N 21 E 16 lbs dist; and a P. Oak 14 n n S 52 W 25 n April 30 1886 |
| 85.00 | To cor for sec. 19, 20, 29, 30 |

| | |
|-------|--|
| East | On Random Line between Sec. 21, & 28. |
| 33.00 | at Brook 3 1/2 mds mid; course South |
| 40.00 | Set temp post for cor to 1/4 sec |
| 46.50 | at Brook 6 1/2 mds mid course South |
| 71.10 | n n 3 n n North |
| 79.60 | Intersected N. & S. line 20 lbs South of sec. to sec. 21, 22, 27, & 28 Some bottom in the branch in ridges timber Oak, Hickory |

| | |
|-------|---|
| West | On true line between Sec. 21, & 28. J. 5 SR 1077 |
| 39.80 | Set temp post at aver. dist on true line for cor to |

J. No 3 SR No 10 77 2nd Mer

1/4 sec from which a Hickory 8 mi dia bears N 60 E 17
 lbs dist; and a P. Oak 12 n n S 63 W 12
 n n
 79.60 To cor for sec. 20, 21, 28, & 29

| | |
|-------|---|
| East | On Random line between Sec. 22, & 27 |
| 32.50 | at Brook 1 1/2 mds mid; course N |
| 36.00 | n n 3 n n N 57 W |
| 40.00 | Set temp post for cor to 1/4 sec |
| 70.00 | at Brook 25 1/2 mds; course South |
| 80.00 | Intersected N. & S. line at the post for cor to sec 22, 23, 26, & 27 |

| | |
|-------|---|
| West | On true line Blazed between Sec. 22, & 27 |
| 40.00 | Set temp post at aver. dist on true line for cor to 1/4 sec from which a P. Oak 24 mi dia bears N 37 W 20 lbs dist; |
| 80.00 | To cor of sec. 21, 22, 27, & 28 |

| | |
|-------|---|
| East | Between Sec. 23, & 26 On Random line |
| 5.50 | at Brook 8 1/2 mds mid; course South |
| 40.00 | Set temp 1/4 sec post |
| 79.00 | Intersected N. & S. line 5 1/2 mds North of no post cor to sec. 23, 24, 25, & 26 Sands in low ridges; Timber Oak, & Hickory |

| | |
|-------|---|
| West | On true line between Sec. 23, & 26 J. 5 SR 1077 |
| 39.50 | Set temp post at aver. dist on true line for cor to 1/4 sec from which a P. Oak 12 mi dia bears S 64 E 17 lbs dist; and a Logwood 8 n n N 52 W 9 n n |
| 79.00 | To cor of sec. 22, 23, 26, & 27 |

| | |
|-------|---|
| East | On Random line between Sec. 24, & 25 J. 5 SR 1077 |
| 40.50 | Not to the 1/4 mile post Set temp post for cor. to 1/4 sec |

T. N. 5 T.R. N. 107. 2nd Mer

- 78.50 Intersected N.S. line 20 miles South of post cor to Sec. 13, 14, 23, & 24. Low ridges, Timber Oak and Hickory Land good for wheat.
-
- West On true line between Sec. 14 & 23
 39.25 Mound (temp) post to aver. dist. on true line for cor. to 1/4 sec from which a Hickory 9 mi dia bears N43 E 17 the dist. and a 100 8 n n n - 81 17 12 n n
- 78.50 To cor of sec. 14, 15, 22, & 23
-
- East On a random line between Sec. 13 & 24
 37.50 W Brook 30 the mid; Course S30 E
 40.50 Set temp post for cor. to 1/4 sec
 76.00 W Brook 60 the mid; Course S40 E
 80.40 Intersected Range line 50 the South of post cor to Sec. 13, & 24. T. 5 T.R. 107. Land low and generally not; Timber Oak, Hickory, Maple & Elm
-
- West On true line between Sec. 13 & 24 T. 5 T.R. 107
 40.20 Set temp post at aver. dist. on true line for cor. to 1/4 sec from which a Hickory 20 mi dia bears S24 W 14 1/2 miles dist. and a 73 Oak 10 n n n - N31 W 18 n n
- 80.40 To cor of sec. 13, 14, 23, & 24
-
- North Between Sec. 13 & 14 T. 5 T.R. 107
 4.00 W Brook 4 the mid; Course S50 E
 110.00 Set post for cor. to 1/4 sec from which a 3 1/2 sec 8 mi dia bears S18 W 25 miles dist. and a 100 Elm 10 n n n - N36 E 29 n n
- 57.50 W Brook 30 the mid; Course S45 E
 74.88 N Oak 22 mi dia in the line
 80.00 Set post cor to Sec. 11, 12, 13, & 14 from which a W Oak 13 mi dia bears N10 E 13 miles dist. and a W Oak 10 n n n - N15 E 17 n n

T. N. 5 T.R. N. 107. 2nd Mer

- Land low and part not; Timber Oak, Maple Oak, Basswood & Hickory
-
- May 2nd 1806
 North Between Sec. 14 & 15 T. 5 T.R. 107
 11.00 W Brook 3 the mid; Course West
 36.25 n n 4 n n n East
 40.50 Set post for cor. to 1/4 sec from which a B Oak 12 mi dia bears N80 W 6 miles dist. and a W Oak 22 n n n - S52 E 17 n n
- 45.18 W Oak 18 mi dia in the line
 72.50 W Brook 6 the mid; Course East
 80.00 Set post for cor. to Sec. 10, 11, 14, 15 from which a W Oak 13 mi dia bears N33 W 34 miles dist. and a W Oak 15 n n n - S53 E 44 n n Land low ridge and brushy good for wheat; Timber Oak, & Hickory
-
- North Between Sec. 15 & 16 T. 5 T.R. 107
 18.50 W Brook 4 the mid; Course East
 25.00 n n 3 n n n n
 40.50 Set post for cor. to 1/4 sec from which a Gum 10 mi dia bears N69 W 36 miles dist. and a 100 10 n n n - S24 E 34 n n n
- 512.00 W Brook 10 the mid; Course S40 E
 51.35 W Oak 30 mi dia in the line
 67.50 W Brook 6 the mid; Course S35 E
 80.00 Set post for cor. to Sec. 9, 10, 15, 16 from which a W Oak 10 mi dia bears S26 W 21 miles dist. and a B Oak 22 n n n - N10 E 30 n n Land low ridge Timber Oak, & Hickory Brushy
-
- North Between Sec. 16 & 17 T. 5 T.R. 107
 6.50 W Brook 6 the mid; Course West
 22.00 n n 5 n n n n
 23.56 W Hickory 11 mi dia in the line
 40.00 Set post for cor. to 1/4 sec from which a Gum 8 mi dia

T. No 5 S. R. No 10 N. 2nd Mer

- bears S 9 E. 19 links dist; and a W. Oak 16 in dia
bears N 37 W. 49 "
- 36.25 W. Brook 5 1/2 links mid; Course West.
- 62.00 " " 14 " " " "
- 69.03 W. Brook 14 in dia in the line
- 80.00 Set post for cor to Sect. 8, 9, 16, 17 from which a
W. Oak 27 in dia bears N 85 E. 23 links dist; and also
W. Oak 24 in " " N 84 W. 54 " " Lands
Wedge Timber Oak, Elm, & Hickory
-
- North Between Sect 17 & 18 T. 5 S. R. 10 N.
- 5.00 W. Oak 18 in dia in the line
- 140.00 Set post for cor to 1/4 Sec from which a W. Oak 12 in
dia bears S 10 W. 19 links dist; and also a W. Oak 10 in
" " N 73 W. 10 " "
- 210.05 W. Brook 15 1/2 links mid; Course S 40 W
- 257.75 W. Oak 12 in dia in the line
- 80.00 Set post for cor to Sect 7, 8, 17, 18 T. 5 S. R. 10 N
from which a W. Oak 10 in dia bears N 56 W. 39 links
dist; and also a W. Oak 33 in " " S 94 W. 67 in
" " Lands ridge; Timber Oak, & Hickory Lands for
wheat
-
- West On true line Between Sect 7 & 18.
- 25.00 W. Brook 10 1/2 links mid; Course S 40 E
- 40.00 Set post for cor to 1/4 Sec from which a Maple 7 in dia
bears N 55 E. 10 links dist; and also a S 60 10 in
" " S 33 W. 25 " "
- 54.38 W. Oak 20 in dia in the line
- 70.50 Intersected King's line 200 links South of post
set for cor of Sect 7 & 18 from which a W. Oak 20 in
dia bears N 15 E. 33 links dist; and also a Hickory 7 in
" " S 63 E. 12 " " Lands lies in low ridge
Timber Oak & Hickory
-
- East On Random line between Sect 8 & 17

T. No 5 S. R. No 10 N. 2nd Mer.

- 10.00 W. Brook 5 1/2 links mid; Course S 30 E
- 15.00 " " 11 " " " " S 40 W
- 40.00 See temporary post for cor. to 1/4 Sec
- 63.00 W. Brook 10 1/2 links mid; Course S 30 W
- 80.00 Intersected N.S. line at post set for cor. to Sect 8, 9,
16, & 17 T. 5 S. R. 10 N. Lands lies in low ridges
Some bottom on the 1/4 Acre Timber Oak, Elm & Hickory.
-
- West On true line between Sect 8 & 17 T. 5 S. R. 10 N
- 210.00 Set temporary post at aver. dist. on true line for cor
to 1/4 Sec from which a W. Oak 14 in dia bears N 15 E.
25 links dist; and also an Elm 12 in " " S 34 W
30 " " "
- 80.00 To cor of Sect 7, 8, 17, 18
-
- East On Random line between Sect 9 & 16
- 13.00 W. Brook 6 1/2 links mid; Course South.
- 26.50 " " 3 " " " " S 45 W
- 33.00 " " 3 " " " " S 57 W. In which there
is Limestone
- 140.00 (Set temp) post for cor. to 1/4 Sec
- 118.50 W. Brook 2 1/2 links mid; Course South.
- 279.50 Intersected N.S. line 75 links North of post set for cor
to Sect 9, 10, 15, & 16 Lands ridge; Timber Oak, Elm &
Hickory
-
- West On true line between Sect 9 & 16
- 39.75 Set temp 1/4 Sec post at aver. dist. on true line for cor
to 1/4 Sec from which a W. Oak 14 in dia bears S 42 E. 15
links dist; and also a W. Oak 20 in " " N 44 W. 21
" " "
- 49.50 To cor of Sect 8, 9, 16, & 17
-
- East On Random line between Sect 10 & 15
- 14.00 W. Brook 3 links mid; Course S.
- 27.50 " " 3 " " " " "

T. N. 5 DR. N. 107. 2nd New

- 40.00 Get tramp post for cor to 74 sec
 67.50 W.B. oak 8 links min; Course N 35 E.
 80.00 Intersected N.S. line at post for cor to Sect. 10, 11, 14, & 15 Lands low ridges brushy Junco Oak, Hickory & Gum.

- West On true line between Sect 10 & 15
 40.00 Get tramp post for aver. dist. for cor to 74 sec from which a Gum 12 in dia bears N 42 W. 42 links dist; under Gum 10 " " S 52 W. 12 lbs dist
 80.00 To cor of Sect 9, 10, 15 & 16

May 3rd 1806

- East On a random line between Sect 11 & 14
 27.10 W.B. oak 25 links min; Course N 45 E.
 40.00 Get tramp post for cor. to 74 sec
 47.50 A Gum 50 Course South
 80.00 Intersected N.S. line at the post for cor. to Sect. 11, 12, 13 & 14 T. 5 DR. 107 Lands low and brushy Part oak, Junco Oak & Maple & Hickory

- West On true line between Sect 11 & 14
 40.00 Get tramp post at aver. dist; intersection for cor to 74 sec from which a Maple 11 in dia bears S 3 E. 10 lbs dist; under a 20 12 " " S 16 E 38 "
 80.00 To cor of Sect 10, 11, 14 & 15

- East Between Sect 12 & 13 On a random line
 40.00 Get tramp post for cor to 74 sec
 79.00 Intersected N.S. line 75 links South of post for cor to Sect 12, 13 T. 5 DR. 107 Junco Oak, Elm & Hickory Maple & Gum

- West On true line between Sect 12 & 13
 39.50 Get tramp post at aver. dist; on true line for cor.

T. 5 DR. 107 2nd New

- to 74 sec from which a Gum 15 in dia bears N 61 W. 26 links dist; under a Oak 10 " " S 58 W. 38 "
 79.00 To cor of Sect 11, 12, 13 & 14

- North Between Sect 11 & 12 T. 5 DR. 107
 9.69 W.B. Oak 20 in dia in the line
 40.00 Get post for cor to 74 sec from which an Oak 12 in dia bears N 26 W. 35 links dist; under a Oak 10 " " N 5 E. 50 "
 60.50 W.B. oak 8 links min; Course S 40 E
 61.80 an Oak 14 in dia in the line
 80.00 Get post for cor to Sect. 1, 2, 11 & 12, T. 5 DR. 107 from which an Oak 6 in dia bears N 6 E. 32 lbs dist; under a Oak 14 " " S 81 W. 98 "
 Lands low ridges; Junco Oak, & Hickory under a Part of Gum

- North Between Sect 10 & 11 T. 5 DR. 107
 650 W.B. oak 10 links min; Course E.
 34.00 W.B. oak 20 " " " S 25 E.
 40.00 Get post for cor to 74 sec from which an Oak 23 in dia bears S 39 E. 31 links dist; under a Oak 21 " " S 43 W. 37 "
 60.40 an Oak 22 in dia in the line
 80.00 Get post for cor to Sect. 2, 3, 10, & 11 T. 5 DR. 107 from which W.B. Oak 15 in dia bears N 45 E. 5 lbs dia under a Oak 12 " " S 83 W. 24 "
 Lands low ground for what; Junco Oak, Gum, & Hickory

- North Between Sect 9 & 11 T. 5 DR. 107
 17.88 W.B. Oak 20 in dia in the line
 36.50 W.B. oak 12 lbs min Course East
 45.00 Get post for cor to 74 sec from which a Gum 6 in dia bears N 26 E 6 links dist; under a 10 14 "

J. 5 S. R. No 107. 2nd Div

- 40.00 Set post for cor to 1/4 sec
 51.00 A Branch 4 links mid; Course West
 56.50 An Oak 22 in dia in the line
 70.50 A Brook 4 links mid; Course West
 82.50 Intersected Reitor's line 14 ch + 87 links West of
 Post and set post cor to lat 2, 3 J. 5 S. R. 107
 from which an Oak 22 in dia bears S 6 E. 55 1/2
 dist; and a Hick 14 " " S 20 1/2 W. 19 "
 a Sand lies in low ridges; In view Oak, Hick
-
- North Between Lat 3 + 4 J. 5 S. R. 107
 8.80 An Oak 22 in dia in the line
 28.50 A Branch 5 links mid; Course E.
 37.00 " " 12 " " " E.
 40.00 Set post for cor to 1/4 sec from which a Gum 10 in
 dia bears N 4 E. 16 links dist; and a Do 8 "
 " " N 1 E. 16 " "
 69.44 An Oak 30 in dia in the line
 74.00 " A Brook 10 links mid; Course S 60 E.
 82.00 Intersected Reitor's line 11 ch + 85 links West of post
 & set a post cor to lat 3, 4 J. 5 S. R. 107. from
 which a Hick 110 in dia bears S 32 1/2 W. 26 links dist
 and a Do 14 " " " S 14 E. 79 " "
 Sand lies in low ridges; In view Oak, Gum & Hick
-
- North Between Lat 4 + 5 J. 5 S. R. 107
 29.12 3 Branches 20 in dia each, in the line
 40.00 Set post for cor to 1/4 sec post from which a Hick
 16 in dia bears S 4 E. 25 links dist; and a Do
 10 " " " N 11 1/2 W. 30 "
 48.00 A Drain Course N 40 W
 50.00 A Branch to the line
 62.63 An Oak 12 in dia in the line
 81.45 Intersected Reitor's line 10 ch + 36 links West of post
 and set a post cor to lat 4, 5 J. 5 S. R. 107.

J. No 5 S. R. No 107. 2nd Div

from which a Hick 13 in dia bears S 42 E. 40 links
 dist; and a B Oak 8 " " " S 18 1/2 W. 46 "
 a Sand lies in low ridges and low. The last
 35 ch burrows. In view Oak, Hick
 May 6. 1806.

East Boundary

Var.

- December 11. 1805 From Reitor's Corner.
 South An. E. Boundary of Sec 1.
 36.12 A Hickory 18 in dia.
 40.00 Set of Sea Post from which
 An Oak 8 in dia bears S 59 E 20 links
 a Do 14 " " " N 85 E 22 " "
 41.00 Bottom to 1/4 mile post.
 54.38 An Oak 24 in dia.
 66.60 A Branch 53. 1/2 links (curved) S 40 E.
 73.00 An Oak 40 in dia.
 81.00 Set mile post from which
 An Elm 18 in dia bears S 57 1/2 E 15 links
 An Oak 18 " " " S 70 W 46 " "
 Sand level, Timber Oak, Gum
 Elm & Hickory.
-
- South An. E. Boundary of Sec 12.
 32.72 A Maple 20 in dia.
 40.00 Set of Sea Post from which
 A Maple 20 in dia bears S 53 E 3 links
 a Do 12 " " " " S 72 W 19 " "
 65.62 An Red Oak 15 in dia.
 80.00 Set Post for 1/4 Sec 12 + 13 from which
 An ash 16 in dia bears N 20 1/2 W 40 links
 A Maple 10 " " " S 78 W 42 " "
 Level Bottom & upland, Post wet,
 Timber & Sand.

T. S. S. R. 10. W. 2^d Mer Indⁿ,

A.P.K.S.

- South An. E. Boundary of Sec 23,
 11.50 A R. Oak 24 in dia.
 23.00 A Branch 60 LKS wide Course S. 20. W.
 27.00 A " 40 " " " S. 60 W.
 40.00 Set of Sec Post from which
 a Maple 11 in dia b^d N 34 W 19 LKS
 A Maple 11 " " " S 70 E 23 " "
 54.50 A Honey Locust 18 in dia.
 73.50 A Branch 30 LKS wide Course S. 70. W.
 80.00 A mile post from which
 a Hickory 16 in dia b^d S 40 W 32 LKS
 a " 12 " " " N 69 W 25 " "
 Sand level Bottom. Timber same.

South An. E. Boundary of Sec 24,

- 17.00 A Branch 6 LKS wide Course S. 40 E
 25.00 A R. Oak 20 in dia.
 40.00 Set of Sec Post from which
 a R. Oak 18 in dia b^d S. 60 E 15 LKS
 a W " 10 " " " N 32 W 31 " "
 49.50 A Branch 8 LKS wide Course E.
 56.00 Set of Sec Post from which
 a R. Oak 20 in dia b^d S 86 W 16 LKS
 a Honey Locust 18 " " " N 22 W 52 " "

South An. E. Boundary of Sec 25,

- 1.50 A Branch 60 LKS wide Course S. 50. W.
 11.75 A Hickory 18 in dia.
 40.00 Set of Sec Post from which
 a W. Oak 13 in dia b^d S 37 E 4 LKS
 a " 18 " " " S 59 W 20 " "
 58.25 An Elm 22 " " "
 80.00 Set Post for to Sec 25 + 36 from which
 a Gum 12 in dia b^d S 10 W 14 LKS
 An Ash 12 " " " N 22 W 31 " "
 Sand & Same,

T. S. S. R. 10. W. 2^d Mer Indⁿ,

A.P.K.S.

- South An. E. Boundary of Sec 26,
 140.00 Set of Sec Post from which
 An Elm 14 in dia b^d N 59 E 8 LKS
 An Ash 12 " " " S 32 W 54 " "
 59.80 An Elm 22 " " "
 76.88 A Branch 2 LKS wide Course S. 30. E.
 80.00 Set mile post from which
 a W. Oak 28 in dia b^d N 64 E 7 LKS
 a " 20 " " " N 58 W 40 " "
 Sand level Bottom. Timber same.
 Dec 11, 1805.

Jacob Fowler S.

North Boundary

Var. —

- West An. S. Boundary of Sec 36, T. 4. N. 10. W.
 40.00 Set of Sec Post from which
 a Post Oak 14 in dia b^d S 67 W 12 LKS
 a W " 4 " " " S 41 E 4 " "
 80.00 Set Post for to Sec 35 + 36 from which
 a Black Oak 20 in dia b^d S 13 W 25 LKS
 a " 40 " " " N 11 W 48 " "

West An. S. Boundary of Sec 35, T. 4. N. 10. W.

- 40.00 Set of Sec Post from which
 a Dogwood 5 in dia b^d S 75 E 13 LKS
 a Black Oak 14 " " " S 76 W 14 " "
 80.00 Set Post for to Sec 34 + 35 from which
 a B. Oak 20 in dia b^d S 6 E 13 LKS
 a Hickory 10 " " " S 16 W 31 " "

West An. S. Boundary of Sec 34, T. 4. N. 10. W.

- 40.00 Set of Sec Post from which
 a W Oak 15 in dia b^d S. 65 E 6 LKS
 a B " 30 " " " N 8 E 24 " "

T. S. S. R. 10th 2nd Mer Ind^a,

| | |
|-------|---|
| 80.00 | Set Post for to Sec ^s 33 & 34 from which An elm 10 in dia b ^d N 11° E 8' 10" x An " " " " S 33° E 4' " |
| West | On S. Boundary of Sec 33, T. S. R. 10 th . |
| 40.00 | Set of Sec Post from which A B. Oak 10 in dia b ^d N 72° W 24' 10" x A Locust 15 " " " N 44° E 21' " |
| 80.00 | Set Post for to Sec ^s 32 & 33 from which A B. Oak 7 in dia b ^d S 28° E 61' 10" x A DO 12 " " " N 59° E 15' 9" " |
| West | On S. Boundary of Sec 32, T. S. R. 10 th . |
| 40.00 | Set of Sec Post from which A Hickory 5 in dia b ^d N 74° E 13' 10" x A P. Oak 10 " " " S 56° W 20' " |
| 80.00 | Set Post for to Sec ^s 31 & 32 from which A B. Oak 14 in dia b ^d S 16° E 14' 10" x A DO 20 " " " N 44° E 34' " |
| West | On S. Boundary of Sec 31, T. S. R. 10 th . |
| 40.00 | Set of Sec Post from which A B. Oak 18 in dia b ^d N 21° E 19' 10" x A P " 8 " " " S 38° E 19' " |
| 79.90 | Closed on Cor. to Town 4 S. R. 10 th 11 th 15 th , Nov 17, 1805. Dns Breathell S. S. |

West Boundary,

Var,

January 7, 1806, "Guiding Rectors"
"Town Corner 2710' S. W. of the
"intertion of the Vincennes line,"
"Commences at the latter."

T. S. S. R. 10. 10. 2nd Mer Ind^a,

| | |
|-------|---|
| 14.25 | South On E. Boundary of Sec 1, T. S. S. R. 10 th . A B. Oak 12 in dia. |
| 40.00 | Set of Sec Post from which A B. Oak 14 in dia b ^d S 39° W 40' 10" x A P " 6 " " " S 82° E 22' " |
| 74.75 | A Branch 12' 6" wide Course W. |
| 80.00 | Set Post for to Sec ^s 11 & 12, from which A B. Oak 12 in dia b ^d S 63° W 35' 6" x A Hickory " " " " S 38° W 18' " |
| South | On E. Boundary of Sec 12, T. S. S. R. 10 th . |
| 24.50 | A Branch Course N. 40° W. |
| 40.00 | Set of Sec Post from which A B. Oak 8 in dia b ^d S 58° W 11' 10" x A P " 8 " " " N 41° W 2' " |
| 62.05 | S. Side of Barrens, |
| 64.48 | A B. Oak 12 in dia, |
| 80.00 | Set Post for to Sec ^s 12 & 13 from which A B. Oak 16 in dia b ^d N 27° W 62' 10" x A DO 14 " " " S 88° W 43' " |
| South | On E. Boundary of Sec 13, T. S. S. R. 10 th . |
| 9.88 | A B. Oak 20 in dia, |
| 31.25 | A Branch 8' 6" wide Course E. |
| 40.00 | Set of Sec Post from which A B. Oak 13 in dia b ^d N 59° W 16' 10" x A DO 12 " " " N 47° W 18' " |
| 69.66 | A DO 22 " " " |
| 80.00 | Set Post for to Sec ^s 13 & 24 from which A B. Oak 18 in dia b ^d S 75° W 15' 10" x A P " 20 " " " N 10° W 7' 8' " |
| | B. Oak, Ridge. |
| South | On E. Boundary of Sec 24, T. S. S. R. 10 th . |
| 29.00 | A Branch 6' 6" wide Course S. 31° W. |

T. S. S. R. 10. W. 2nd Mer Ind^a

Ch. S. R.

- 140.00 Set of Sec Post from which
 a B. Oak 14 in dia b^d N 51 W 100 Ks
 a 00 0 " " " S 37 W 25 "
- 40.50 A Branch 4 lks wide Course W.
- 66.08 W. Oak 12 in dia.
- 80.00 Set Post for to Sec 24 + 25 from which
 a B. Oak 8 in dia b^d S 31 W 20 Ks
 a 12 " 12 " " " N 26 W 12 " "
 Timber Oak + Hickory. Ridge.

South Co. Boundary of Sec 25. T. S. S. R. 11. W.

- 40.00 Set of Sec Post from which
 a Gum 8 in dia b^d N 70 W 11 Ks
 a W. Oak 10 " " " S 56 W 36 "
- 50.00 A Bottom 12 ch^d + 50 lks.
- 61.75 A Branch 10 lks wide Course W.
- 64.30 W. Oak 28 in dia.
- 80.00 Set Post for to Sec 25 + 36 from which
 a W. Oak 12 in dia b^d S 57 W 35 Ks
 a 12 " 30 " " " N 77 W 18 "
 Oak Ridge.

South Co. Boundary of Sec 36. T. S. S. R. 11. W.

- 25.00 A Branch 10 lks wide
- 30.38 W. Oak 12 in dia.
- 40.00 Set of Sec Post from which
 a W. Oak 13 in dia b^d S 83 W 16 Ks
 a Gum 0 " " " S 23 W 9 "
- 61.43 A B. Oak 20 " " "
- 71.50 A Branch 0 lks wide Course W.
- 80.00 Set Post for to Towns from which
 a W. Oak 24 in dia b^d N 72 W 53 Ks
 a 00 12 " " " S 44 W 38 "
 Oak + Hickory Ridge. Jan 7, 1806.
 Jacob Fowler D.S.

Surveyor General's Office
 Detroit April 17, 1846

I certify that the foregoing Transcript of the field notes of Townships 5. South in Range 10. West of 2nd Mer Ind^a, has been compared with the original notes in this Office and found to be correct.