

Township N 5. South of Range N 11. W. 2nd Mer.

- Jan. 7th 1806. Finding Treeters Jun. Cor. 27. 10. (N 5. of the Intersection of the Vincennes line. I commenced at the latter.
- South Between Towns 58 5. Sec. 1. 36. 3 Ranges 10. 3 11.
14. 25 To a B. Oak 12. in. diam. which stands in the line,
110. 00 To a Post for the Cor. to 44 Sec. from which a B. Oak 14. in. diam. bears S. 39. N. 7. lbs. dis. To a W. Oak 6. in. diam. bears S. 32. E. 22. lbs. dis.
74. 75 To a Branch 12. lbs. wide. Course N.
50. 00 To the Mile post Cor. of Sec. - from which a B. Oak 12. in. diam. bears S. 68. N. 25. 6 lbs. dis. To a Hickory 6. in. diam. bears S. 38. N. 136. lbs. dis.

- South On the Range of Sec. 12. T. 5. S. R. N. W.
26. 50 To a Branch 5. lbs. wide. Course S. 40. W.
110. 00 To the Post for the Cor. to 44 Sec. from which a B. Oak 8. in. diam. bears S. 58. N. 11. lbs. dis. To a B. Oak 8. in. diam. bears S. 41. N. 42. lbs. dis.
62. 05 To the S. side of the Warrens.
64. 18 To a B. Oak 12. in. diam. stands in the line.
50. 00 To the Mile Post, from which a B. Oak 16. in. diam. bears N. 22. W. 62. lbs. dis. To a B. Oak 14. in. diam. bears S. 52. N. 42. lbs.

- South Range line of Sec. 13.
9. 55 To a W. Oak 20. in. diam. stands in the line.
31. 25 To a Branch 8. lbs. diam. stands in the line.
140. 00 To a Post for the Cor. to 44 Sec. from which a B. Oak 13. in. diam. bears S. 39. N. 16. lbs. dis. To a B. Oak 12. in. diam. bears S. 14. N. 18. lbs. dis.
69. 06 To a B. Oak 22. in. diam. stands in the line
50. 00 To the Mile Post from which a B. Oak 18. in. diam. bears S. 75. N. 15. lbs. dis. To a B. Oak 20. in. diam. bears S. 10. N. 78. lbs. dis. To a B. Oak. Ridge.

- South Range line of Sec. 24. T. 5. S. R. N. W.
29. 00 To a Branch 6 lbs. wide. Course S. 30. W.
140. 00 To a Post for the Cor. to 44 Sec. from which a B. Oak 14. in.

T. N. S. I. Co. N. H. W. 2nd Mer.

diam. bears N. 51. W. 10. lbs. dist. & a W. Oak 6. in. diam.
bears S. 37. W. 25. lbs. dist.

40. 50 To a Branch 4. lbs. wide. Course W.
66. 08 To a W. Oak 12. in. diam. which stands in the line.
50. 00 To the Mile post. from which an W. Oak 8. in. diam. bears
S. 31. W. 20. lbs. dist. & a W. Oak 12. in. diam. bears N. 26.
W. 12. lbs. dist. - Oak. & Hickory Ridges.

South Range line of Co. 25. T. S. I. Co. N. H. W.

40. 00 To a Post for the line to 44 Sec. from which a Gum 5.
in. diam. bears N. 70. W. 11. lbs. dist. & a W. Oak 10. in.
diam. bears S. 56. 30. W. 36. lbs. dist.
50. 00 To Bottom 18. ch. & 50. lbs. wide.
61. 75 To a Branch 10. lbs. wide. Course W.
64. 30 To a W. Oak 28. in. diam. which stands in the line.
50. 00 To the Mile post. from which a W. Oak 12. in. diam.
bears S. 51. W. 35. lbs. dist. & a W. Oak 30. in. diam. bears
N. 77. 12. W. 73. lbs. dist. Oak & Ridges.

South Range line of Co. 36. T. S. I. Co. N. H. W.

25. 00 To a Branch 10. lbs. wide. Course W.
30. 58 To a W. Oak 12. in. diam. stands in the line
40. 00 To a Post for the line to 44 Sec. from which a W. Oak 13.
in. diam. bears S. 53. W. 16. lbs. dist. & a Gum 6. in.
diam. bears S. 22. W. 9. lbs. dist.
61. 43 To a W. Oak 26. in. diam. stands in the line.
71. 50 To a Branch 6. lbs. wide. Course W.
50. 00 To the Mile post. from which a W. Oak 24. in. diam.
bears N. 72. W. 53. lbs. dist. & a W. Oak 12. in. diam.
bears S. 64. W. 38. lbs. dist. Oak & Hickory Ridges.
Jan. 3rd 7th 1866.

West On the Town line of Co. 36. T. N. S. I. Co. N. H. W.

15. 18 To a Branch 10. lbs. wide. Course W.
40. 00 To a Post for the line to 44 Sec. from which a H. Laurel.
13. in. diam. bears N. 37. E. 15. lbs. dist. & an Ash 12. in. in

T. N. S. I. Co. N. H. W. 2nd Mer.

diam. bears S. 59. W. 40. lbs. dist.

49. 00 To a Post Road.
79. 50 To a Branch 40. lbs. wide. Course S. 10. W.
50. 00 To the Mile post. from which a W. Oak 24. in. diam. bears
N. 42. E. 70. lbs. dist. & a W. Oak 23. in. diam. bears N. 11. W. 58.
lbs. dist. Land. part Wet; Tumber. Oak & Hickory Elm. &

West Town line of Co. 35.

26. 00 To a Branch 30. lbs. wide. Course S. 40. E. Crossing it 5. times
leaving it in the N. at 36. ch. up the said Branch.
40. 00 To a Post for the line to 44 Sec. from which a W. Oak 23. in.
diam. bears S. 39. E. 5. lbs. dist. & a Maple 10. in. diam. bears
N. 12. W. 20. lbs. dist.
51. 00 To a Mile Post. from which a Hickory 12. in. diam. bears S.
17. E. 36. lbs. dist. & a S. 5. in. diam. bears N. 51. E. 12. lbs. dist.
Brushy, some Bottom. Tumber. Oak. Elm. & Hickory.

West On the Town line. Co. 34. T. S. I. Co. N. H. W.

40. 00 To a Post for the line to 44 Sec. from which a W. Oak 8. in. in
diam. bears N. 31. W. 7. lbs. dist. & a W. Oak 6. in. diam. bears
S. 28. W. 16. lbs. dist.
40. 58 To a Branch 6. lbs. wide. Course S. 30. E.
45. 62 To a Branch 5. " " " " South.
50. 00 To the mile post. from which a W. Oak 14. in. diam. bears N. 50.
W. 15. lbs. dist. & a W. Oak 12. in. diam. bears S. 70. W. 28. lbs. dist.
Land. wet & Brushy. Tumber. Oak & Hickory.

West On the Town line of Co. 33.

40. 00 To a Post for the line to 44 Sec. from which a Hickory 7. in.
diam. bears S. 74. 30. W. 13. lbs. dist. & an Elm 6. in. diam. bears
S. 28. W. 8. lbs. dist.
50. 00 To a Mile post. from which a Poplar 18. in. diam. bears
N. 52. W. 11. lbs. dist. & a Poplar 20. in. diam. bears N. 55. E. 30. lbs.
Land. low. Barren & Brushy. Ridges. Tumber. Oak. Hick. & Poplar.

West On the Town line of Co. 32. T. S. I. Co. N. H. W. 2nd Mer.

T. S. I. C. A. M. W. 2nd Sec.

39. 50 To a Branch 40 lbs. wide. Course S. 45. W.
40. 00 Set the Post for the Cor. to 44 Sta. in the Branch - lbs. wide Course S. 60. W. from which a W. Oak 12. in? diam? bears S. 43. W. 28. lbs. dist. & a Hecpoco 8. in? bears S. 47. & 69. lbs. dist.
79. 35 To a Branch 20 lbs. wide Course S. 20. lbs.
50. 00 Set a mile post. from which a W. Oak 15. in? diam? bears N. 75. W. 5. lbs. dist. & a W. Oak 22. in? diam? bears S. 46. E. 19. lbs. dist. Low Ridges. & some Bottom on the Branches
Timber. Oak & Hickory.
-
- West On the Tenn line of Sec. 31. T. S. I. C. A. M. W.
110. 00 Set a Post for the Cor. to 44 Sta. from which a B. Oak 24. in? diam? bears S. 81. W. 44. lbs. dist. & a W. Oak 16. in? diam? bears N. 4. W. 22. lbs. dist.
45. 50 To a Branch 5 lbs. wide. Course S. 25. E.
72. 00 To a Branch 6. " " " S. 30. E.
113. 58 Intersect the N. & S. line 4. 70. lbs. at the Post.

Jan^y 10th 1806.

- West Between Towns 5. & 6. A Random line run the 5. & 6. of Jan^y 1806. & intersected 4. 70. lbs. at the Post.
The West Range here is run from Mr. Packer's Cor. which stands 34. 60. W. of the Intersection of the Vincennes line -
This line I found all Redgry Run. Jan^y 4th 1806

- North Between Sec? 35. & 36. T. S. I. C. A. M. W.
25. 00 To a W. Oak 22. in? diam? which stands in the line.
10. 00 To a Post for the Cor. to 44 Sta. from which a Maple 12. in? diam? bears N. 25. W. 12. lbs. dist. & a Maple 12. in? diam? bears S. 42. W. 12. lbs. dist.
42. 50 To a Branch 8 lbs. wide. Course E.
59. 58 To a Hickory 18. in? diam? which stands in the line
75. 50 To a Branch 6 lbs. wide. Course E.
80. 00 To the Mile Post Cor. of Sec? 25. 26. 35. & 36. from which a B. Oak 10. in? diam? bears N. 64. W. 3. lbs. dist. & a B. Oak 16. in? diam? bears S. 18. E. 17. lbs. dist. - This line is Bottom &

T. S. I. C. A. M. W. 2nd Sec.

- upland; some wet; Timber. Oak & Hickory. Some Maple.
-
- East Between Sec? 25. & 36. T. S. I. C. A. M. W. 2nd Sec.
16. 50 Through wet Bottom.
10. 00 To a Branch 20 lbs. wide. Course E
38. 75 To the Post Road.
39. 75. Set a Post for the Cor. to 44 Sta. from which a W. Oak 12. in? diam? bears S. 50. E. 59. lbs. dist. & a Gum 13. in? diam? bears S. 80. 56 W. 40. lbs. dist.
43. 75 To a Branch 25 lbs. wide; Course S. 50. W.
79. 50 Set the N. & S. line at the Post set for the Cor. to Sec? 25. & 36. Some Ridges. Timber. Oak & Hickory; some Gum.
-
- North Between Sec? 34. & 35. T. S. I. C. A. M. W.
26. 00 To a W. Oak 14 in? diam? which stands in the line.
36. 50 To a Branch 15 lbs. wide. Course S. 40. E.
40. 00 Set a Post for the Cor. to 44 Sta. from which a W. Oak 8. in? diam? bears N. 26. W. 11. lbs. dist. & a W. Oak 12. in? diam? bears S. 38. E. 32. lbs. dist.
80. 00 To the mile post set for the Cor. of Sec? 26. 27. 34. & 35. from which a W. Oak 40. in? diam? bears East 10 lbs. dist. & a W. Oak 22. in? diam? bears N. 57. W. 47. lbs. dist.
This line is Low Brushy Ridges. some Bottom Land on the Branch. Timber. Oak & Hickory.
-
- East Between Sec? 26. & 35. T. S. I. C. A. M. W. 2nd Sec.
11. 80 To a Branch 16 lbs. wide. Course S. 10. E.
6. 00 To a Branch 6. " " " S. 20. W.
140. 00 Set a Post for the Cor. to 44 Sta. from which a B. Oak 12. in? diam? bears S. 3. E. 20. lbs. dist. & a B. Oak. in? diam? bears N. 56. W. 51. lbs. dist.
74. 00 To a Branch 4 lbs. wide. Course S.
80. 00 Intersect the N. & S. line at the Post for the Cor. to Sec? 25. 26. 35 & 36. The Land on this line is Ridges. some Bottom on the Branches. Timber. Oak & Hickory.

T. N. 5. T. Co. N. 11. W. 2nd Sec.

- North Between Sec. 25 & 26. T. 5. T. Co. N. 11. W.
71. 00 To a Red Oak 20 in. diam. which stands in the line.
39. 50 To a Branch 12 ft. wide. Course S. 20. W.
40. 00 To a Post for the line to 44 Sec. from which an R. Oak 16 in. diam. bears N. 15. W. 50 lbs. dist. & an Ash 10 in. diam. bears S. 70. E. 21 lbs. dist.
148. 28 To an R. Oak 20 in. diam. stands in the line.
80. 00 To the mile post set for the line to Sec. 23, 24, 25, & 26, from which an R. Oak 3 1/2 in. diam. bears N. 86. W. 37 lbs. dist. & a W. Oak 20 in. diam. bears N. 52. E. 50 lbs. dist. The first 50 lb. is not Bottom. Thin low ridges. Timber. Maple, Elm, Gum, Oak, in the ridges.
-
- North Between Sec. 33 & 34. T. 5. T. Co. N. 11. W.
00. 30 To a Branch 8 lbs. wide. Course E.
19. 38 To a Branch 6. " " " E.
19. 66 To a Hickory 18 in. diam. which stands in the line.
40. 00 To a Post for the line to 44 Sec. from which a B. Oak 20 in. diam. bears S. 43. W. 54 lbs. dist. & a R. Oak 20 in. diam. bears N. 24. E. 55 lbs. dist.
115. 14 To a B. Oak 22 in. diam. which stands in the line.
56. 58 To a Branch 4 lbs. wide. Course E.
63. 12 To a B. Oak 33 in. diam. stands in the line.
50. 00 To the mile post set for the line to Sec. 26, 27, 33, & 34, from which a W. Oak 14 in. diam. bears S. 9. E. 95 lbs. dist. & a W. Oak 14 in. diam. bears S. 105. lbs. dist. Low Oak & Hickory ridges.
-
- East Between Sec. 27 & 34. T. 5. T. Co. N. 11. W.
21. 38 To a Branch 6 lbs. wide. Course N.
40. 00 To a Post for the line to 44 Sec. from which a Gum 14 in. diam. bears S. 44. W. 24 lbs. dist. & an R. Oak 36 in. diam. " S. 6. W. 41 lbs. dist.
144. 00 To a Branch 12. Course S. 20. E.
50. 00 Intersected the N. & S. line at the Post for the line to Sec. 26, 27, 34, & 35. Low & Brushy ridges. Oak & Hickory. Jan. 20. 1866

T. N. 5. T. Co. N. 11. W. 2nd Sec.

- North Between Sec. 26 & 27. T. 5. T. Co. N. 11. W.
11. 50 To a Branch 10 lbs. wide. Course S. 85. E.
110. 00 To a Post for the line to 44 Sec. from which a W. Oak 18 in. diam. bears N. 45. E. 9 lbs. dist. & a W. Oak 20 in. diam. bears N. 68. W. 7 lbs. dist.
60. 80 To a B. Oak 22 in. diam. stands in the line.
51. 00 To a mile post for the line to Sec. 22, 23, 26, & 27, from which a W. Oak 14 in. diam. bears S. 58. W. 14 lbs. dist. & a W. Oak 12 in. diam. bears S. 41. E. 38 lbs. dist. This line is mostly Bottom; Timber. Oak, & Maple, Elm & Gum.
-
- North Between Sec. 32 & 33. T. N. 5. T. Co. N. 11. W.
9. 00 To a Branch 3 lbs. wide. Course W.
36. 35 To a W. Oak 22 in. diam. which stands in the line.
110. 00 To a Post for the line to 44 Sec. from which a W. Oak 18 in. diam. bears N. 39. W. 8 lbs. dist. & a W. Oak 13 in. diam. bears N. 10. E. 18 lbs. dist.
59. 50 To a Branch 10 lbs. wide. Course W.
71. 75 To a Branch 12. " " " S. 45. W.
50. 00 To the mile post set for the line to Sec. 29, 29, 32, & 33, from which a Gum 12 in. diam. bears N. 60. E. 6 lbs. dist. & a Gum 13 in. diam. bears N. 82. W. 15 lbs. dist. Low ridges. Timber. Brush Oak, & Hickory.
-
- East Between Sec. 28 & 33. T. 5. T. Co. N. 11. W.
7. 00 To a Branch 10 lbs. wide. Course S. 20. W.
110. 00 To a Post for the line to 44 Sec. from which a Cherry tree 7 in. diam. bears S. 34. W. 21 lbs. dist. & a B. Oak 22 in. diam. bears N. 54. W. 53 lbs. dist.
76. 62 To a Branch 5 lbs. wide. Course N.
50. 00 Intersected the N. & S. line at the post. Sec. of Sec. 27, 28, 33, & 34. Low ridges. some Brush Oak, & Hickory, Gum &c.
-
- North Between Sec. 27 & 28. T. 5. T. Co. N. 11. W.
8. 25 To a Branch 10 lbs. wide. Course E.
10. 62 To a Branch 10. " " " S. 40. E.

T. N. 5. S. Co. N. M. W. 2nd Mer.

- North Between Secs. 25 & 26. T. 5. S. Co. N. M. W.
71. 00 To a Cord Oak 20 in. diam. which stands in the line.
39. 50 To a Branch 12 lbs. wide. Course S. 30. W.
40. 00 To a Post for the Cor. to 44 Sec. from which an R. Oak 16 in. diam. bears N. 15. W. 50 lbs. dist. Jan. Ash 10 in. diam. bears S. 70. E. 21 lbs. dist.
48. 28 To an R. Oak 20 in. diam. stands in the line.
50. 00 To the mile post set for the Cor. to Secs. 23, 24, 25, & 26, from which an R. Oak 3 1/2 in. diam. bears N. 86. W. 37 lbs. dist. Ya W. Oak 20 in. diam. bears N. 52. E. 58 lbs. dist. The first sec. is not Bottom. Thin low ridges. Timber. Maple. Elm. Gum. Oak. in the ridges.
-
- North Between Secs. 33 & 34. T. 5. S. Co. N. M. W.
00. 30 To a Branch 5 lbs. wide. Course E.
19. 38 To a Branch 6. " " " E.
19. 66 To a Hickory 18 in. diam. which stands in the line.
40. 00 To a Post for the Cor. to 44 Sec. from which a B. Oak 20 in. diam. bears S. 43. W. 54 lbs. dist. Ya B. Oak 20 in. diam. bears N. 24. E. 55 lbs. dist.
115. 14 To a B. Oak 22 in. diam. which stands in the line.
56. 58 To a Branch 4 lbs. wide. Course E.
63. 12 To a B. Oak 33 in. diam. stands in the line.
50. 00 To the mile post set for the Cor. to Secs. 26, 27, 33 & 34, from which a W. Oak 14 in. diam. bears S. 9. E. 93 lbs. dist. Ya W. Oak 14 in. diam. bears S. 8. W. 105 lbs. dist. Low Oak. & Hickory ridges.
-
- East Between Secs. 27 & 34. T. 5. S. Co. N. M. W.
21. 38 To a Branch 6 lbs. wide. Course N.
40. 00 To a Post for the Cor. to 44 Sec. from which a Gum 14 in. diam. bears S. 44. W. 24 lbs. dist. Jan. R. Oak 36 in. diam. " S. 6. W. 41 lbs. dist.
44. 00 To a Branch 12. Course S. 20. E.
50. 00 Intersected the N. & S. line at the Post for the Cor. to Secs. 27, 28, 34 & 35. Low & Brushy ridges. Oak & Hickory. Jan. 26. 1866

T. N. 5. S. Co. N. M. W. 2nd Mer.

- North Between Secs. 26 & 27. T. 5. S. Co. N. M. W.
11. 50 To a Branch 16 lbs. wide. Course S. 35. E.
110. 00 To a Post for the Cor. to 44 Sec. from which a W. Oak 18 in. diam. bears N. 45. E. 9 lbs. dist. Ya W. Oak 20 in. diam. bears S. 68. W. 7 lbs. dist.
00. 50 To a B. Oak 22 in. diam. stands in the line.
51. 00 To a mile post for the Cor. to Secs. 22, 23, 26, & 27, from which a W. Oak 14 in. diam. bears S. 58. W. 14 lbs. dist. Ya W. Oak 12 in. diam. bears S. 41. E. 58 lbs. dist. This line is mostly Bottom; Timber. Oak. & Maple. Elm & Gum.
-
- North Between Secs. 32 & 33. T. N. 5. S. Co. N. M. W.
9. 00 To a Branch 3 lbs. wide. Course W.
30. 35 To a W. Oak 22 in. diam. which stands in the line.
40. 00 To a Post for the Cor. to 44 Sec. from which a W. Oak 18 in. diam. bears N. 59. W. 5 lbs. dist. Ya W. Oak 13 in. diam. bears N. 10. E. 12 lbs. dist.
59. 50 To a Branch 10 lbs. wide. Course W.
71. 75 To a Branch 12. " " " S. 45. W.
50. 00 To the mile post set for the Cor. to Secs. 28, 29, 32, & 33, from which a Gum 12 in. diam. bears N. 60. E. 6 lbs. dist. Ya Gum 13 in. diam. bears N. 52. W. 15 lbs. dist. Low ridges. Timber. Brush Oak. & Hickory.
-
- East Between Secs. 25 & 33. T. 5. S. Co. N. M. W.
7. 00 To a Branch 10 lbs. wide. Course S. 20. W.
110. 00 To a Post for the Cor. to 44 Sec. from which a Cherry tree 7 in. diam. bears S. 34. W. 21 lbs. dist. Ya B. Oak 22 in. diam. bears N. 54. W. 53 lbs. dist.
76. 62 To a Branch 5 lbs. wide. Course N.
50. 00 Intersected the N. & S. line at the post. Cor. of Secs. 27, 28, 33, & 34. Low ridges. some Brush Oak. & Hickory, Gum. &c.
-
- North Between Secs. 27 & 28. T. 5. S. Co. N. M. W.
8. 25 To a Branch 10 lbs. wide. Course E.
10. 62 To a Branch 10. " " " S. 40. E.

T. N. 5. S. R. N. 11. W. 2nd Mer.

19. 50 To a Poplar 33 in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 22 in. diam. bears S. 2. W. 25. lbs. dist. & a W. Oak 20 in. diam. bears N. 56. E. 10. lbs. dist.
 58. 50 To a Branch 5. lbs. wide. Course E.
 63. 78 To a B. Oak 22 in. diam. which stands in the line.
 50. 00 To the Mile post Cor. of Sec. 21. 22. 27. & 28. from which a W. Oak 22 in. diam. bears S. 32. W. 60. lbs. dist. & a W. Oak 14 in. diam. bears N. 1. E. 25. lbs. dist. — Ridges & some Rocks Timber. Oak. & Hickory some poplar.

- North Between Sec. 31. & 32. T. 5. S. R. N. 11. W.
 5. 00 To a Branch 12 lbs. wide. Course S. 20. E.
 10. 20 To an O. Oak 20 in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 15 in. diam. bears S. 73. E. 21. lbs. dist. & a W. Oak 16 in. diam. bears N. 65. 30 W. 20 lbs. dist.
 75. 18 To a Hickory 14 in. diam. which stands in the line.
 50. 00 To the Mile Post 1/4 for the Cor. to Sec. 29. 30. 31. & 32. from which a B. Oak 21 in. diam. bears S. 57. W. 55. lbs. dist. ^{17. 2. 21. 10 in. N. 21. E. 55. lbs.} This line is some Ridges. Some Bottom on the Branch. Timber. Oak. Hickory & some Dogwood.

- West Between Sec. 30. & 31. T. 5. S. R. N. 11. W.
 34. 00 To a B. Oak 24 in. diam. stands in the line.
 38. 75 To a Branch 3 lbs. wide. Course S. 20. E.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Gum 10 in. diam. bears N. 74. E. 17. lbs. dist. & a Gum 9 in. diam. bears S. 27. E. 10. lbs. dist.
 110. 67 To a W. Oak 30 in. diam. stands in the line
 100. 25 To a Branch 10 lbs. wide. Course S. 50. W.
 143. 88 Intersected the N. & S. line 158 lbs. S. of the Post. Cor. of Sec. 30. & 31. Set a Post. from which a W. Oak. 14 in. diam. bears S. 47. E. 32. lbs. dist. & a Hickory 16 in. diam. bears N. 56. E. 16. lbs. dist. Low. Ridges. Timber B. Oak. & Hickory. & some W. Oak.

T. N. 5. S. R. N. 11. W. 2nd Mer.

- East Between Sec. 29. & 30. T. 5. S. R. N. 11. W.
 23. 50 To a Branch 35 lbs. wide. Course S. 20. W.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Hickory S. 21. W. 7. lbs. dist. & a B. 15 in. diam. bears N. 6. E. 11. lbs. dist.
 50. 00 Intersected the N. & S. line 10 lbs. S. of the post Cor. of Sec. 28. 29. 32. & 33. Low Ridges. some Bottom on the Branch. Timber. Oak. Hickory & Poplar. Jan. 21st 1806.

- North Between Sec. 25. & 29. T. 5. S. R. N. 11. W.
 5. 00 To a W. Oak 14 in. diam. which stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 12 in. diam. bears S. 50. W. 22. lbs. dist. & a W. Oak 20 in. diam. bears N. 26. E. 31. lbs. dist.
 51. 25 To a W. Oak 18 in. diam. stands in the line.
 57. 00 To a Branch 10 lbs. wide Course S. 60. W.
 50. 00 To the Mile post Cor. of Sec. 20. 21. 25. & 29. from which a W. Oak 14 in. diam. bears N. 57. E. 26. lbs. dist. & an Elm 10 in. diam. bears S. 40. E. 19. lbs. dist. — This line is low Ridges some Bottom on the Branch. & at the mile post; Timber. Oak. & Hickory. Elm. & Poplar.

- North Between Sec. 29. & 30. T. 5. S. R. N. 11. W.
 15. 00 To a Branch 6 lbs. wide. Course N. 35. E.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which an Elm 16 in. diam. bears N. 1. E. 15. lbs. dist. & an Elm 10 in. diam. bears S. 6. E. 49. lbs. dist.
 43. 75 To a Branch 25 lbs. wide. Course S. 30. E.
 55. 50 To a G. 10. " " " S. 40. E.
 50. 00 To the Mile post Cor. of Sec. 19. 20. 29. & 30. from which a B. Oak 27 in. diam. bears N. 52. W. 33. lbs. dist. & a B. Oak 26 in. diam. bears S. 45. W. 19. lbs. dist. Low Ridges. Timber. W. & B. Oak. Iron. Panel for Wheatland.

- East Between Sec. 20. & 29. T. N. 5. S. R. N. 11. W.
 15. 62 To a Branch 10 lbs. wide. Course S. 20. W.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a B. Oak 24

T. N. S. I. Co. N. 11. W. 2nd Mer.

- in? diam? bears N 74. 30. W 48 lbs. dist? & a Dogwood 7 in? diam? bears N. N. E. 13 lbs. dist?
51. 00 To a Branch 4 lbs. wide. Course S. 50. E.
78. 12 To a Branch 6. " " S. 20. E.
79. 50 To a " " 12. " " S. 30. W.
80. 00 Intersected the N. & S. line at the Post bet. to Sec? 20. 21. 22. & 29. — Low Ridges. Timber. Oak & Hickory.

East Between Sec? 21. & 28. T. S. I. Co. N. 11. W.

40. 00 Set a Post for the bet. to 44 Sec. from which a B. Oak 20 in? diam? bears N 32. W. 44 lbs. dist? & a B. Oak 22 in? diam? bears S 25. W. 33 lbs. dist?
80. 00 Intersected the N. & S. line 30 lbs. N. of the Post. bet. to Sec? 21. 22. 27. & 28. — Low B. & W. Oak Ridges, some Hickory; Good Land for Wheat.

East Between Sec? 22. & 27. T. S. I. Co. N. 11. W. 2nd Mer.

40. 00 Set a Post for the bet. to 44 Sec. from which a W. Oak 12 in? diam? bears N 61. W. 15 lbs. dist? & a W. Oak 14 in? diam? bears S. 6. W. 22 lbs. dist?
63. 50 To a Branch 20 lbs. wide. Course S.
50. 00 Intersected the N. & S. line at the Post set for the bet. to Sec? 22. 23. 26. & 27; Land. Killly. Timber. Oak. Poplar. Sugar. & Hickory.

East Between Sec? 23. & 26. T. S. I. Co. N. 11. W.

39. 90 Set a Post for the bet. to 44 Sec. from which an O. Oak 33 in? diam? bears N 53. W. 31 lbs. dist? & a W. Oak 12 in? diam? bears N 15. W. 14 lbs. dist?
75. 00 To a Branch 10 lbs. wide. Course S. 20. W.
76. 00 To a " " 10. " " S. 30. W.
74. 50 Intersected the N. & S. line 30 lbs. S. of the Post. set for the bet. to Sec? 23. 24. 25. & 26. Ridges. Some Bottom on the Branches. Timber. Oak & Hickory.

East Between Sec? 24. & 25. T. S. I. Co. N. 11. W.

T. N. S. I. Co. N. 11. W. 2nd Mer.

38. 38 To a Branch 4 lbs. wide. Course N 50. E.
39. 90 Set a Post for the bet. to 44 Sec. from which an Oak 14 in? diam? bears S 47. W. 17 lbs. dist? & a W. Oak 6 in? diam? bears N 15. W. 25 lbs. dist?
111. 00 To a Branch 12 lbs. wide Course S.
56. 00 To the Post Road
79. 50 Intersected the N. & S. line 75 lbs. N. of the Post. bet. of Sec? 24. & 25. — Low Ridges. some wet Bottom on the Branches. Timber. Oak. Elm. Gum. Y. Maple & Hickory.

North Between Sec? 23. & 24. T. S. I. Co. N. 11. W.

21. 00 To a B. Oak 21 in? diam? stands in the line
40. 00 Set a Post for the bet. to 44 Sec. from which a Dogwood 7 in? diam? bears N. 34. 30. W. 29 lbs. dist? & a B. Oak 12 in? diam? bears. N 61. E. 50 lbs. dist?
66. 50 To a B. Oak 20 in? diam? which stands in the line.
50. 00 To the mile post set for the bet. to Sec? 13. 14. 23. & 24. from which a B. Oak 12 in? diam? bears N 55. E. 66 lbs. dist? & a W. Oak 13 in? diam? bears S 73. W. 51 lbs. dist? This mile is Low Ridges. Timber. Oak & Hickory.

North Between Sec? 22. & 23. T. S. I. Co. N. 11. W.

7. 00 To a Branch 4 lbs. wide. Course S. 40. W.
26. 25 To an O. Oak 20 in? diam? stands in the line.
46. 00 Set a Post for the bet. to 44 Sec. from which a Dogwood 10 in? diam? bears N 42. E. 22 lbs. dist? & a W. Oak 12 in? diam? bears N 75. W. 14 lbs. dist?
56. 00 To the mile post bet. to Sec? 14. 15. 22. & 23. from which a W. Oak 12 in? diam? bears S 73. W. 32 lbs. dist? & a W. Oak 16 in? diam? bears N 34. W. 27 lbs. dist? Land Killly. Timber. Oak. & Hickory. same Dogwood Jan? 22nd 1866.

North Between Sec? 21. & 22. T. S. I. Co. N. 11. W.

1. 12 To a Branch 2 lbs. wide. Course E.
30. 65 To an O. Oak 14 in? diam? stands in the line.
40. 00 Set a Post for the bet. to 44 Sec. from which a Cherry tree 12.

T. S. I. Co. N. 11. W. 2nd Mer.

- int. diam. bears S. 15. W. 9. lbs. dist. To a W. Oak 24 in. in diam. bears N. 44. W. 75. lbs. dist.
55. 58 To a Branch 3. lbs. wide. Course S. 40. W.
67. 60 To a Poplar 15 in. diam. stands in the line.
80. 00 To the mile Post for the Cor. to Sec. 15. 16. 21 & 22, from which a W. Oak 12 in. diam. bears N. 30. W. 36. lbs. dist. To a W. Oak 10 in. diam. bears N. 32. E. 29. lbs. dist. Low Ridges. Timber Oak & Hickory, Poplar & Dogwood.

North Between Sec. 20 & 21 T. S. I. Co. N. 11. W.

- 00 50 To a Branch 12 lbs. wide Course S. 20. W.
120. 00 To a Branch 6. " " " S. 20. E.
140. 00 To a Post for the Cor. to 1/4 Sec. from which a B. Oak 24 in. diam. bears N. 88. E. 47. lbs. dist. & a W. Oak 13 in. diam. bears S. 3. E. 24. lbs. dist.
67. 94 To a W. Oak 18 in. diam. which stands in the line
79. 12 To a Branch 4 lbs. wide. Course N. 40. W.
80. 00 To the Mile post for the Cor. to Sec. 16. 17. 20. & 21 from which a W. Oak 24 in. diam. bears N. 35. W. 16. lbs. dist. To a W. Oak 18 in. diam. bears S. 68. W. 49. lbs. dist. Sand Low Ridges. & some Bottom on the Branches

West Between Sec. 19 & 20 T. S. I. Co. N. 11. W.

10. 12 To a Branch 16 lbs. wide. Course S. 20. E.
34. 12 To a Do. " " " S. 30. E.
40. 00 To a Post for the Cor. to 1/4 Sec. from which a W. Oak 16 in. diam. bears S. 33. W. 38. lbs. dist. To a Cherry 6 in. in diam. bears S. 75. E. 15. lbs. dist.
57. 00 To a W. Oak 20 in. diam. which stands in the line
78. 00 To a Branch 8 lbs. wide. Course S. 40. W.
114. 02 Intersected the N. & S. line at the Post set for the Cor. to Sec. 19 & 20. To a Post ~~set~~ South, from which a Poplar 7 in. diam. bears N. 12. E. 28. lbs. dist. To Dogwood 6 in. diam. bears S. 24. E. 13. lbs. dist. Low Ridges. Timber. Oak & Hickory.

T. S. I. Co. N. 11. W. 2nd Mer.

- North Between Sec. 19 & 20 T. S. I. Co. N. 11. W.
- 5 70 To a B. Oak 27 in. diam. which stands in the line.
85. 00 To a Branch 5 lbs. wide. Course W.
110. 00 To a Post for the Cor. to 1/4 Sec. from which a B. Oak 22 in. in diam. bears N. 24. E. 45. lbs. dist. To a B. Oak 18 in. diam. bears N. 45. W. 50. lbs. dist.
52. 00 To a Branch 6 lbs. wide. Course W.
81. 00 To the Mile post set for the Cor. to Sec. 17. 18. 19. & 20 from which a W. Oak 20 in. diam. bears S. 33. E. 32. lbs. dist. To a W. Oak 22 in. diam. bears S. 49. W. 30. lbs. dist. Low Ridges. Timber. Oak & Hickory. Good for wheat.

West Between Sec. 18 & 19 T. S. I. Co. N. 11. W.

9. 00 To a Branch 3 lbs. wide. Course S. 20. E.
35. 75 To a Branch 4. " " " S. 40. W.
140. 01 To a Post for the Cor. to 1/4 Sec. from which a W. Oak 12 in. diam. bears S. 43. W. 11. lbs. dist. & a W. Oak 12 in. diam. bears N. 31. W. 8. lbs. dist.
52. 00 To a W. Oak 14 in. diam. stands the Cor. to 1/4 Sec.
87. 20 To a Branch 15 lbs. wide. Course S. 25. W.
114. 12 Intersected the N. & S. line 306 lbs. S. of the Post, and set a Post, from which a Gum 12 in. diam. bears S. 39. E. 22. lbs. dist. & a Gum 14 in. diam. bears N. 46. E. 37. lbs. dist. Hilby Sand; Timber. Oak & Hickory.

East Between Sec. 17 & 20 T. S. I. Co. N. 11. W.

110. 00 To a Post for the Cor. to 1/4 Sec. from which a W. Oak 18 in. diam. bears S. 77. E. 26. lbs. dist. To a Hickory 10 in. diam. bears N. 4. W. 20. lbs. dist.
140. 50 To a Branch 6 lbs. wide. Course N.
78. 58 To a Do. " " " N.
30. 00 Intersected the N. & S. line 20 lbs. N. of the Post. Low Ridges. Timber. Oak & Hickory. Good Land for wheat.

East Between Sec. 16 & 21 T. S. I. Co. N. 11. W.

34. 50 To a Branch 3 lbs. wide. Course N.

T. N. S. S. Co. N. M. W. 2nd Mer.

40. 00 Set a Post for the Cor. to 44 St. from which a M. Oak 20 in. diam. bears N. 53. E. 26 lbs. dist. & a Maple 8 in. diam. bears N. 54. W. 13 lbs. dist.
80. 00 Intersecting the A. & I. line at the Post set for the Cor. to St. 15. 16. 21. & 22. Low Bridges. Timber. Oak. & Hickory.

East Between Cor. 15. & 22. T. N. S. S. Co. N. M. W.

3. 50 To a Branch 5 lbs. wide. Course N.
40. 00 Set a Post for the Cor. to 44 St. from which a Gum 10 in. diam. bears S. 35. W. 4 lbs. dist. & an Ash 8. bears N. 22. E. 15 lbs. dist.
50. 00 Intersecting the A. & I. line at the Post set for the Cor. to St. 14. 15. 22. & 23. Land & Hilley. Timber. Oak. & Hickory.
Jan. 23rd 1806.

East Between Cor. 14. & 23. T. N. S. S. Co. N. M. W.

6. 62 To a Branch 2 lbs. wide. Course S. 30. E.
40. 10 Set a Post for the Cor. to 44 St. from which a M. Oak 20 in. diam. bears N. 47. E. 18 lbs. dist. & a Poplar 7 in. diam. bears S. 22. W. 14 lbs. dist.
47. 25 To a Branch 6 lbs. wide. Course S.
74. 62 To a St. - 5. - - - - S. 20. W.
80. 20 Intersecting the A. & I. line 50 lbs. N. of the Post set for the Cor. to St. 13. 14. 23. & 24. Land & Ridgely. Timber. Oak. & Elm.

East Between Cor. 13. & 24. T. N. S. S. Co. N. M. W.

47. 75 To a Branch 4 lbs. wide. Course S.
40. 00 Set a Post for the Cor. to 44 St. from which a B. Oak 18 in. diam. bears N. 46. E. 24 lbs. dist. & an Ash 8 in. diam. bears N. 28. W. 6 lbs. dist.
46. 00 To a Branch 6 lbs. wide. Course S.
53. 75 To the Post Road.
80. 00 Intersecting the A. & I. line at the Post set for the Cor. to St. 13. & 24. Low Land. Timber. M. & B. Oak. & some Hickory.

North Between Cor. 13. & 14. T. N. S. S. Co. N. M. W.

5. 00 To a Branch 2 lbs. wide. Course S. 35. E.

T. N. S. S. Co. N. M. W. 2nd Mer.

20. 75 To a M. Oak 16 in. diam. stands in the line.
40. 00 Set a Post for the Cor. to 44 St. from which a M. Oak 14 in. diam. bears N. 18. W. 18 lbs. dist. & an Ash 22 in. diam. bears N. 40. W. 12 lbs.
42. 00 To a Branch 12. Course N. 40. E. 12 lbs. wide.
66. 13 To a B. Oak 24 in. diam. stands in the line.
75. 12 To a Branch 4 lbs. wide. Course E.
80. 00 To the mile Post set for the Cor. to St. 10. 11. 14. & 15. from which a B. Oak 28 in. diam. bears S. 52. W. 19 lbs. dist. & a B. Oak 6 in. diam. bears N. 77. E. 20 lbs. dist. Hilley Land. Timber. Oak. & Hickory.

North Between Cor. 15. & 16. T. N. S. S. Co. N. M. W.

13. 00 To a Branch 6 lbs. wide. Course E.
23. 50 To a Gum 20 in. diam. stands in the line.
40. 00 Set a Post for the Cor. to 44 St. from which a Millberry 7 in. diam. bears N. 46. W. 17 lbs. dist. & a M. Oak 6 in. diam. bears N. 79. E. 7 lbs. dist.
58. 25 To a Branch lbs. wide. Course N. 30. E.
69. 50 To an Elm 22 in. diam. stands in the line.
73. 25 To a Branch 15 lbs. wide. Course N. 20. W.
80. 00 To the mile Post set for the Cor. to St. 3 from which an Elm 12 in. diam. bears N. 15. E. 24 lbs. dist. & a Gum 16 in. diam. bears S. 77. E. 25 lbs. dist. Low Bridges. Timber. Oak. & Elm. Maple. some Bottom on the Branches. * 9. 10. 15. & 16.

North Between Cor. 16. & 17. T. N. S. S. Co. N. M. W.

10. 38 To a B. Oak 20 in. diam. which stands in the line.
17. 25 To a Branch 7 lbs. wide. Course W.
40. 00 Set a Post for the Cor. to 44 St. from which a B. Oak 30 in. diam. bears N. 56. E. 35 lbs. dist. & a Hickory 14 in. diam. bears N. 5. W. 43 lbs. dist.
51. 00 To a Branch 10 lbs. wide. Course W.
69. 38 To a St. - 6. - - - - W.
80. 00 To the mile Post for the Cor. to St. 8. 9. 16. & 17. from which a M. Oak 18 in. diam. bears S. 28. W. 44 lbs. dist. & a M. Oak 36 in. diam. bears S. 5. E. 47 lbs. dist. Low Bridges. Timber. *Comp*

T. N. S. I. Co. N. M. W. 2nd Mer.

Oak & Hickory. Land Good for Wheat.

- North Between Sec^s 17 & 18. T. 5. S. Co. N. M. W.
 01. 30 To a Branch 26. lks. wide, Course W.
 26. 75 To a Branch 3. lks. wide, Course N. 30. E.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 20. in.
 diam. bears N. 79. W. 24. lks. dist. Ya W. Oak 24. in. diam.
 bears S. 26. W. 21. lks. dist.
 114. 62 To a Branch 4. lks. wide, Course N. 20. W.
 50. 00 To the Mile post set for the Cor. to Sec^s 7. S. 17. & 18. from
 which a W. Oak 14. in. diam. bears N. 72. E. 61. lks. dist.
 Ya Sapras 12. in. diam. bears S. 25. E. 39. lks. dist.
 Land Hilty. Timber. Oak & Hickory.
-
- West Between Sec^s 7. & 18. T. 5. S. Co. N. M. W. 2nd Mer.
 13. 00 To a Branch 15. lks. wide, Course N.
 16. 50 To a Pt. - 3 - - - - - N. 30. E.
 110. 00 Set a Post for the Cor. to 1/4 Sec. from which a Hickory 12.
 in. diam. bears S. 37. E. 22. lks. dist. Ya Dogwood 12. in.
 diam. bears N. 60. W. 16. lks. dist.
 70. 60 W. Oak 24. in. diam. stands in the line
 75. 00 To a Branch 5. lks. wide, Course N. 25. E.
 114. 12 Intersected the N. & S. line 3. 75. lks. - of the Post. Set a
 Post. from which a Dogwood 6. in. diam. bears N. 35. E. 19.
 lks. dist. Ya Hickory 13. in. diam. bears S. 66. E. 32. lks. dist.
 Land Hilty. Timber. Oak & Hickory.
-
- East Between Sec^s 8 & 17. T. 5. S. Co. N. M. W.
 28. 50 N. 50. To Bottom Wet Sand.
 35. 00 To a Branch 20. lks. wide, Course N.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 22.
 in. diam. bears N. 30. W. 62. lks. dist. Ya W. Oak 12. in.
 diam. bears S. 32. W. 32. lks. dist.
 54. 00 To a Branch 6. lks. wide, Course N. 30. W.
 50. 00 Intersected the N. & S. line, at the Post for the Cor. to Sec^s
 8. 9. 16. & 17. Low Ridges. Timber. Oak & Hickory.

T. N. S. I. Co. N. M. W. 2nd Mer.

- East Between Sec^s 9. & 16. T. 5. S. Co. N. M. W. Jan^y 21st 1806.
 26. 50 To a Branch 10. lks. wide, Course N.
 40. 00 Set a post for the Cor. to 1/4 Sec. from which a W. Oak 28. in.
 diam. bears S. 57. E. 26. lks. dist. Ya W. Oak 26. in. diam.
 bears S. 24. E. 31. lks. dist.
 79. 00 To a Branch 15. lks. wide, Course N. 30. W.
 50. 00 Intersected the N. & S. line at the Post set for the Cor. to Sec^s
 1. 10. 15. & 16. Low Ridges. Timber. Oak & Hickory
-
- East Between Sec^s 10. & 15. T. 5. S. Co. N. M. W.
 110. 20 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 20. in.
 diam. bears N. 81. E. 26. lks. dist. Ya W. Oak 22. in. diam.
 bears N. 48. E. 48. lks. dist.
 52. 00 To a Branch 4. lks. wide, Course N. 20. W.
 56. 40 Intersected the N. & S. line ^{at the} 10. M. 14. & 15. Low Ridges.
 Some Barrens. Timber. Oak & Hickory
-
- East Between Sec^s 11. & 17. T. 5. S. Co. N. M. W.
 37. 50 To a Branch 12. lks. wide, Course N. 30. W.
 58. 50 To a Pt. - 6. lks. - - - - - S. 45. W.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 7. in.
 diam. bears N. 78. E. 12. lks. dist. Ya Hickory 10. in. diam. bears
 S. 64. W. 25. lks. dist.
 110. 75 To a Branch 6. lks. wide, Course S. 10. W. Land best &
 Brushy Part Wet. Timber. Oak & Hickory. Part Bottoms.
-
- East Between Sec^s 12. & 13. T. N. S. I. Co. N. M. W.
 10. 00 To a Branch 6. lks. wide, Course N. 45. E.
 110. 00 Set a Post for the Cor. to 1/4 Sec. from which a W. Oak 10. in.
 diam. bears S. 58. W. 56. lks. dist. Ya W. Oak 8. in. diam.
 bears S. 51. E. 31. lks. dist.
 69. 50 To the Post (Near).
 50. 12 Intersected the N. & S. line 10. lks. N. of the post set for the
 Cor. to Sec^s 12. & 13. Low Ridges. Timber. Oak & Hickory.
 Good Sand for Wheat.

T. N. 5. S. R. N. 11. W. 2nd Sec.

- North Between Secs. 11 & 12. T. 5. S. R. N. 11. W.
 33. 50 To a Branch 6. lbs. wide. Course E.
 40. 00 Set a Post for the Cor. to 44 Sec. from which a B. Oak 29 in.
 diam. bears N. 8. W. 22. lbs. dist. 8 a W. Oak 24 in.
 diam. bears S. 78 E. 24 lbs. dist.
 45. 35 To a B. Oak 22 in. diam. stands in the line.
 50. 00 To the Mile post set for the Cor. to Secs. 1. 2. 11. & 12. from
 which a Hickory 12 in. diam. bears S. 33. W. 39. lbs. dist.
 Low Ridges. Brushy & low. Timber, Oak. & Hickory.
-
- North Between Secs. 10 & 11. T. 5. S. R. N. 11. W.
 19. 03 To a B. Oak 20 in. diam. stands in the line.
 22. 00 To a Branch 6. lbs. wide. Course N. 35. E.
 40. 00 Set a Post for the Cor. to 44 Sec. from which a B. Oak 29.
 in. diam. bears S. 24. E. 30. lbs. dist. 8 a W. Oak 12 in.
 diam. bears N. 48. W. 15. lbs. dist.
 50. 00 Set a Mile Post for the Cor. to Secs. 2. 3. 10 & 11. from which
 a W. Oak 18 in. diam. bears S. 77. E. 14. lbs. dist. 8 a B. Oak 20.
 in. diam. bears N. 42. E. 44. lbs. dist. - Level & Brushy Ground.
 Barrens. Timber, Oak. & Hickory.
-
- North Between Secs. 9 & 10. T. 5. S. R. N. 11. W.
 33. 50 100 lbs. through the Bend of a Branch leaving it on the W.
 40. 00 Set a Post for the Cor. to 44 Sec. from which a S. Spruce 12 in. in
 diam. bears N. 15. W. 11. lbs. dist. Van S. Oak 14 in. diam.
 bears S. 11. E. 62. lbs. dist.
 46. 00 To a Branch. 25. lbs. wide. Course N. 20. W.
 62. 50 To the Same - - - - - N. 20. E.
 50. 00 To the Mile post set for the Cor. to Secs. 3. 4. 9 & 10. from
 which a B. Oak 36 in. diam. bears S. 40. W. 25. lbs. dist.
 8 a Maple 6 in. diam. bears N. 42. E. 14. lbs. dist. - Level
 Land; post 106. Timber, Spruce, Oak, Maple & Hickory.
-
- North Between Secs. 8 & 9. T. N. 5. S. R. N. 11. W.
 24. 15 To a W. Oak 20 in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 44 Sec. from which a W. Oak 20 in. in

T. N. 5. S. R. N. 11. W. 2nd Sec.

- diam. bears N. 31. E. 19. lbs. dist. 8 a B. Oak 26 in. diam. bears
 N. 35. W. 31. lbs. dist.
 58. 58 To a Branch 12. lbs. wide Course N. 45. W.
 75. 15 To a Hickory 16 in. diam. stands in the line.
 50. 00 To the Mile Post set for the Cor. to Secs. 4. 5. 8 & 9. from which
 an B. Oak 18 in. diam. bears S. 23. E. 14. lbs. dist. 8 a W. Oak 12 in.
 diam. bears N. 49. E. 26. lbs. dist. - Low Ridges some Bottom
 Land on the Branch. Timber, Oak, Elm, Maple & Hickory.
-
- North Between Secs. 7 & 8. T. 5. S. R. N. 11. W. Jan 25th 1866.
 13. 50 To a Branch 15. lbs. wide. Course N. 5. E.
 34. 50 To a Do. 16. - - - - - N. 70. E.
 40. 00 Set a Post for the Cor. to 44 Sec. from which a Gum 12 in.
 diam. bears N. 25. E. 48. lbs. dist. Van Elm 10 in. diam. bears
 S. 6. E. 24. lbs. dist.
 53. 50 To a Branch. 6. lbs. wide. Course E.
 59. 50 To a Do. 5. - - - - - E.
 50. 00 To the Mile post for the Cor. of Secs. 5. 6. 7 & 8. from which a
 B. Oak 36 in. diam. bears N. 45. W. 28. lbs. dist. 8 a Hickory 20
 in. diam. bears N. 20. E. 44. lbs. dist. This line is Low
 Ridges. Some Bottom on the Branches, Timber, Oak. & Hickory.
-
- West Between Secs. 6 & 7. T. N. 5. S. R. N. 11. W.
 15. 62 To a B. Oak 36 in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 44 Sec. from which a Hickory 12 in.
 diam. bears N. 7. W. 6. lbs. dist. 8 a Do 7 in. diam. bears S. 84
 E. 34. lbs. dist.
 75. 52 To a B. Oak 24 in. diam. which stands on the line.
 103. 50 To the Branch 5. lbs. wide. Course N.
 113. 55 Intersect of the N. & S. line 4. 57. lbs. Off the Post set for the
 Cor. to Secs. 6 & 7. 8 set a Post from which a W. Oak 18 in. diam.
 bears S. 64. E. 12. lbs. dist. 8 a Gum 9 in. diam. bears N. 28. E. 34
 lbs. dist. Low Ridges. Chert. Ark. Stone. & High. Good for white.
-
- North Between Secs. 5 & 6. T. 5. S. R. N. 11. W.
 34. 12 To a Branch 3. lbs. wide. Course N. 45. E.

T. N^o 5. T. Co. N^o 11. W. 2nd Mer.

40. 00 Set a Post for the Cor. to 44 Sec. from which an Elm 10. in. diam. bears N. 29. E. 24. lbs. dist. & a Gum 10. in. diam. bears S. 37. W. 15. lbs. dist.
65. 00 To an O. Oak 24. in. diam. stands in the line
84. 20 Intersected the Range line 240. lbs. E. of the Post, from which an Elm 14 in. diam. bears S. 34. W. 30. M. Oak 6. in. diam. bears S. 29. E. 15. lbs. dist. - The Land on this side is best. Part Mt. Timber. Oak. Maple. Elm & Hickory.
-
- East Between Secs. 5. & 5. T. 5. T. Co. N^o 11. W.
36. 00 To a Branch 20. lbs. wide. Course N.
40. 00 Set a Post for the Cor. to 44 Sec. from which a Dogwood, 10. in. diam. bears S. 37. E. 35. lbs. dist. & a Syc. 8. in. diam. bears N. 40. E. 24. lbs. dist.
73. 50 To a Branch 10. lbs. wide. Course N. 30. W.
80. 00 Intersected the N. & S. line 10. lbs. N. of the Post. The first 30. ch. is upland. Then Mt. Bottom. Timber. Oak. Elm & Maple.
-
- North Between Secs. 4. & 5. T. 5. T. Co. N^o 11. W.
10. 88 To a Branch 4. lbs. wide. Course N.
29. 50 To a B. Oak 20. in. diam. stands in the line.
40. 00 Set a Post for the Cor. to 44 Sec. from which an O. Oak 6. in. diam. bears N. 17. E. 17. lbs. dist. & an O. Oak 10. in. diam. bears S. 29. W. 40. lbs. dist.
79. 70 To an O. Oak 12. in. diam. which stands in the line.
88. 12 Intersected the Range line 267. lbs. E. of the Post. Set a Post. from which a B. Oak 6. in. diam. bears S. 63. W. 39. lbs. dist. & an O. Oak 6. in. diam. bears S. 6. E. 67. lbs. dist. Good Land. Part Mt. Timber. Oak. & Elm & Maple.
-
- East Between Secs. 4. & 9. T. 5. T. Co. N^o 11. W.
29. 38 To a Branch 6. lbs. wide. Course N.
40. 00 Set a Post for the Cor. to 44 Sec. from which an O. Oak 14. in. diam. bears S. 31. W. 2. lbs. dist. & an Elm 15. in. diam. bears S. 55. W. 25. lbs. dist.
80. 00 Intersected the N. & S. line at the Post 266 for the Cor. to 22^o 3. 4. 9. 10.

T. N^o 5. T. Co. N^o 11. W. 2nd Mer.

- Land level. Part Bottom. Timber. Oak. Elm & Maple.
-
- North Between Secs. 3. & 4. T. 5. T. Co. N^o 11. W.
6. chains through wet Land.
40. 00 Set a Post for the Cor. to 44 Sec. from which an O. Oak 6. in. diam. bears S. 65. W. 10. lbs. dist. & an O. Oak 6. in. diam. bears N. 10. E. 7. lbs. dist.
82. 00 Intersected the Range line 136. lbs. E. of the Post. Set a Post. from which a B. Oak 6. in. diam. bears S. 13. E. 10.3. lbs. dist. & an O. Oak 5. in. diam. bears S. 5. W. 12.5. lbs. dist. Land level. Part Bottoms. Timber. Oak. & Hickory.
-
- East Between Secs. 3. & 10. T. 5. T. Co. N^o 11. W.
13. 00 To a Branch 25. lbs. wide. Course N.
35. 00 To a Branch 6. lbs. wide. Course N.
40. 15 Set a 44 Sec. Post from which a Gum 12. in. diam. bears N. 56. E. 25. lbs. dist. & a Gum 10. in. diam. bears S. 33. W. 37. lbs. dist.
80. 30 Intersected the N. & S. line at the Post 266 for the Cor. to 22^o 2. 3. 10. & 11. - The first 35. chains is Mt. Bottom. Then Low Bridges. Timber. Oak. Elm & Maple.
-
- North Between Secs. 2. & 3. T. 5. T. Co. N^o 11. W.
13. 40 To a B. Oak 33. in. diam. which stands in the line
40. 00 Set a B. Oak for the Cor. to 44 Sec. from which a S. Oak 27. in. diam. bears S. 53. W. 11. lbs. dist. & a B. Oak 22. in. diam. bears N. 27. W. 23. lbs. dist.
50. 00 Swamp to the Post.
75. 20 To an O. Oak 14. in. diam. stands in the line.
79. 70 Intersected the Range line 105. lbs. E. of the Post. Set a Post. from which an O. Oak 14. in. diam. bears S. 18. W. 62. lbs. dist. & an Elm 12. in. diam. bears S. 33. E. 19. lbs. Low Brushy Bridges to the swamp. Ark. Elm & Maple.
-
- East Between Secs. 2. & 11. T. 5. T. Co. N^o 11. W.
10. 00 To Mt. Bottom 20. chains wide.
16. 88 To a Branch 12. lbs. wide. Course North.

T. S. L. R. N. W. 2nd Mer.

40. 20 Set a Post for the Cor. to 14 Co. from which a B. Oak
22 in. diam. bears N 84. W. 25 lbs. dist. & a B. Oak 22
in. diam. bears N. 34. W. 27 lbs. dist.
60. 00 To a Branch 6 lbs. wide, course N.
50. 00 Intersecting the N. & S. line 30 lbs. N. of the Post set for
the Cor. to Sec. 12, 11 & 13. - Low Ridges, Part
Barrens, Timber, Oak & Hickory, & Brushy Land.
-
- North Between Sec. 1 & 2, T. 5, S. R. N. W. Jun^o 26th 1806.
1. 88 To a B. Oak 33 in. diam. which stands in the line.
29. 50 To a Branch 40 lbs. wide course N. 50. W.
110. 00 Set a Post for the Cor. to 14 Co. from which an O. Oak
10 in. diam. bears S 27. W. 6 lbs. dist. & an O. Oak
10 " " " " N. 65. E. 32 lbs. dist.
50. 75 To a Branch 6 lbs. wide, course N.
73. 38 To a B. Oak 36 in. diam. stands in the line.
79. 50 Intersecting the Range 98 lbs. E. of the Post set for the
Cor. & set a Post from which a B. Oak 18 in. diam.
bears S. 70. W. 34 lbs. dist. & a W. Oak 12 in. diam.
bears S. 14 E. 87 lbs. dist. - Low Land, Part Mt.
mostly Barrens, Timber, Oak & Hickory, Brushy.

East Between Sec. 1 & 12, T. 5, S. R. N. W. 2nd Mer.

10. 00 To a Branch 6 lbs. wide, course N.
40. 00 Set a 14 Co. Post from which a B. Oak 10 in. diam. bears S.
73 E. 14 lbs. dist. & a B. Oak 7 in. diam. bears S. 70. W. 29 lbs. dist.
62. 50 To a Branch 12 lbs. wide, course N.
72. 50 To the Post Road.
73. 50 Barrens to the Post.
80. 00 Intersecting the N. & S. line at the Post, Low Land, Part
Mt. Timber, Oak & Hickory, Brushy, Timber to the Township.
Jun^o 27th 1806.

Surveyed by
Jacob Fenner,

Deputy Surveyor.

T. 5, S. R. N. W. 2nd Mer. Sec. 1

West

North Boundary

11. 00 Road to Red bank,
28. 98 Iron Cor. Established by Mr. Rator,
40. 00 Set of Sec Post from which
a B. Oak 11 in. dia. W. N. 34 E. 27 lbs.
74. 30 Rector's 1/2 mile post,
80. 00 Set Post for to Sec 35 & 36 from which
a B. Oak 36 in. dia. W. N. 33 E. 45 lbs.
- an " 20 " " " N. 30 E. 90 " "
- November 24, 1805.

- West On S. Boundary of Sec 35, T. 5, S. R. N. W.
34. 75 Rector's mile post,
40. 00 Set of Sec Post from which
a B. Oak 15 in. dia. is corner,
75. 04 Rector's 1/2 mile post,
80. 00 Mile post for to Sec 34 & 35 from which
an Elm 24 in. dia. W. N. 16 E. 33 lbs.
- a Maple 14 " " " N. 60 E. 57 " "
- Low wet land covered with Brns.

- West On S. Boundary of Sec 34, T. 5, S. R. N. W.
15. 00 Bed of a Stream 30 rods wide course N.
35. 80 Rector's mile post
40. 00 Set of Sec Post from which
a Dogwood 10 in. dia. W. N. 10 E. 13 lbs.
- a Hickory " " " " S. 40 E. 11 " "
75. 90 Rector's 1/2 mile post,
80. 00 Post for to Sec 33 & 34 from which
a B. Oak 6 in. dia. W. N. 11 E. 21 lbs.
- a " 20 " " " " N. 31 E. 40 " "
- Low Brushy Barrens. Nov 29, 1805

P.S.S.R. 11, 11, 2^a Mer Ind^a
Ch. 21, 21,

West On S. Boundary of Sec 33, T4S, R11W,
37.08 Recons 1/2 mile post.
40.00 Set of Sec Post from which
a Spanish Oak 8 in dia W N 76° 30' 00"
a do 5 " " " S 126° 00' 00"
77.55 Recons 1/2 mile post.
80.00 Post Co. to Sec 33 from which
a W Oak 20 in dia W N 76° 31' 00"
a B Jack 9 " " " S 55° 00' 00"
Land flat & swampy.

West On S. Boundary of Sec 33, T4S, R11W,
37.40 Recons 1/2 mile post.
40.00 Set of Sec Post from which
a Dogwood 10 in dia W S 42° 15' 00"
a do 14 " " " North 18 " "
59.00 a Stream 17 W side course N.
75.93 Recons 1/2 mile post.
80.00 Post Co. to Sec 31 & 32 from which
a W Oak 20 in dia W N 27° 00' 00"
a do 5 " " " S 65° 00' 00"
Thin Soil, Timber Oak, Hickory &c.

West On S. Boundary of Sec 31, T4S, R11W,
36.89 Recons 1/2 mile post.
40.00 Set of Sec Post from which
a Hickory 20 in dia W N 70° 27' 00"
a do 18 " " " N 53° 00' 00"
75.36 Set Post from which
a W Oak 20 in dia W N 47° 00' 00"
a Hickory 14 " " " S 72° 00' 00"
Land as Same,
D. Sullivan D.S.

P.S.S.R. 11, 11, 2^a Mer Ind^a
Ch. 21, 21,

West Boundary
North On E. Boundary of Sec 1, P.S.S.R. 11, 11,
42.50 a W Oak 20 in dia
40.00 Set of Sec Post from which
a B Oak 24 in dia W N 77° 45' 00"
a Hickory 8 " " " N 35° 00' 00"
58.40 a W Gum 13 " " "
60.00 Set Post Co. to Sec 1 & 12 from which
a B Oak 26 in dia W N 48° 38' 00"
a W " 18 " " " S 68° 00' 00"
Land rolling & pretty good soil, Timber
B. Oak, W Oak, Hickory &c.

South On E. Boundary of Sec 12, P.S.S.R. 11, 11,
18.37 a W Oak 20 in dia.
40.00 Set of Sec Post from which
a B Gum 10 in dia W N 81° 00' 00"
a B Oak 24 " " " S 43° 00' 00"
53.88 a W " 20 " " "
80.00 Set Post Co. to Sec 12 & 13 from which
a Hickory 20 in dia W N 62° 00' 00"
a do 18 " " " S 88° 00' 00"
Land as Same.

South On E. Boundary of Sec 13, P.S.S.R. 11, 11,
33.09 a Hickory 20 in dia.
40.00 Set of Sec Post from which
a Elm 10 in dia W N 86° 00' 00"
a Hickory 12 " " " S 83° 00' 00"
57.00 a B Oak 24 " " "
80.00 Set Post Co. to Sec 13 & 24 from which
a B Oak 30 in dia W N 58° 00' 00"
a do 30 " " " S 30° 00' 00"
Land as Same.

F.S.S.R. 11. M, 3rd Mer Ind^a,

South An. Co. Boundary of Dec 24, F.S.S.R. 12. M.
 19.13 A W. Oak 18 in dia,
 40.00 Set of Sea Post from which
 A B. Gum 11 in dia W^d 579717 1804
 A Poplar 9 " " " 577630 " "
 34.68 A W. Oak 12 " " "
 70.00 A Brook 15 UK Sains (Quo S. M.)
 80.00 Set post for to Dec 24 + 25 from which
 A B. L. Gum 12 in dia W^d 579714 1804
 A " 8 " " " 575721 " "
 Land rolling some Bottom out with,
 Timber Oak, Hickory & Gum.

South An. Co. Boundary of Dec 25, F.S.S.R. 13. M.
 40.00 Set of Sea Post from which
 A W. Oak 24 in dia W^d 578724 1804
 A Hickory 5 " " " 576723 " "
 42.00 A Red Oak 22 " " "
 80.00 Set post for to Dec 25 + 36 from which
 A Hickory 14 in dia W^d 574733 1804
 A " 12 " " " 572747 " "
 Land & Same, Dec 1, 1805

South An. Co. Boundary of Dec 26, F.S.S.R. 14. M.
 77. A Red Oak 30 in dia,
 40.00 Set of Sea Post from which
 A Hickory 10 in dia W^d 577732 1804
 A " 12 " " " 576731 " "
 At this place there is a quantity of W. L. State Stone.
 15.12 A. B. Gum 10 in dia,
 80.00 Set Post for to Dec 26 + 27 from which
 A W. Oak 20 in dia W^d 574720 1804
 A B. Gum 12 " " " 570747 " "
 Land & Same.

W^m Rector, D. S.

D. N. 5 L. N. A. 11 M. 2nd Mer.

I certify that the foregoing transcript of the field notes of Township No 5 South, Range 8. N. W. Mer. of the 2nd Mer. Indiqua, has been compared with the Original notes in this Office, & found to be correct.

Surveyor General's Office,
 D. C. 23rd April 23, 1846.

Geo. G. G.