

207

Township No 6 South of Range No 10 West 2nd Mer.

April 21<sup>st</sup> 1806. Began to survey this township after com-  
pleting the fraction in Town 7 South  
NW 1/4 Between Town 6 & 7 South Range 10<sup>th</sup> South side of sec  
36. T6 SR 10W

6.90 AM Oak 22 in dia in the line  
8.00 A. Pine 1800 ckt. in dia; Course N45W.  
35.00 " " 4 " " " S40 E.  
40.00 Let post for cor to 1/4 sec from which a Gum 12 in dia  
has N38W. 22 links dist; and a W. Oak 24 " "  
" S29 E. 59 " "  
70.00 7.50 ckt through a Swamp Runs S50 E.  
80.00 Let post cor to sec 35. T6 SR 10W. from which a  
W. Oak 12 in dia has N75W. 31 links dist; and an S.  
Oak 20 " " S38 E. 34 " " and some  
Timber Oak, Elm, & Maple

NW 1/4 On Town line on the South side of sec 35. T6 SR 10W  
30.75 AM Oak 21 in dia in the line.  
40.00 Let post cor to 1/4 sec from which a W. Oak 20 in dia  
has N77W. 21 links dist; and a W. Oak 18 " "  
" S28 E. 27 " "  
46.60 AM Oak 18 in dia in the line.  
80.00 Let post cor to sec 34. T6 SR 10W from which in W. Oak 16  
in dia has N25W. 30 links dist; and a W. Oak 11  
" " S48 E. 11 " " and some  
part red; Timber Oak, Hick; and Elm.

NW 1/4 On Town line on the South side of sec 34. T6 SR 10W  
12.67 AM Oak 18 in dia in the line  
40.00 Let post for cor to 1/4 sec from which an R. Oak 18 in  
dia has N44 E. 35 links dist; and a Hick 7 1/2  
" " S14 E. 34 " "  
51.75 AM Oak 21 in dia in the line  
80.00 Let post for cor to sec 33 & 34 T6 SR 10W from  
which an R. Oak 21 in dia has N67W 11 links dist;  
and an R. Oak 20 " " S66 W. 27 " "

T. N. C. R. N. 107. 2<sup>nd</sup> Div. NewLands level and part met; Timbu Oak, Hickory  
and gum.

72.21	On Town Line South side of sec. 33. T. 6 N. R. 107
16.50	A Swamp 300 lbs. mid; Course 35077
32.90	W. Oak 22 in dia in the line
40.00	See post for cor. to 7/4 sec from which an Elm 12 in dia bears N 76 W. 20 links dist; and a W. Oak 30 in dia " " N 77 W. 54 " "
73.30	W. Oak 21 in dia in the line
80.00	See post for cor. to sec. 32, 33. T. 6 N. R. 107 from which a W. Oak 14 in dia bears N 10 E. 19 links dist and a W. Oak 16 " " " N 39 E. 52 " " Lands level and some met; Timbu Oak, Hickory & Gum, &c
74.21	On Town Line South side of sec. 32. T. 6 N. R. 107
33.95	W. Oak 24 in dia in the line
40.00	See post for cor. to 7/4 sec from which an Ash 16 in dia bears S 15 E. 21 links dist; and a Birch 18 " " " " " N 14 W. 54 " "
110.25	A Swamp 500 links mid; Course 32577
49.00	Part of same Swamp 350 links mid; Course 345 E.
73.01	A Pond 200 lbs. mid; Course 32077
80.00	See post on a map 20 in dia cor. to sec. 31 32. T. 6 N. R. 107. From which an Elm 21 in dia bears N 40 W. 49 links dist; and a map 22 " " " " " 85 W. 29 " " Lands level and some met Timbu Oak, Maple, Ash, & Elm
74.21	On Town Line South side of sec. 31. T. 6 S. R. 107
25.70	See post on the Point of the Ohio from which a Cottonwood 30 in dia bears N 66 W. 7 links dist; and an Elm 10 " " " N 45 E. 23 " " Lands level and met; Timbu Cotton wood, Maple, Elm

T. N. C. R. N. 107. 2<sup>nd</sup> Div. New

Sycamore

April 3<sup>rd</sup> 1806

North	Between Sec. 31 & 32 T. 6 N. R. 107
20.00	To a post through a Pond 19077
40.00	See post cor. to 7/4 sec from which an Box Elder 12 in dia bears N 86 E. 22 links dist; Hoopwood 7 " " " S 75 W. 18 " "
41.00	W. Oak 140 links mid; Course 34077
62.15	W. Gum 22 in dia in the line
80.00	See post cor. to sec. 29, 30, 31, 32, from which a W. Oak 22 in dia bears S 12 E. 9 links dist; and a Poplar 13 " " " N 36 W. 21 " " Lands level to the branch; then level; Timbu W. Oak & Poplar.
74.21	Between Sec. 30 & 31 On true line
27.95	To a post on the Point of the Ohio from which an Elm 12 in dia bears N 56 E. 42 links dist; and a W. Elm 13 " " " N 10 E. 61 " " Lands level; Timbu W. Oak, & Poplar, some Sugar
April 4 <sup>th</sup> 1806	
Observation across the Ohio from the Post on the Point between Sec. 30 & 31 N 89 W. to a tree on the South side of the Ohio; N 16 W. 10.00 S 77 W. 77 to the same tree April 4 <sup>th</sup> 1806	
North	Between Sec. 35 & 36 T. 6 N. R. 107
17.19	To a Hickory 18 in dia in the line
37.50	To a Pond 200 lbs. mid; Course 37077
40.00	See post for cor. to 7/4 sec from which a Hickory 6 in dia bears N 53 W. 12 links dist; and a Sugar 16 in " " " N 8 E. 91 " "
67.50	550 a pond Course 34577
80.00	See a post cor. to sec. 25, 26, 35, & 36 T. 6 N. R. 107 from which a W. Oak 30 in dia bears S 72 W. 47 links

## J. N. 6 S. R. No 10 W. 2nd Mer

42.00; and a B Oak 27 in dia bears N 70 E. 28 lks  
N 1/2 S; Lands level and part wet; Timber Oak, &  
Hick

East On a Random line between Sec 25, 36.

40.00 Set post temp for cor. to 7/4 sec  
52.00 13.00 through wet swampy lands;  
47.50 Intersected Navigation at the post sec for cor. to sec  
25, and to 36. Timber 73 Oak, 71 Oak, Hick &  
Gum etc

West On true line between Sec 25, 36. Hands back

39.75 Set temp post at aver dist on true line for cor.  
to 7/4 sec from which a Hick 10 in dia bears East  
5 links dist; and a No 12 " " " 46 7 28

49.50 To cor of sec. 25, 26, 35, & 36

North Between Sec 25, 26 J. C. DR. 1077

15.00 3.50 A Ponds Course N 45 W.  
40.00 Set post for cor to 7/4 sec from which a Hick 14 in  
dia bears N 79 W. 26 links dist; and a No 12  
" " " N 39 E. 13 " "

45.00 07. Oak 22 in dia in the line

56.50 07. Oak to the post

80.00 Set post cor to sec. 24, 25, 23, & 26 J. C. DR. 1077  
from which 07. Oak 16 in dia bears N 34 E. 14 lks  
dist; and a No 12 " " " S 71 E. 17 " "  
" Lands level and part wet; Timber Oak, Hick &  
and Gum etc

North Between Sec 34, 35 J. C. DR. 1077.

30.00 3.50 A Ponds West

40.00 Set post cor. to 7/4 sec from which a Hick 12 in.  
dia bears S 4 E. 30 links dist; & a No 6 " "  
" " " N 72 E. 12 "

## J. N. 6 S. R. No 10 W. 2nd Mer

42.00 16.00 A Ponds West

52.00 07. Oak 22 in dia in the line

73.00 3.50 A Ponds Course West

80.00 Set post cor to sec. 26, 27, 34, & 35 J. C. DR. 1077 from  
which a B Oak 14 in dia bears S 85 W. 34 links dist; & a  
B Oak 21 " " " S 39 E. 21 " "  
Lands level and part wet; Timber Oak, & Hick

East On a Random line between Sec 26, 35 J. C. DR. 1077

07. Oak. Lands to the p. since post

40.00 Set temp post for cor to 7/4 sec

42.00 2.00 A Ponds Course N 45 E

67.50 6.50 " " " N 45 W

80.00 Intersected N & S line at the post corner to sec 25,  
26, 35, 36 Lands level Timber Oak, Hick & Gum

West Between Sec 26, 35 On true line Hands back

40.00 Set temp post at aver dist; from true line for cor to  
7/4 sec from which a Gum 10 in dia bears N 70 E. 6 lks  
dist; and a No 12 " " " S 69 W. 27 "

80.00 To post cor to sec. 26, 27, 34, & 35

North Between Sec 26, 27 J. C. DR. 1077

14.00 07. Hick 30 in dia in the line

20.50 1.50 A Ponds Course West

40.00 Set post cor to 7/4 sec from which a Hick 10 in dia bears  
N 88 E. 15 links dist; and a Gum 13 " " "  
" " " N 27 W. 13 " "

45.00 10.00 wet ground.

70.00 a Gum 14 in dia in the line

73.50 1.50 A Ponds Course West

80.00 Set post cor to sec. 22, 23, 26, 27 J. C. DR. 1077.

from which a B Oak 27 in dia bears N 43 E. 8 links dist  
and a Hick 14 " " " S 27 W. 23 " "  
Lands level and part wet; Timber Oak, & Hick.  
Gum & No 12 etc;

## T. No. 6 S. R. No. 1077.

North Between Sec. 33 &amp; 34, T. 6 S. R. 1077.

- 21.00 11. Oak 32 in dia in the line  
 40.00 Set post cor. to to 1/4 sec from which a Gum 12 in dia  
 bears S 77 E. 17 links dist; and a Gum 12 in dia  
 " S 58 W. 44 " "  
 64.25 11. Oak 30 in dia in the line  
 67.00 3.00 A Ponds Course N 40 W  
 80.00 Set post for cor. to Sec. 27, 28, 33, 34, T. 6 S. R. 1077  
 from which a Maple 16 in dia bears S 53 E. 18 links dist  
 and a Maple 14 " " N 61 W. 27 " "  
 Lands level and part met; Timber Oak, Maple, Gum  
 & Hick

East On Random line between Sec. 27 &amp; 34

- 40.00 Set temporary post for cor. to 1/4 sec.  
 46.50 28.50 Met lands; Course N. 70 W  
 79.75 Intersection N & S line 50 links North of post cor.  
 to Sec. 26, 27, 34, 35 Timber Oak, Hick, Elm,  
 & Gum.

West On true line between Sec. 27 &amp; 34, T. 6 S. R. 1077

- 39.97 Set temporary post to aver. dist; on true line for cor. to  
 1/4 sec from which an Elm 12 in dia bears S 29 W.  
 27 links dist; and a W. Oak 12 " " N 48 E  
 18 " " April 21, 1806  
 79.95 To cor. of sec. 27, 28, 33, & 34

North Between Sec. 27 &amp; 28, T. 6 S. R. 1077.

- 16.50 2.50 Water Nest  
 25.50 13.50 Water "  
 40.00 Set post for cor. to 1/4 sec from which a Hick 18 in  
 dia bears N 15 W. 5 links dist; and a W. Oak 12 in  
 " " S 68 E. 17 " "  
 50.00 .50 A Ponds Course West  
 61.00 4.50 " " "  
 69.48 11. Oak 30 in dia in the line

## T. No. 6 S. R. No. 1077. 2nd Mer.

- 73.00 Water to the post.  
 80.00 Set post for cor. to Sec. 21, 22, 27, 28, T. 6 S. R.  
 1077. from which an Elm 20 in dia bears S 85 W.  
 25 links dist; and a W. Oak 24 " " N 30 W  
 57 " " Lands level and part met; Timber  
 Oak, Hick, Maple & Gum

North Between Sec. 32, &amp; 33, T. 6 S. R. 1077.

- 5.00 5.00 A Ponds Course West  
 17.00 10 links dist; Course West  
 28.00 A Ponds to the Hay mill post  
 40.00 Set a post for cor. to the 1/4 sec from which an Elm  
 12 in dia bears N 26 W. 20 links dist; and a W. Oak  
 18 " " N 18 E. 40 " "  
 44.08 11. Oak 22 in dia in the line  
 65.00 A ramp 17.50 Course West  
 75.50 A Ponds to the post  
 80.00 Set post cor. to Sec. 28, 29, 32, & 33, T. 6 S. R. 1077  
 from which an Oak 26 in dia bears N 15 E. 38 links  
 dist; and a W. Oak 26 " " N 6 W. 11 "  
 " Lands level; Timber Oak, Hick, & Gum, &  
 Maple.

East On Random line between Sec. 28, &amp; 33

- 7.50 Ponds Course S 50 W  
 15.00 20.00 Ponds  
 40.00 Set temporary post for 1/4 sec Cor.  
 45.00 5.00 A Ponds Course N.  
 71.50 3.00 A Ponds " N 40 W  
 80.00 Intersection N & S line at the post set for cor. to  
 Sec. 27, 28, 33, & 34 Lands level and part met; Timber  
 Oak, Hick, Maple, Gum, & so

West On true line between Sec. 28, &amp; 33, T. 6 S. R. 1077

- 40.00 Set temporary post at aver. dist. on true line for cor. to  
 1/4 sec from which an Oak 10 in dia bears N 46 E. 21

J. No 6 U.R. 1077. 2<sup>nd</sup> & 4<sup>th</sup> Mar.

Links dist; under W Oak 72 in dia beam  
S 22 E. 19 links dist;

## North Between Sect. 28. &amp; 29 J. 6 U.R. 1077.

- 1.50 A Ponds  
16.00 1.50 A Ponds Course West  
23.00 2.00 " " West  
40.00 Set post for cor. to 1/4 sec from which a B. Oak 20  
in dia beam S 52 W. 19 links dist; under W Oak 18  
" " " N 43 E. 44 " "  
40.58 W B Oak 20 in dia in the line  
80.00 Set post for cor. to Sect. 20, 21, 28, & 29 from which  
a Gum 10 in dia beam N 38 W. 12 links dist; & a  
Lo 12 " " S 65 E. 36 " "  
Timber W Oak, Hickory and Gum, &c

## West On Random line between Sect. 29, &amp; 32

- 40.00 Set temp post for cor. to 1/4 sec  
65.50 W Brook 10 links wide; Course S 50 W  
80.00 Intersection N.S. line 30 links North of post set  
for cor. to Sect. 29, 30, 31 & 32

## East On true line between Sect. 29, &amp; 32

- 40.00 Measure temp post to corr. dist on true line for  
cor. to 1/4 sec from which an W Oak 8 in dia beam  
S 45 W. 15 links dist; under Gum 10 " "  
N 13 W 9 " "  
80.00 Go cor for Sect. 28, 29, 32, 33

## North Between Sect. 29 &amp; 30

- 4.39 W Oak 29 in dia in the line  
40.00 2.50 - A Ponds West  
40.00 Set post for cor. to 1/4 sec from which a B Oak  
13 in dia beam N 23 E. 13 links dist; & a Gum  
12 " " " S 6 W. 19 " "  
45.00 W B Oak 21 in dia. in the line

J. No 6 U. R. No 1077. 2<sup>nd</sup> & 4<sup>th</sup> Mar

- 79.20 W Brook 10 links wide; Course West  
80.00 Set post cor. to Sect. 19, 20, 29 & 30 J 6 U.R. 1077  
from which a B Oak 15 in dia beam N 58 W. 58 links  
dist; under a Gum 12 " " " S 28 E. 48 " "  
" " " " " " " " " " " " "

## East On Random line between Sect. 20, &amp; 29

- 13.00 W Brook 6 links wide; Course S 80 W  
40.00 Set temp post for cor. to 1/4 sec  
40.00 Ponds to the Post  
80.00 Intersection N.S. line at the post cor. to Sect. 20, 21,  
28, & 29. Same line; Timber W Oak, Hickory  
& Gum, &c

## West On true line between Sect. 20, &amp; 29

- 17.12 W B Oak 30 in dia in the line  
40.00 Set temp post at corr. dist; on true line for cor.  
to 1/4 sec from which a B Oak 32 in dia beam S 24 W  
19 links dist; under a Gum 12 " " " N 7 W  
10 " " " " " " " " " " " "  
80.00 To cor of Sect. 19, 20, 29 & 30

## West On true line between Sect. 19, &amp; 30

- 40.00 Set post cor. to 1/4 sec from which a Hickory 8 in dia  
beam S 39 E. 14 links dist; under a Lo 12 " "  
" " " " " " " " " " " " " " N 13 E. 15 " "  
47.20 Intersection Range line 240 links South of post  
set for cor. of Sect. 19, & 30 under a post from  
which a Hickory 13 in dia beam N 36 E. 36 links dist  
under a Hickory 12 " " " S 84 E. 38 " "  
Same line Timber W Oak, Hickory & Gum

## North Between Sect. 19, &amp; 20

- 21.00 5.00 A Ponds Course West  
32.00 12.50 Wet lands  
40.00 Set post for cor. to 1/4 sec from which a Maple 14 in dia

## T. N. O. S. R. N. 1077. 2nd Mer

- 60.00 130 W. 11 links dish; and a S. Oak 16 in dia  
N. 152 W. 23. "
- 50.00 On Oak 20 in dia in the line
- 80.00 Set post for cor to sec 17, 18, 19 & 20; S. 6 S. R. 1077  
from which a Poplar 22 in dia bears N 22 W 28  
links dish; and a B. Oak 36 in " N 78 E 44  
" " Sande wood ends post set; Timber Oak,  
Poplar, Hickory and Gum, April 22, 1806
- 
- East On Random line between Sec. 21 & 28  
40.00 Set temp. post for cor. to 74 sec  
60.00 Ponds to the post and the main crop Sande wood  
Timber Oak, Hickory & Elm Maple & c.
- 
- West On true line between Sec. 21 & 28  
40.00 Set temp. post for aver. dish on true line for cor.  
to 74 sec from which a B. Oak 16 in dia bears S 77 E  
22 the west; and an R. Oak 8 in " " S 44 W  
22 " "
- 
- East On Random line between Sec. 22 & 27  
7.50 Wet Grounds  
40.00 Set temp. post for cor to 74 sec.  
55.00 A Pond 10.00  
80.00 Intersected A.S. line at the post cor to sec. 22,  
23, 26, & 27 Timber Oak, Hickory & Elm Oak  
and Gum,
- 
- West On true line between Sec. 22 & 27  
40.00 Set temp. post to aver. dish; on true line for cor to  
74 sec from which a Honey Locust 16 in dia bears  
N 77 W. 20 links dish; and a B. Oak 24 in " " S 42 E. 38. "
- 80.00 To post set for cor. to sec. 21, 22, 27, & 28
- 
- East On Random line between Sec. 23 & 26

## T. N. O. S. R. N. 1077. 2nd Mer

- 30.00 Wet Grounds 12.50  
40.00 Set post/temper. post for cor. to 74 sec.  
60.00 Wet lands to the post.  
80.00 Intersected the A.S. line 50 links N of post  
set for cor to sec 23, 24, 25, & 26 Timber  
Oak, Gum Maple, Elm, & Hickory
- 
- West On true line between Sec. 23 & 26. S. 6 S. R. 1077  
40.00 Set temp. post at aver. dish on true line for cor to 74  
sec from which a Hickory 10 in dia bears S 43 W. 5 the  
dish; and a 18 in dia " " N 23 W. 2. "
- 80.00 To post for cor to Sec. 22, 23, 26, & 27
- 
- East On Random line between Sec. 24 & 25.  
3.50 16.50 Wet lands  
10.00 Set temp. post for cor to 74 sec  
4.150 Wet land to the post  
80.00 Intersected Honey & line at the post cor to sec 24 & 25  
S. 6 S. R. 1077. The water in the wet lands runs North  
Timber Oak, Maple & Gum
- 
- West On true line between Sec. 24 & 25  
40.00 Set temp. post at aver. dish. On true line for cor to  
74 sec from which a Mulberry 16 in dia bears S 21 W  
15 links dish; and a Dogwood 8 in " " N 42 E  
24 " "
- 80.00 To post for cor to sec. 23, 24, 25 & 26  
For line between Sec. 23, 24, 25 & 26 See ends of Township
- 
- North Between Sec. 22 & 23 S. 6 S. R. 1077  
22.12 To a Hickory 18 in dia stands in the line  
40.00 Set post for cor to " " from which " 18 in dia bears  
N 19 W. 9 links dish; and a W. Oak 14 in " " N 45 E 9 " "
- 46.12 To a W. Oak 14 in dia in the line  
80.00 Set post for cor to sec. 13, 14, 23, & 24 S. 6 S. R. 1077  
from which an Elm 12 in dia bears N 71 E. 22 the dish

J. N. C. G. R. No 104. 2<sup>nd</sup> Me

and a W. Oak 22 in dia bears S 47 N. 67 of the dist  
Lands level; Timber P. Oak, Hick, some W.  
Oak, & Ash,

## North Peteran Dec. 21. 22 J. C. G. R. 104

25.00 A. Ponds

- 36.25 W. Oak 30 in dia stands in the line  
40.00 Set post for cor. to 1/4 sec from which a P. Oak 12 in  
dia bears N 12 W. 35 the dist; under logs and Co  
" " S 41 E. 7 " "  
75.09 A P. Oak 24 in dia stands in the line  
80.00 Set post for cor. to sec. 15, 16, 21, & 22 from which  
W. Oak 21 in dia bears N 52 E. 58 the dist; and also  
W. Oak 18 " " " N 66 W. 80 " "  
Lands level; Timber Oak, Hick, Elm & Maple

## North Peteran Dec. 20. &amp; 21. J. C. G. R. 104

- 5.00 15.00 Wet lands  
40.00 Set post for cor. to 1/4 sec from which a Gum 10 in  
dia bears S 60 E. 15 the dist; & a 16 12 in  
" " S 57 W. 20 " "  
68.00 W. Oak 10 the side; Course N 75 W.  
80.00 Set post for cor. to sec. 16, 17, 20, & 21 J. C. G. R. 104  
from which a Hick 15 in dia bears S 28 W. 15 the  
dist; and also 16 22 " " S 21 W. 35 " "  
" Timber Oak, Hick, and Gum.

## West Peteran Dec. 18. &amp; 19. J. C. G. R. 104. True line

- 22.00 W. Oak 3 links side; Course N.  
30.38 W. Oak 20 in dia stands in the line  
38.50 W. Oak 3 links side; Course N 45 W.  
40.00 Set post for cor. to 1/4 sec from which a Gum 14 in dia  
bears N 85 W. 31 links dist; and also a Gum 16 in  
" " S 67 W. 40 " "  
45.00 W. Oak 3 links side; Course North  
51.50 " " 3 " " " "

J. N. C. G. R. No 104. 2<sup>nd</sup> Me

- 56.00 W. Oak 10 in dia stands in the line.  
58.50 W. Oak 10 links side; Course N 45 E.  
71.45 Interspersed Range line 250 links South of post  
set for cor. to sec. 18, & 19, J. C. G. R. 104. and set a  
post from which a Hick 15 in dia bears N 3 E  
55. Links dist; and also logs 7 " " S 27 E  
53 " " Lands level; Timber Oak, Hick  
and Gum. April 23. 1806

## East On Random line between Dec. 17. &amp; 20. J. C. G. R. 104

- 2.00 W. Oak 4 links side; Course N.  
13.00 26.00 Wet lands  
40.00 Set temp. post for cor. to 1/4 sec  
58.50 W. Oak 10 the side; Course N.  
63.50 " " 5 " " " "  
79.75 Interspersed N. S. line 90 the South of post set for  
cor. to sec. 16, 17, 20, & 21 J. C. G. R. 104. Lands level  
dist; Timber Oak, Elm, Gum & Hick

## West On true line between Dec. 17. &amp; 20

- 39.87 1/2 Set temp. post at aver. dist; in true line for cor. to 1/4  
sec from which an Oak 6 in dia bears S 64 E. 36  
links dist; and also Elm 20 " " " N 44 W. 38  
" " " " " " " "  
79.75 To cor. of sec. 17, 18, 19, & 20.

## East On Random line between Dec. 16 &amp; 21.

- 20.01 W. Oak 10 the side Course N.  
40.50 Set temp. post for cor. to 1/4 sec  
80.00 Interspersed N. S. line at post set for cor. to sec.  
15, 16, 21, & 22. Lands level; some map; Timber  
Oak, Elm, & Hick. Some Ho. Locust.

## West On true line between Dec. 16 &amp; 21.

- 40.00 Set temp. post at aver. dist in true line for cor.  
to 1/4 sec. from which an Oak 12 in dia bears

T. N. 6. R. N. 10 W. 2<sup>nd</sup> Mo.

N 537. 36 links dist; and on R. Oak 10 in dia  
beams S 42 W 31 links dist;

8000 To the post set for cor. to Sec. 16, 17, 20, & 21.

East On Random line between Sec. 15 & 22

28.00 W. Oak 10 links mid; Course N 50 W

40.00 Set temporary post for cor. to 1/4 sec

80.20 Intersected N. S. line 40 links North of post set  
for cor. to Sec. 14, 15, 22, & 23. Landa level and  
post met; Timber Oak, Elm, Ash, Gum & Hickory

West On true line between Sec. 15 & 22

40.00 Set temporary post at aver. dist. on true line for cor.  
to 1/4 sec from which a W. Oak 18 in dia bears N 30  
W 25 links dist; and an Elm 10 in dia S 76  
E 36 in

80.20 To post for cor. to Sec. 15, 16, 21, & 22

East On Random line between Sec. 14 & 23

50 W. Oak 12 links mid; course N.

20.25 in 25 in

40.00 Set temporary post for cor. to 1/4 sec

80.50 Intersected N. S. line at the post set for cor. to  
Sec. 14, 15, 22, & 23. The last 45 ch. met; Timber  
Oak, Maple, Elm, Ash & Hickory

West On true line between Sec. 14 & 23

40.00 Set temporary post at aver. dist. on true line for cor.  
to 1/4 sec from which an Elm 10 in dia bears N 88 E  
11 links dist; and an Oak 12 in dia S 27 W  
19 in

80.00 Set the post set for cor. to Sec. 14, 15, 22, & 23

East On Random line between Sec. 13 & 24

Water from the post S 8.50 Course N 45 E.

40.00 Set post temporary for cor. to 1/4 sec

T. N. 6. R. N. 10 W. 2<sup>nd</sup> Mo

79.59 Intersected N. S. line 30 links South of post set  
for cor. to Sec. 13, 14, 21 & 24. Landa level  
generally met; Timber Oak, Gum, Elm & Hickory

West On true line between Sec. 13 & 24 S 6 S. R. 10 W

39.79 Set temporary post at aver. dist. on true line for cor.  
to 1/4 sec from which an Elm 10 in dia bears S 29  
W 20 links dist; and an Elm 12 in dia S 16  
W 23 in

North Between Sec. 13 & 14 S 6 S. R. 10 W

26.27 W. Oak 30 in dia stands in the line

40.00 Set post for cor. to 1/4 sec from which a W. Oak 20 in dia  
bears S 36 W 23 links dist; and an Elm 10 in dia  
S 79 E 11 in

48.25 An Elm 14 in dia stands in the line

80.00 Set post for cor. to Sec. 11, 12, 13, & 14 from which  
an Oak 7 in dia bears N 75 W 14 links dist; +  
a W. Oak 30 in dia S 40 W 26 in  
Landa all met; Timber Gum, Ash, Maple & Hickory

North Between Sec. 14 & 15 S 6 S. R. 10 W

3.00 W. Oak 22 in dia stands in the line

19.00 W. Oak 6 links mid; Course N 40 E.

37.25 Again locate 250 links mid; Course N 60 W

40.00 Set post for cor. to 1/4 sec from which an Elm 10 in  
dia bears S 11 E 10 links dist; and an Elm 10 in  
dia S 11 W 11 in

73.17 Hickory 14 in dia stands in the line

80.00 Set post for cor. to Sec. 10, 11, 14 & 15. S 6 S. R. 10 W  
from which an Elm 14 in dia bears S 42 E 25. the  
dist and an Elm 24 in dia S 21 W 53 in  
Landa part met; Timber Oak, Ash, Maple,  
Gum & Hickory

North Between Sec. 15 & 16 S 6 S. R. 10 W



J. N. C. S. R. No 107. 2<sup>nd</sup> Mo

- 34.50 W. Brook 8 links wide; Course E.  
 40.00 Set post for cor. to 74 sec from which a 13 Oak 22  
 in dia bears N7E. 29 links dist; under 7 Oak 36  
 " " " N85W 39 " "  
 56.57 To Agion Creek Course N45W  
 80.00 Set post for cor. to Sect. 9, 10, 15, 16 T6 DR 107  
 from which a 13 Walnut 12 in dia bears S45W 10  
 links dist; under Hick 13 " " N65E 48  
 " " Lumber land; Timber Oak, Elm, Gum,  
 Ash, & Poplar, & Hick. undag<sup>d</sup> Spruce brush  
 Apr. 24. 1806
- 
- North Between Sect 16 & 17 T6 DR 107  
 15.50 W. Brook 6 links wide; Course N. 50W  
 26.00 W. Oak 33 in dia stands in the line  
 38.50 W. Brook 3 links wide; Course N45W  
 40.00 Set a post for cor. to 74 sec from which a Hick 10  
 in dia bears S42E 7 links dist; under 7 Oak 10  
 " " " N74W 16 " "  
 60.25 W. Oak 22 in dia. stands in the line.  
 80.00 Set post for cor. to Sect. 8, 9, 16, & 17 T. 6 DR 107  
 from which a W. Oak 24 in dia bears N43W 16 links  
 with under 13 Oak 36 " " " S58E 31 "  
 " " Lumber land part trees; Timber Oak, Hick,  
 & Gum
- 
- North Between Sect 17 & 18 T6 DR 107  
 6.30 W. Brook 5 links wide; Course N15W  
 21.50 " " 10 " " " West  
 31.89 To the bank of Agion Cr. 250 links wide; Course  
 S25W  
 40.00 Set a post for cor. to 74 sec from which a W. Oak 13 in  
 dia bears S23W 20 links dist; under 1 Oak 16 "  
 " " " N86E 25 " "  
 42.73 To Agion Cr. Course S30E  
 71.00 N. 1700 E 10.100 to the true line in the

J. N. C. S. R. No 107. 2<sup>nd</sup> Mo

- 80.00 North Bank of Agion Cr. Course S70W  
 Set post for cor. to Sect. 7, 8, 17, 18 from which a  
 W. Oak 22 in dia bears N75W 23 links dist  
 from Oct. 12 " " " S52W 144 " "  
 Timber Oak, under 7 Oak same Gum & Elm
- 
- W. Oak On true line between Sect 7 & 18 T6 DR 107  
 29.50 W. Brook 25 links wide; Course S  
 31.53 W. Oak 22 in dia stands in the line  
 40.00 Set post for cor. to 74 sec from which an Elm 12  
 in dia bears N77W 38 links dist; under 7 Oak 13  
 " " " S28W 28 " "  
 71.70 Intertical Range line 285 links South of post  
 set for cor. of Sect. 7, 8, 18 T6 DR 107. and set a post  
 from which a Hick 10 in dia bears N40E 38 links  
 dist; under a W. Oak 12 " " " S3E 17 "  
 " " Lumber land under brush; Timber Oak, Hick,
- 
- East On Random line between Sect 8 & 17 T6 DR 107.  
 2.80 To Agion Creek. Course S70W  
 31.50 " " " " N61W  
 32.50 " " " " " S67W  
 40.00 Set lamp post for cor. to 74 sec  
 55.00 W. Brook 6 links wide; Course N.  
 80.00 Intertical N.S. line at the post set for cor. of  
 Sect. 8, 9, 16, 17 At the several crossings of Agion  
 Creek the Oak Range brush; Timber Oak  
 Hick; and Gum.
- 
- W. Oak On true line between Sect 8 & 17  
 40.00 Set lamp post at aver. dist. on true line for cor.  
 to 74 sec from which a W. Oak 14 in dia bears S59W  
 37 links dist; under 7 Oak 15 " " " N30W  
 33 " "  
 42.87 To a Gum 10 in dia stands in the line on the bank  
 of Agion Creek

T. N. C. L. R. No 107. 2<sup>nd</sup> Div. Mex.

80.00 To the post set for cor to Sect 7, 8, 17 &amp; 18.

East On Random line between Sect 9 &amp; 14

5.08 To a Gum on the bank of Sijun 250 lbs mine  
Course N 60 W

40.00 Set trap for post upon cor to 1/4 Sec

53.50 A Spring branch Course South

67.50 " " " " " "

80.20 Intersected N.S. line 26 links North of post set  
for cor. to Sect 9, 10, 13 & 16. Sande had made post  
rod; Jimbo Oak, Poplar, Gum, & Sugar tree

N.W. On true line between Sect 9 &amp; 16

40.10 Set trap for post at aver. dist. on true line for cor to  
1/4 Sec from which a Sugar tree 22 in dia bears  
S 70-10 links dist; & a 20" 13" " " "  
N 30 E 36 "

80.20 To cor of Sect 8, 9, 16 &amp; 17

East On Random line between Sect 10 &amp; 15

10.00 27.50 Not found

40.00 Set trap for post for cor to 1/4 Sec

80.00 Intersected N.S. line at post set for cor to Sect  
10, 11, 14, & 15. The last 7/8 mile over bar rings  
Jimbo Gum, Oak, Poplar, & Sugar tree.

N.W. On true line between Sect 10 &amp; 15 J. C. M. 107

40.00 Set trap for post at aver. dist. on true line for cor  
to 1/4 Sec from which an Oak 21 in dia bears S 45 E  
24 links dist; under Hickory 22" " " " N 71 W  
35, " " " " " "

80.00 Set post for cor to Sect 9, 10, 15, &amp; 16

East On Random line between Sect 11 &amp; 14 J. C. M. 107

15.60 To Sijun cr. 263 links mid; Course S 20 W

An current

T. N. C. L. R. No 107. 2<sup>nd</sup> Div. Mex.

40.00 Set trap for post for cor to 1/4 Sec

68.00 N Brook 3 links mid; Course S.

69.00 " " 10 " " " "

80.50 Intersected N.S. line at the post set for cor. to Sect  
11, 12, 13, & 14 Sande post set; Jimbo Oak,  
Ash, Gum & Hickory

N.W. On true line between Sect 11 &amp; 14

40.00 Set trap for post at aver. dist. on true line for cor to  
1/4 Sec from which a Gum 7 in dia bears N 65 W  
10 links dist; under N. Oak 24" " " S 21 E  
10 " " " " " "

61.75 To a Hickory 12 in dia on the line on the bank of Sijun

80.70 To the post set for cor. to Sect 10, 11, 14, &amp; 15

East On Random line between Sect 12 &amp; 13.

35.00 Not found

40.00 Set trap for post for cor to 1/4 Sec in a drain N 45 E

47.50 N Brook 57 links mid; Course N 40 W

80.00 Intersected N.S. line at the post for cor to Sect 12  
& 13. J. C. M. 107 Jimbo Oak, Ash, Hickory Maple  
& Elm.

N.W. On true line between Sect 12 &amp; 13

40.00 Set trap for post at aver. dist. on true line for cor to  
1/4 Sec from which a Gum 22 in dia bears N 35 W  
16 links dist; under Oak 20" " " S 74 W  
25" " " April 25, 1806

80.00 To a post set for cor to Sect 11, 12, 13 &amp; 14

N.W. Between Sect 11 &amp; 13 J. C. M. 107

30.00 Not found

15.58 An Oak 22 in dia stands on the line

40.00 Set post for cor to 1/4 Sec from which an Oak 14  
in dia bears N 7 E. 22 links dist; & an Oak 18  
" " " S 58 E. 33 " " "

## T. No. C. S. R. No. 107. Grand Me.

62.15 W. Wick 14 in dia stands in the line  
 80.00 Set post for cor. to lot 1, 2, 11, & 12 from which a  
 W. Oak 12 in dia bears N43 E 19 links dist. &  
 all Oak 13 " " S 87 W 27 " "  
 Lands, wood and post set Timber Oak, Ash  
 Gum & Hickory

## North Between Lot 10 &amp; 11 T. C. S. R. No. 107

15.50 W. Brook 6 links wide; Course N 50 E  
 22.37 W. Oak 18 in dia stands in the line  
 40.00 Set post for cor. to 1/4 sec from which a Poplar 20  
 in dia bears N 38 E 37 links dist; and an ash 12  
 " " " S 77 E 14 " "

61.25 To a W. Oak 20 in dia stands in the line  
 80.00 Set a post cor. to lot 2, 3, 10, & 11 T. C. S. R. No. 107  
 from which a Poplar 14 in dia bears N 72 W 16 links  
 dist; and a W. Oak 21 " " " S 10 W 25 "  
 " Lands in ridges good for wheat; Timber  
 W. Oak, Poplar, & Ash,

## North Between Lot 9 &amp; 10 T. C. S. R. No. 107

W. Cornudo 1300

40.00 Set post for cor. to 1/4 sec from which a Gum 22  
 in dia bears S 77 W 24 links dist; & a W. Oak 22  
 " " " N 67 W 28 " "

43.00 W. Brook 15 links wide; Course West

52.50 " " 20 " " " "

55.50 W. Oak 22 in dia stands in the line

80.00 Set post cor. to lot 3, 4, 9 & 10 from which a W. Oak  
 15 in dia bears S 44 W 40 links dist; and an ash  
 10 " " " N 27 W 17 " "  
 Lands generally wet; Timber Oak, Ash, Gum  
 & Hickory

## North Between Lot 8 &amp; 9 T. C. S. R. No. 107

3.50 W. Oak 18 in dia stands in the line.

## T. No. C. S. R. No. 107. Grand Me.

4.50 To the Bank of River 250 links wide; Course N 40 W

24.00 W. Brook 4 links wide; Course West

26.00 W. Oak 23 in dia stands in the line

40.00 Set post for cor. to 1/4 sec from which an ash 12 in dia  
 bears N 53 W 7 links dist; and a Hickory 7 " "  
 " " S 87 E 10 " "

49.50 W. Brook 50 links wide; Course S 50 W

53.25 W. Oak 30 in dia stands in the line

80.00 Set a post for cor. to lot 4, 5, 8, & 9 from which an  
 a W. Oak 22 in dia bears N 77 E 14 links dist; & a  
 W. Oak 14 " " " N 37 W 34 " "  
 Lands bet. Timber Oak, & Hickory

## North Between Sec. 7 &amp; 8 T. C. S. R. No. 107

13.00 W. Brook 5 links wide; Course N 30 E

19.38 A Poplar 14 in dia stands in the line

35.00 W. Brook 3 links wide; Course West

40.00 Set post for cor. to 1/4 sec from which a  
 Oak 6 in dia bears N 31 E 10 links dist; and a Gum 5 "  
 " " " S 67 W 9 " "

48.26 To a W. Oak 30 in dia stands in the line

53.00 W. Brook 6 links wide; Course West

80.00 Set a post for cor. to lot 5, 6, 7, & 8 from which an  
 W. Oak 18 in dia bears N 53 E 20 links dist; and an  
 W. Oak 24 " " " S 38 E 31 " "  
 Lands lies in low ridges; Timber Oak, Hickory, & Gum

## West On true line between Sec. 6 &amp; 7 T. C. S. R. No. 107

19.50 W. Brook 6 links wide; Course -

36.50 " " 12 " " " South

40.00 Set post for cor. to 1/4 sec from which a Hickory 6 in dia  
 bears N 20 E 9 links dist; and a 20 " " "  
 " " S 37 W 14 " "

67.50 W. Brook 8 links wide; Course South

71.00 Intersected Range & line 265 links South of post set  
 for cor. to lot 6 & 7 will set a post from which an ash

T. No. 6 S. R. No. 10 N. 2<sup>nd</sup> Mer.

Oak 20 in dia bears S 88 E. 53 links dist; & a  
 Hick 14 " " N 18 E 62 " "  
 Land here some brush Timber Oak & Hick

## North Between Sec 5 &amp; 6 T. 6 S. R. 10 W.

- 5.96 A. Brook Oak 30 in dia stands in the line  
 37.50 A. Brook 10 links midw. Course S 10 W.  
 40.00 Set post for cor. to paper from which a M. Oak 10 in  
 dia bears S 32 W. 60 links dist; and a Gum 10 "  
 " " N 15 E 30 " "  
 64.50 A. Brook - 1/2 mile Course S 20 W.  
 72.38 M. Oak 16 in dia stands in the line  
 82.40 Intersected Town Line 31 links west of post set  
 for cor. to sec. 3, 4, 6, 7, 8, 9, 10, 11. and set a  
 post from which a Gum 10 in dia bears S 48 E 25  
 links dist; and a M. Oak 7 " " S 57 W 19  
 " " Land lies in low ridges Timber Oak,  
 & Hick

## East Between Sec 5 &amp; 8 On Random line

- 3.50 A. Brook - 1/2 mile; Course S 75 W.  
 40.00 Set temporary post for cor. to 7/8 sec  
 51.50 A. Brook 20 links midw.; Course South  
 79.80 Intersected N. & S. line 50 links South of post set  
 for cor. to sec. 4, 5, 8, 9. Land lies in low ridges  
 Timber B. & M. Oak, Hick, and Poplar

## West Between Sec 5, &amp; 8 On true line

- 39.90 Set temporary post at av. dist. on true line from which  
 a B. Oak 20 in dia bears S 60 E. 20 links dist;  
 & a B. Oak 28 " " N 61 W 46 " "  
 79.80 To post set for cor. to sec. 5, 6, 7, & 8.  
 April 24 1806

## East Between Sec. 4 &amp; 9 On Random line

- 7.00 A. Brook 50 links midw. Course South

T. No. 6 S. R. No. 10 N. 2<sup>nd</sup> Mer.

- 28.00 A. Brook 15 links midw. Course N 60 W  
 40.00 Set temporary post for cor. to 7/8 sec  
 79.00 Intersected N. & S. line at the post set for cor. to  
 4, 9, & 11 T. 6 S. R. 10 W. Land here and part near  
 Timber Oak Hick Gum & Ash

- West On true line between Sec. 4 & 9 T. 6 S. R. 10 W.  
 39.50 Set temporary post at av. dist. on true line for cor. to  
 7/8 sec from which a M. Oak 33 in dia bears S 72 E 34  
 links dist; and an Ash 19 " " N 73 E 15  
 80.00 To the post set for cor. to sec. 4, 5, 8, & 9.

## East On Random line between Sec. 3 &amp; 10

- 40.00 Set temporary post for cor. to 7/8 sec  
 80.00 Intersected N. S. line at the post set for cor. to sec.  
 2, 3, 10, & 11 Land generally near Timber Oak, M.  
 Gum Elm, & Ash Hick, and Gum.

## West On true line between Sec. 3 &amp; 10 T. 6 S. R. 10 W.

- 40.00 Set temporary post at av. dist. on true line for cor. to  
 7/8 sec from which a M. Oak 40 in dia bears N 32 E.  
 12 links dist; and a Maple 12 " " S 39 E.  
 16 " "  
 80.00 To the post for cor. to sec. 3, 4, 9, & 10.

## East On Random line between Sec. 2, &amp; 11 T. 6 S. R. 10 W.

- 27.50 A. Brook 5 links midw. Course N 40 E.  
 40.00 Set temporary post for 7/8 sec cor.  
 76.50 To Pigeon Crank Course S 15 W.  
 80.00 Intersected N. S. line at the post set for cor. to sec.  
 1, 2, 11, & 12. Land lies in low ridges Timber Oak  
 & Hick

## West On true line between Sec. 2, &amp; 11 T. 6 S. R. 10 W.

- 1.15 Post on the bank of Pigeon Crank  
 40.00 Set temporary post at av. dist. on true line for cor. to

J. N. & G. R. N. 107. 2<sup>nd</sup> Mer.

7/4 Sec from which a N. Oak 11 in dia bears S62 E 20  
links dist; and a W. Oak 22 " " " N46 W 20

80.00 Set post cor to Sect. 2, 3, 10, 11.

East On R. and on line between Sect. 1 & 12.

40.00 Set temp. post for cor to 7/4 Sec

77.50 At Brook 50 links wide; Course N20 W

84.50 In the S. side Range line 51 links south of post  
Set for cor to Sect. 1 & 12. Lands here part mel;  
Timber Oak, Ash, Gum & Hick

West On line blazed between Sect. 1 & 12

44.25 Set temp. post at new dist; on true line for cor to  
7/4 Sec from which on W. 5 in dia bears S56 E 8  
links dist; and on Old Co. " " N58 W 24

80.50 To a post for cor to Sect. 1, 2, 11, 12

North Between Sect. 1 & 2 J. C. & R. 107

50 At Brook 3 links wide; Course N.

21.00 W. Oak 18 in dia in the line

36.67 To a pin on 251 links wide; Course S15 N.

40.00 Set post for cor. to 7/4 Sec from which on dist 10 in  
dia bears S28 E 13 links dist; and on N. Oak 24  
" " S52 W 4 " "

60.25 At Hick 22 in dia stands in the line

81.75 Intersited N. Bound 100 lbs west of post set  
for cor to Sect. 1 & 2 and set a post from which a  
N. Oak 20 in dia bears S61 E 27 links dist; and  
W. Oak 10 " " S44 W 72 " " Lands  
here; some bottom Timber Oak, Elm, Gum &  
Hick

North Between Sect. 2 & 3. J. C. & R. 107

40.00 Set post for cor to 7/4 Sec from which on Oak

J. N. & G. R. N. 107. 2<sup>nd</sup> Mer.

20 in dia bears S41 E 5 links dist; and on Elm  
Co. " " N45 W 6 " "

58.00 At Brook 20 links wide; Course S50 E

62.40 At Oak 22 in dia stands in the line

80.00 Intersited N. Bound 100 links west of post  
Set for the cor of Sect. 2, 13 and set a post from  
which on N. Oak 19 in dia bears S43 W 44 links dist;  
and on W. Oak Co. " " S26 E 18 " "  
Lands here in the ridges; Timber W. Oak, N. Oak  
& Hick. Some Apple, & Gum

North Between Sect. 3 & 4 J. C. & R. 107

Not to the post 40.00

40.00 Set post for cor. to 7/4 Sec from which on Hick 19  
in dia bears S37 E 5 links dist; and on Gum 14  
" " N13 W 21 " "

60.00 Not lands like post.

81.25 Intersited N. Bound 100 lbs at post for cor to  
Sect. 3 & 4 J. C. & R. 107 from which on N. Oak 21  
in dia bears S42 W 37 links dist; and on Gum 10  
" " S22 E 24 " " Lands here and  
part mel; Timber Oak, Gum, Maple, & Elm.

North Between Sect. 4 & 5. J. C. & R. 107

30.00 At Brook 10 links wide; Course East

33.50 " " 50 " " " S60 E.

40.00 Set post for cor to 7/4 Sec from which on N. Oak 19 in  
dia bears S26 W 19 links dist; and on W. Oak 18  
" " S3 E 24 " "

47.50 At Brook 50 links wide; Course S45 W.

49.00 " " 50 " " " N40 E

55.00 Same " 50 " " " N60 W

82.20 Intersited N. Bound 100 lbs E of post set for  
cor to Sect. 4 & 5 and set a post from which on Hick 19  
in dia bears S22 E 41 links dist; and on Co  
10 " " S63 W 25 " " Lands here and

T. No 6 GR No 107. 2<sup>nd</sup> Mer.

Timber Oak &amp; Hickory April 28. 1806

Meander of the Ohio from a post between Towns  
Cot 7 in Range 10 Lat 65-31

N 197 36.00	
N 5 E 38.83	To a Brook 50 links mid;
N 107 7.80	To a post between Lat 30 & 31
N 167 13.50	
N 467 22.44	
N 377 13.00	
N 577 13.59	
N 677 11.74	To a post between Lat 25 & 30 Range 10511 T. 6. & 6.5

Apr 20<sup>th</sup> 1806

North Between Lat 23 &amp; 24 Town 6 GR 107

7.00	10.00	Not lands:
40.00	Set post for cor to 74 sec from which an R. Oak 12 in dia bears S 207 25 links dist; from Elm 18 " " " S 24 E 27 " "	
80.00	Set post for cor to lat 13, 14, 23, & 24 from which an S Oak 12 in dia bears S 75 E 11 links dist; from S Oak 16 " " " N 74 W 17 " "	

The last 1/2 mile met; Timber Oak, Maple, Elm,  
Ash, & Hickory. The above line was omitted by mis-  
take in its proper place.

East Boundary, Van,

South Co. E. Boundary of Sec 1,	
9.30	A R. Oak 24 in dia,
10.34	A Creek 220 links wide course N 60 W,
30.25	A R. Oak 18 in dia,
110.00	Set of Sec Post from which An ash 12 in dia bears N 69 W 18 links

T. C. S. R. 10. 77. 2<sup>nd</sup> Mer End,

112.10	An Ash 10 in dia bears S 65 W 25 links,
80.00	A R. Oak 18 in dia, Set Post for to Sec 15 & 12 from which a Hickory 22 in dia bears N 62 W 2 links A R. Oak 33 " " " S 75 W 83 " Land Level, Pines, Oak, Ash, & Hickory,

South Co. E. Boundary of Sec 12,	
37.62	A Hickory 20 in dia,
40.00	Set of Sec Post from which A S. Oak 24 in dia bears S 77 E 14 links A S 20 " " " S 65 W 36 " "
56.50	A Hickory 22 " " "
80.00	Set Post for to Sec 12 & 13 from which A S. Oak 20 in dia bears S 48 W 62 links An Elm 10 " " " N 6 W 45 " Land & same,

South Co. E. Boundary of Sec 13,	
28.88	A R. Oak 18 in dia,
40.00	Set of Sec Post from which A Gum 12 in dia bears S 82 W 27 links A S 10 " " " N 74 E 24 " "
60.92	A S 28 " " "
80.00	Set Post for to Sec 13 & 24 from which A Gum 30 in dia bears S 77 W 53 links A Gum 32 " " " N 41 W 71 " Land & same,

South Co. E. Boundary of Sec 24,	
11.15	A R. Oak 36 in dia,
21.65	A R. " 24 " "
40.00	Set of Sec Post from which An ash 10 in dia bears N 69 E 18 links

J. C. S. R. 10. W. 2<sup>d</sup> Mer Ind<sup>a</sup>

	As Gum 30 in dia b <sup>d</sup> N 787726 UKS,
44.50	A B Oak 40 " " " " " "
50.00	Set Post for to see 24 + 25 from which
	An Ash 15 in dia b <sup>d</sup> N 397728 UKS +
	A Maple 16 " " " " " " 569774 " "
	Sands & Same,
South An E. Boundary of Sec 25,	
38.15	An ash 18 in dia,
40.00	Set of Sec Post from which
	An Ash 14 in dia b <sup>d</sup> S 87772 UKS +
	A Mulberry 10 " " " " " " N 357717 " "
42.00	over riding ground to the mile post,
59.50	A W. Oak 18 in dia. on top of Ridge,
80.00	Set Post for to see 25 + 36 from which
	A B. Oak 18 in dia b <sup>d</sup> S. 697712 UKS +
	A W " 30 " " " " " " N 577752 " "
	Sands & Same,

South An E. Boundary of Sec 36,	
19.38	A B. Oak 27 in dia,
40.00	Set of Sec Post from which
	A Hickory 8 in dia b <sup>d</sup> S 407722 UKS +
	A " 18 " " " " " " S 887755 " "
64.75	A B. Oak 18 " " " " " "
80.00	Lower corner, from which
	A W. Oak 15 in dia b <sup>d</sup> S 537712 UKS +
	A " 20 " " " " " " N 497747 " "
	Sands & Same, Dec 12, 1805,
	Jacob Fowler, D.S.,

## North Boundary

West	Random on S. Boundary of Sec 36,
	T. S. S. R. 10. W.

J. C. S. R. 10. W. 2<sup>d</sup> Mer Ind<sup>a</sup>

	As Gum 30 in dia b <sup>d</sup> N 787726 UKS,
110.00	Set temp of Sec Post,
115.00	A Branch 50 UKS wide (course S,
80.00	Set temp mile Post,
	Land level part wet, Timber
	Oak, Ash, Gum & Hickory
West Random on S. Boundary of Sec 35	
	T. S. S. R. 10 W,
55	Met ground,
110.00	Set temp of Post,
80.00	" " " " " " Mile Post,
	Last part High & Dry, B. Oak & Hickory
West Random on S. Boundary of Sec 34,	
	T. S. S. R. 10 W,
41.00	A Branch 4 UKS wide (course S,
44.00	Set temp of Post,
70.00	Met Land to Post,
80.00	Set temp Mile Post,
	B. W. Oak, Good Land for wheat & Grass,
West Random on S. Boundary of Sec 33	
	T. S. S. R. 10 W,
110.00	Set temp of Post,
50.00	Met Land,
64.50	A Branch 30 UKS wide S. 30 W,
80.00	Set temp mile post,
	Land level to the Branch, Timber
	Oak, Ash, & Oak,
West Random on S. Boundary of Sec 32	
	T. S. S. R. 10 W,
110.00	Set temp of Post,
111.50	A Branch 4 UKS wide (course N,
62.50	A " " " " " " N. N. E.

T. C. S. R. 10. W. 2<sup>n</sup> Mer Sud<sup>a</sup>

80.00	Setump mile post, Low Ridges, Oak, Hickory & Pawpaw,
West	Random on S. Boundary of Sec 31, T. 5 S. R. 10. W.
36.00	A Branch 5 LKS wide Course S,
40.00	Temp of Post,
71.41	Intersect 15 LKS S. of Town corner, Sand & Stone, April 27, 1896,
East	Corrected on S. Boundary of Sec 31, T. 5 S.
31.41	Set of Sec Post from which A B. Oak 21 in dia b <sup>t</sup> S 97° 47' 00" & Hickory 14 " " " N 40° 24 " "
37.33	A B. Oak 36 " " "
71.41	Set Post for to Sec 31 & 32 from which A B. Oak 14 in dia b <sup>t</sup> N 37° 3' 00" & A Poplar 15 " " " S 15° 0' 24 " " Low Ridges, Oak & Hickory,
East	On S. Boundary of Sec 32, T. 5 S. R. 10. W.
40.00	Set of Post from which Alum 10 in dia b <sup>t</sup> N 13° 12' 00" & A " 8 " " " S 14° 15 " "
80.00	Set Post for to Sec 32 & 33 from which A B. Oak 12 in dia b <sup>t</sup> S 97° 47' 00" & Low Ridges, Oak, Poplar & Hickory,
East	On S. Boundary of Sec 33, T. 5 S. R. 10. W.
3.84	A B. Oak 14 in dia,
40.00	Set of Sec Post from which A B. Oak 18 in dia b <sup>t</sup> S 41° 30' 00" & An Ash 10 " " " N 52° 0' 20 " "
80.00	Set Post for to Sec 33 & 34 from which Alum 15 in dia b <sup>t</sup> S 20° 0' 23 " & A B. Oak 18 " " " N 43° 0' 12 " "

T. C. S. R. 10. W. 2<sup>n</sup> Mer Sud<sup>a</sup>

East	On S. Boundary of Sec 34, T. 5 S. R. 10. W.
40.00	Set of Post from which A B. Oak 22 in dia b <sup>t</sup> S 42° 17' 10" & Alum 12 " " " S 38° 0' 37 " "
80.00	Set Post for to Sec 34 & 35 from which A Hickory 18 in dia b <sup>t</sup> S 23° 13' 00" & Alum 15 " " " N 50° 27' 36 " "
East	On S. Boundary of Sec 35, T. 5 S. R. 10. W.
40.00	Set of Sec Post from which A B. Oak 8 in dia b <sup>t</sup> N 42° 0' 31 " & An Elm 12 " " " N 47° 16 " "
80.00	Set Post for to Sec 35 & 36 from which A B. Oak 22 in dia b <sup>t</sup> S 37° 27' 40 " & A D. " " " " N 56° 0' 28 " " Sand level part - Met.
East	On S. Boundary of Sec 36, T. 5 S. R. 10. W.
40.00	Set of Sec Post from which A Hickory 6 in dia b <sup>t</sup> N 58° 0' 29 " & An Ash 22 " " " S 33° 17' 44 " "
80.00	Set Post for to Town, April 27, 1896 Jacob Fowler D. S.
West. Boundary, Van	
South	On E. Boundary of Sec 1, T. 6 S. R. 10. W.
12.15	A B. Oak 22 in dia,
16.00	A Branch 3 LKS wide Course S. 45° W.
40.00	Set of Post from which A B. Oak 22 in dia b <sup>t</sup> S 34° 0' 15 " & A Dogwood 7 " " " S 72° 17' 30 " "
13.75	A Branch 10 LKS wide Course S. 30° E.
80.00	Set Post for to Sec 1 & 2 from which



T. C. S. R. 10. W. 2<sup>d</sup> Mer Ind<sup>a</sup>,  
Chickasaw,

Alum 16 in dia b<sup>d</sup> S 69<sup>W</sup> 5-8 CKS<sup>x</sup>  
A R. Oak 7 " " " N 45<sup>W</sup> 7 1/2 " "  
Low Ridge. Timber Oak & Hickory.

South An. E. Boundary of Sec 12, T. 6 S. R. 11 W.  
6.00 A R. Oak 16 in dia,

40.00 Set of Sec Post from which  
Alum 8 in dia b<sup>d</sup> S 14<sup>W</sup> 7 1/2 CKS<sup>x</sup>  
A do 12 " " " N 45<sup>E</sup> 6 1/2 " "

46.45 A R. Oak 24 in dia,  
70.00 A Branch 6 CKS wide Course S. E.

80.00 Set Post (cut to Sec 12 & 13 from which  
A S. Oak 14 in dia b<sup>d</sup> N 40<sup>W</sup> 4 1/2 CKS<sup>x</sup>  
Alum 13 " " " S 35<sup>W</sup> 4 1/2 " "  
Low Ridge. Oak & c.

South An. E. Boundary of Sec 13, T. 6 S. R. 11 W.  
28.25 Pigeon Creek 278 CKS wide Course S. 40<sup>W</sup>  
Barney 7, 1846.

Observations across Pigeon Creek  
from the S. side, N to a post in the  
line. N 61<sup>W</sup> 16 1/2 CKS. N 37<sup>20</sup> E Same post.

40.00 Set of Post from which  
A Hickory 10 in dia b<sup>d</sup> S 79<sup>W</sup> 3 1/2 CKS<sup>x</sup>  
A do 16 " " " South 21 " "

46.20 A do 14 " " "

77.69 A Branch 6 CKS wide Course S. 50<sup>E</sup>,  
80.00 Set Post cut to Sec 13 & 24 from which  
A R. Oak 18 in dia b<sup>d</sup> N 47<sup>W</sup> 2 1/2 CKS<sup>x</sup>  
A do 12 " " " S 70<sup>W</sup> 7 1/2 " "  
Land level, Timber Oak & Hickory.

South An. E. Boundary of Sec 24, T. 6 S.

7.54 A R. Oak 14 in dia,  
40.00 Set of Sec Post from which

T. C. S. R. 10. W. 2<sup>d</sup> Mer Ind<sup>a</sup>,

A R. Oak 30 in dia b<sup>d</sup> S 51<sup>E</sup> 2 3/4 CKS<sup>x</sup>  
Alum 12 " " " S 30<sup>E</sup> 3 1/2 " "

41.65 A Branch 4 CKS wide Course W.  
46.00 A R. Oak 22 in dia,

68.31 A Branch 6 CKS wide Course W.  
80.00 Set Post (cut to Sec 24 & 25 from which  
A Poplar 18 in dia b<sup>d</sup> N 61<sup>W</sup> 5 1/2 CKS<sup>x</sup>  
A R. Oak 12 " " " S 77<sup>W</sup> 7 1/2 " "  
Land & a Same.

South An. E. Boundary of Sec 35, T. 6 S. R. 10. W.

2.54 A Poplar 48 in dia,  
7.00 Branch 6 CKS wide Course W.

20.43 A Locust 6 in dia standing on  
Bank of the Ohio from which  
A R. Oak 6 in dia b<sup>d</sup> S 43<sup>W</sup> 8 CKS<sup>x</sup>  
A do 13 " " " S 72<sup>E</sup> 6 3/4 " "  
Land level & c.

Observations  
across the Ohio River from End of  
Range line, between Ranges 10 & 11 W.  
S 27<sup>W</sup>. is a tree on S. side of river,  
N 64<sup>W</sup> 11 1/2 CKS. S 12<sup>E</sup> 20<sup>W</sup> to the  
same tree.

Sacot Fowler D. S.

Surveyor General's Office,  
Detroit April 17, 1846.

I certify that the fol-  
lowing Manuscript of field notes of T. C. S.  
R. 10. W. of 2<sup>d</sup> Mer Ind<sup>a</sup> had been  
compared with the original notes on  
file in this office & found to be correct.