

Township N^o 6. South of the Range. N^o 11. West of the 2nd Mer.
East. Boundary,

South South On the Range line Dec 1,

12. 15 To a B. Oak 22. in. diam. stands in the line
16. 00 To a Branch 3. lks. wide. Course S 115. W.
40. 00 Set a Post for the Cor. to 44 Co. from which a B. Oak 22.
in. diam. bears S 54. E. 45. lks. dist. To a Dogwood 7. in.
diam. bears S. 72. 30 W. 30. lks. dist.
63. 75 To a Branch 10. lks. wide. Course S 30. E.
51. 00 To the Mile Post. from which a Gum 16. in. diam. bears
S. 69. W. 53. lks. dist. To a B. Oak 7. in. diam. bears N. 45.
W. 49. lks. dist. Ten Ridges. Timber. Oak. Hickory;

South On the Range line Dec 12,

6. 00 To an O. Oak 16. in. diam. which stands in the line
40. 00 Set a Post for the Cor. to 44 Co. from which a Gum 8. in. in
diam. bears S 14 W. 14. lks. dist. To a Gum 12. in. diam.
bears N. 65. E. 12. lks. dist.
116. 17 To a W. Oak 24. in. diam. stands in the line.
70. 00 To a Branch 6. lks. wide. Course E.
56. 00 To the Mile post. from which an O. Oak 14. in. diam. bears
N. 70. W. 14. lks. dist. To a Gum 13. in. diam. bears S. 33. W.
42. lks. dist. Ten Ridges. Timber. Oak. Gum. Hickory.

South Range line. Jan 13, Jan'y. 7, 1806.

23. 25 To a Pigeon creek. 278. lks. wide. Course N. 60. W.
Jan'y 7. 14. 1806. Observations across Pigeon from S. side.
N. to a Post in the line. N. 61. W. 1. 67. N. 37. 20. E. to the post.
40. 00 Set a post. for the Cor. to 44 Co. from which a Hickory 10. in.
diam. bears S 79. W. 31. lks. dist. To a B. Oak 16. in. diam. bears
South 21. lks. dist.
116. 20 To a Hickory 14. in. diam. which stands in the line.
77. 69 To a Branch 6. lks. wide. Course S 50. E.
50. 00 To the Mile post from which a W. Oak 18. in. diam. bears
N. 4. W. 23. lks. dist. To a W. Oak 12. in. diam. bears S. 70.
W. 75. lks. dist. Ten Ridges. Timber. Oak. Hickory.

West Co. S. Boundary 34. On the Town line

T. No 6. T. Co. N. M. W. 2nd Mer.

22. 50 To a Branch 50 lbs. wide. Course S 45 W.
 40. 00 Set a Post for the Cor. to 44 Sec. from which a No. Oak 24 in.
 diam. bears N. 72. E. 11 lbs. dist. & a No. Oak 23 in. diam.
 bears N. 18. E. 43 lbs. dist.
 43. 50 To the Post Road.
 62. 50 To a Branch 20 lbs. wide. Course S
 65. 10 Over hilly ground to the Mile Post.
 80. 00 To the Mile Post from which a No. Oak 12 in. diam. bears
 S 76. E. 66 lbs. dist. & a Poplar 12 in. diam. bears S 72. W. 17
 lbs. dist. Timber. Oak. Poplar. & Hickory.

West On the Town line of Sec. 32.

10. 00 To a Branch 6 lbs. wide. Course S 20 E.
 40. 00 Set a Post for the Cor. to 44 Sec. from which a No. Oak 14 in.
 diam. bears S 31. W. 38 lbs. dist. & a No. Oak 20 in. diam.
 bears N. 39. W. 38 lbs. dist.
 50. 00 To the Mile Post from which a Poplar 18 in. diam.
 bears S 55. E. 24 lbs. dist. & a Poplar 12 in. diam. bears S
 25. W. 34 lbs. dist. Ridgely Land. Timber. Oak. & Poplar.

West On the Town line of Sec. 32.

18. 58 To a Branch 20 lbs. wide. Course S 30 E.
 40. 00 Set a Post the Cor. to 44 Sec. from which a No. Oak 15 in.
 diam. bears S 31. E. 7 lbs. dist. & a Gum 8 in. diam. bears
 N. 30 W. 24 lbs. dist.
 50. 00 Mile Post from which a Poplar 14 in. diam. bears S
 58. W. 7 lbs. dist. & a Poplar 22 in. diam. bears S 34 E.
 28 lbs. dist. Oak. Poplar. & Sugar tree Ridgely.

West On the Town line of Sec. 31. Jan. 17. 1806.

38. 00 To a Branch 12 lbs. wide. Course S 40 W.
 40. 00 Set a 44 Sec. post from which a Sugar 15 in. diam. bears N. 40.
 E. 16 lbs. dist. & a No. Oak 30 in. diam. bears N. 10. E. 25 lbs. dist.
 45. 62 To a Branch 6 lbs. wide. Course S
 68. 00 To a Do. 12 " " " S
 72. 75 To a Do. 6 " " " S

T. No 6. T. Co. N. M. W. 2nd Mer.

109. 25 Intersecting 900 lbs. of the Town Cor. Oak. Poplar. Sugar tree:

South Between Sec. 1. & 2. T. No 6. T. Co. N. M. W.

10. 00 To a Branch 25 lbs. wide. Course E.
 37. 25 To a No. Oak 18 in. diam. which stands in the line.
 40. 00 Set a Post for the Cor. to 44 Sec. from which a No. Oak 18 in. diam.
 diam. bears N. 20. W. 31 lbs. dist. & a No. Oak 12 in. diam.
 bears S 41. W. 15 lbs. dist.
 58. 12 To a No. Oak 12 in. diam. which stands in the line.
 73. 00 To a Branch 6 lbs. wide. Course S 35 E.
 80. 00 To the Mile post set for the Cor. to Sec. 1. 2. 11. & 12. from which
 a No. Oak 13 in. diam. bears N. 8. E. 32 & a No. Oak 12 in. in
 diam. bears N. 55. W. 27 lbs. dist. Land level. & Met.
 Timber. Oak. Gum. Poplar. & Ash.

East Between Sec. 1. & 12. T. No 6. T. Co. N. M. W.

14. 50 To a Branch 50 lbs. wide. Course S 60 W.
 15. 00 To the Post Road.
 40. 00 Set a Post for the Cor. to 44 Sec. from which a Gum 16 in. in
 diam. bears N. 56. W. 29 lbs. dist. & an Ash 20 in. diam. bears
 S 55. E. 28 lbs. dist.
 50. 00 Ridgely to the Post.
 50. 00 Intersected the N. & S line 40 lbs. of the Post set for the Cor.
 to Sec. 1 & 12. The first 50 chains is level & Met.
 Timber. Oak. Gum. & Hickory.

South Between Sec. 11. & 12. T. No 6. T. Co. N. M. W. 2nd Mer.

8. 50 To a Branch 50 lbs. wide. Course W.
 10. 75 To a Hickory 16 in. diam. stands in the line.
 19. 50 To the Post Road.
 40. 00 Set a Post for the Cor. to 44 Sec. from which an Ash 12 in.
 diam. bears S 33. E. 10 lbs. dist. & an Ash 8 in. diam. bears
 N. 19. E. 9 lbs. dist.
 60. 88 To a No. Oak 22 in. diam. stands in the line
 80. 00 To the Mile post set for the Cor. to Sec. 11. 12. 13. & 14
 from which a No. Oak 14 in. diam. bears N. 71 W. 53 lbs. dist.

T. A. C. I. No. 11. M. 2nd Ave.

To a M Oak 15. in. diam. bears S. 70. E. 29. lbs. dist. Land
Bottom & Mt. Timber. Oak. Gum & Hickory.

- East Between No. 12. & 13. T. C. I. No. 11. M.
40. 00 To a Post for the Cor. to 44 So. from which a M. Oak 22.
in. diam. bears N. 50. E. 25. lbs. dist. & a M. Oak 10. in. diam.
bears S. 32. W. 46. lbs. dist.
51. 00 Intersecting the N. & S. line 45. lbs. S. of the Post.
Good Land; Timber. Oak & Hickory

South Between No. 13. & 14. T. C. I. No. 11. M.

21. 38 To a M. Oak 16. in. diam. which stands in the line.
26. 50 To a Branch 50. lbs. wide. course S. 35. E.
40. 00 To a Post for the Cor. to 44 So. from which a Gum 16.
in. diam. bears N. 25. E. 11. lbs. dist. & an Ash 12. in. in
diam. bears N. 35. W. 29. lbs. dist.
40. 50 Over high ground to the Post.
50. 00 To the Mile Post 216 for the Cor. to No. 13. 14. 23. & 24.
from which a M. Oak 24. in. diam. bears S. 39. E. 37. lbs. dist.
& a Poplar 10. in. diam. bears N. 53. W. 2 lbs. dist.
Land some Broken & Mt. Bottom on the Branch.
Timber. Oak & some Poplar.

East Between No. 13. & 24. T. C. I. No. 11. M.

40. 00 To a Post for the Cor. to 44 So. from which a M. Oak 12. in.
diam. bears S. 27. E. 10. lbs. dist. & a M. Oak 16. in. diam.
bears S. 31. W. 62. lbs. dist.
43. 50 To Pigeon Creek 2.20. lbs. wide. course S. 30. W.
Hilly to Pigeon Creek. Jan^o 14th 1806.

West From the Range Line

34. 50 To the Bank of Pigeon Creek. Timber. Oak & Hickory
July. 6th 1806.

South Between No. 23. & 24. T. C. I. No. 11. M.

24. 58 To a Branch 5. lbs. wide. course S. 25. E.

T. A. C. I. No. 11. M. 2nd Ave.

25. 12 To a M Oak 20. in. diam. stands in the line
40. 00 To a Post for the Cor. to 44 So. in a Branch 10. lbs. wide.
course S. 40. E. from which a Poplar 20. in. diam. bears N. 14.
E. 23. lbs. dist. & an R. Oak 12. in. diam. bears S. 10. E. 24. lbs. dist.
62. 50 To an S Oak 18. in. diam. which stands in the line.
50. 00 To the Mile Post 216 for the Cor. to No. 23. 24. 25. & 26.
from which a M. Oak 16. in. diam. bears S. 19. E. 10. lbs. dist.
& a B. Oak 24. in. diam. bears N. 20. E. 57. lbs. dist.
This mile is Bottom Land Part Mt. B. & M. Oak.
Poplar & Hickory Timber.

East Between No. 24. & 25. T. C. I. No. 11. M.

40. 00 To a Post for the Cor. to 44 So. from which a Gum 8. in. in
diam. bears N. 50. W. 25. lbs. dist. & a M. Oak 16. in. diam. bears
S. 13. E. 23. lbs. dist.
43. 66 To a Maple on the Bank of Pigeon Creek. Jan^o 14th 1806.

West From the Range line. 6th 1806.

15. 58 To Pigeon Creek; here the Bottom is under water.

South Between No. 25. & 26. T. C. I. No. 11. M.

15. 50 To a Branch 4. lbs. wide. course S. 30. W.
23. 50 To the Same. " " " " S. 30. E.
36. 00 To a Post on the Bank of the Ohio. from which an R. Oak
22. in. diam. bears N. 19. W. 11. lbs. dist. & an Ash 15. in. diam.
bears N. 32. W. E. 25. lbs. dist. Jan^o 15th 1806.

West Between No. 23. & 26. T. C. I. No. 11. M.

5. 58 To a Branch 10. lbs. wide. course S. 20. E.
28. 12 To a B. Oak 20. in. diam. which stands in the line.
40. 00 To a Post for the Cor. to 44 So. from which a B. Oak 22. in.
diam. bears S. 65. E. 115. lbs. dist. & a B. Oak 22. in. diam.
bears S. 22. W. 35. lbs. dist.
73. 12 To a B. Oak 18. in. diam. stands in the line.
50. 00 To the Mile Post 216 for the Cor. to No. 22. 23. 24. & 25. from
which a B. Oak 10. in. diam. bears S. 31. W. 6. lbs. dist.

T. N. C. I. R. N. M. 2nd Mer.

To a W. Oak 20. in. diam. bears N 16. W. E. 19 lbs. dist.
Low Ridges & level Upland: Timber. Oak & Hickory

South Between Sec. 26 & 27 T. 6. S. R. N. M.

17. 00 To a W. Oak 18. in. diam. stands in the line
21. 75 To a Branch 6 lbs. wide. Course N.
40. 00 Sit. a Post for the box to 44 Sec. from which a W. Oak
14. in diam bears S 31 E. 16 lbs. dist. Ya Poplar 18. in.
diam. bears S 39 W. 30 lbs. dist.
118. 50 To a Branch 30 lbs. wide. Course S 40 E.
53. 75 To an W. Oak 24 in. diam. which stands in the line
63. 62 To a Branch 30 lbs. wide. Course S 40 W.
80. 00 A Hickory 8. in. diam. is box to Sec. 26 & 27. 34 & 35
from which a Gum 22. in. diam. bears N. 30. E. 25. lbs
dist. Ya W. Oak 30. in. diam. bears S 47 W. 52. lbs. dist.
This mile is level Bottom & Upland.
Timber. Oak. Hickory Gum & Sugar.

East Between Sec. 26 & 35 T. 6. S. R. N. M.

8. 25 To a Pond 100 lbs. wide Course S
30. 50 To the Same " " " " " N 60. W.
40. 00 To a Post for the box to 44 Sec. from which a Sugar 12.
in. diam. bears N. 25. W. 4. lbs. dist. Ya S. 12. in. diam.
bears S 30. W. 14. lbs. dist.
41. 50 To a Pond 100 lbs. wide. Course S 50 W.
64. 88 To a Post in the Bank of the Ohio. from which a Red Oak
22. in. diam. bears S 53. W. 62. lbs. dist. Ya W. Oak 23 in.
diam. bears N. 43. W. 26. lbs. dist. Bottom Land.
Timber. Oak. & Sugar tree.

South Between Sec. 34 & 35. T. 6. S. R. N. M.

16. 00 To a Pond 120 lbs. wide. Course N. 20. W.
40. 00 Sit. a 44 Sec. Post from which an Ash 10. in. diam. bears N. 35
E. 15 lbs. dist. Ya Ash 22. in. diam. bears S 65 E. 34 lbs. dist.
48. 25 To an W. Oak 24 in. diam. which stands in the line.
80. 00 To the mile Post 26 for the box to Sec. 34 & 35. from which

T. N. C. I. R. N. M. 2nd Mer.

a Sycamore 6. feet. in diam. bears S 12 E. 21 lbs. dist.
Ya an Ash 8. in. diam. bears N. 22. E. 7 lbs. dist. -
Bottom Land. some Bottom. Timber. Oak. Poplar. Ash. Sugar.

East Town Line Sec. 35. S. side Jan. 16. 1806.

15. 25 To a Cotton wood. 84 in. diam. stands in the line.
35. 15 To a Maple on the Bank of the Ohio. from which a Cotton wood
24 in. diam. bears N 15. W. 33 lbs. dist. Ya Maple 10 in. in
diam. bears S 45. W. 15 lbs. dist. Incl Bottom Timber. Mapl. &c.

South Between Sec. 2 & 3. T. 6. S. R. N. M. Jan. 21. 1806.

1. 38 To a W. Oak 22. in. diam. which stands in the line.
38. 50 To a Branch 8 lbs. wide. Course S 70 E.
40. 00 Sit a 44 Sec. Post from which an Ash in. diam. bears N. 2. W. 25.
lbs. dist. Ya Ash 12. in. diam. bears N. 62 E. 46 lbs. dist.
110. 05 To a Branch 15 lbs. wide. Course S 65 E.
118. 96 To a W. Oak 30 in. diam. which stands in the line.
72. 75 To a Branch 12 lbs. wide. Course S 50 E.
80. 00 Sit a Mile Post 26 for the box to Sec. 2. 3. 16. & 17. from which
a Hickory 12. in. diam. bears N. 26. W. 25 lbs. dist. Ya W. Oak
20. in. diam. bears S 26. E. 45 lbs. dist. Low Ridges & Bank.
some Bottom on the Branches. Timber. Oak. & Hickory.

East Between Sec. 2 & 11. T. 6. S. R. N. M.

35. 88 To a Branch 15 lbs. wide. Course S 35 E.
38. 50 To a Branch 36 " " " " " South
39. 65 Sit a 44 Sec. Post. from which a Gum 16. in. diam. bears N 14 W.
25 lbs. dist. Ya W. Oak 12. in. diam. bears S 78 E. 61 lbs. dist.
79. 30 In the line of the N. & A line 30 lbs. S of the post. 26 for the box to
Sec. 1. 2. 11. & 12. The first 20 chains is hilly; then wet.
Bottom: Timber. Oak. Hickory. & some Gum.

South Between Sec. 2 & 4. T. 6. S. R. N. M.

31. 75 To a Branch 8 lbs. wide. Course E.
40. 00 Sit a 44 Sec. post. from which a W. Oak 24 in. diam. bears S
21 W. 17 lbs. dist. Ya Gum 8. in. diam. bears N. 59 E. 30 lbs. dist.

T. N. C. S. R. N. M. W. 2nd Mer.

- 44 50 To a Branch 5. lbs. wide course S 86. E.
 65. 75 To a B. Oak 24. in. diam. which stands in the line
 50. 00 To the mile Post set for the line of Sec. 3, 4, 9 & 10, from
 which a B. Oak 24. in. diam. bears S. 32. E. 114. lbs. dist.
 Ya B. Oak. — in. diam. bears S. 20. W. 29. lbs. dist.
 Sand Hilley & Brush. Timber. Oak & Hickory.
-
- East Between Sec. 3, & 10. T. C. S. R. N. M. W.
 20. 00 To a Branch 5. lbs. wide course S. 40. E.
 40. 00 To a 1/4 Sec. Post from which an O. Oak 12. in. diam. bears
 N. 76. W. 31. lbs. dist. Ya M. Oak 12. in. bears S. 44. E. 9. lbs. dist.
 45. 12 To a Branch 6. lbs. wide. course S. 45. lbs.
 62. 50 To a Branch 10. " " " S. 5. E.
 50. 00 Intersected the S. & T. line at the Post set for the line to
 Sec. 2, 3, 10, & 11 Sand Hilley; Timber. Oak & Hickory.
-
- South Between Sec. 10, & 11. T. C. S. R. N. M. W.
 33. 45 To a Branch 6. lbs. wide. course S. 30. E.
 38. 58 To a B. Oak 24. in. diam. which stands in the line.
 40. 00 To a Post for the line to 1/4 Sec. from which a B. Oak 30. in.
 diam. bears S. 50. W. 39. lbs. dist. Ya B. Oak 30. in. diam.
 bears S. 66. E. 62. lbs. dist.
 51. 45 To a Branch 6. lbs. wide. course E.
 64. 50 To a Sec. " " " " E.
 50. 00 Set a mile Post set for the line to Sec. 10, 11, 14, & 15, from
 which a Lipton 14. in. diam. bears S. 42. W. 11. 22. lbs.
 dist. Ya B. Oak 20. in. diam. bears S. 88. W. 61. lbs. dist.
 Hilley Sand; Timber. Oak & Hickory. Brushy; Thin Soil.
-
- South Between Sec. 4, & 5. T. C. S. R. N. M. W.
 17. 45 To a Hickory 14. in. diam. which stands in the line.
 31. 75 To a Branch 12. lbs. wide. course S. 60. W.
 40. 00 To a 1/4 Sec. Post, from which a M. Oak 16. in. diam. bears
 S. 43. W. 43. lbs. dist. Ya B. Oak 14. in. bears S. 77. W. 32. lbs.
 44 50 To a Branch 12 lbs wide. course S. 35. W.
 73. 75 To a B. Oak 20. in. diam. which stands in the line

T. N. C. S. R. N. M. W. 2nd Mer.

50. 00 To the Mile Post set for the line to Sec. 4, 5, 8, & 9, from
 which a B. Oak 22. in. diam. bears S. 20. E. 27. lbs. dist.
 Ya M. Oak 20. in. diam. bears S. 55. E. 49. lbs. dist.
 Ten Ridges. The 1st half mile is Courby. Timber. Oak, &c.
-
- East Between Sec. 4, & 9. T. C. S. R. N. M. W. Jan. 25th 1806.
 20. 50 To a Branch 5. lbs. wide. course S.
 39. 50 To a Sec. " " " " S.
 40. 00 To a 1/4 Sec. post. from which a M. Oak 12. in. diam. bears
 S. 4. W. 5. lbs. dist. Ya B. Oak 12. in. diam. bears S. 2. W. 30. lbs.
 59. 25 To a Branch 6. lbs. wide. course S. 45. W.
 50. 00 Intersected the S. & T. line 20. lbs. S. of the Post, for of Sec.
 3, 4, 9, & 10. Ridges. Ya Rich B. Oak Sand. Good for wheat.
-
- South Between Sec. 9, & 10. T. C. S. R. N. M. W.
 20. 12 To a B. Oak 36. in. diam. stands in the line.
 40. 00 To a 1/4 Sec. post. from which an O. Oak 22. in. diam. bears S.
 10. W. 60. lbs. dist. Ya M. Oak 14. in. bears S. 70. E. 45. lbs. dist.
 64. 00 To a Branch 10. lbs. wide. course S. 45. E.
 67. 50 To a Sec. " " " " S. 40. E.
 50. 00 To the mile Post set for the line to Sec. 9, 10, 13, & 16, from
 which a M. Oak 12. in. diam. bears S. 54. E. 6. lbs. dist. Ya
 M. Oak 15. in. diam. bears S. 43. W. 30. lbs. dist. Ten B. Oak
 & Hickory Ridges. Some large rocks in the Branches.
-
- South Between Sec. 5, & 6. T. N. C. S. R. N. M. W.
 41. 16 To a M. Oak 20. in. diam. which stands in the line.
 30. 00 To the Bottom To the Mile Post.
 40. 00 To a 1/4 Sec. Post, from which a Birch 10. in. diam. bears
 S. 3. 30. W. 20. lbs. dist. Ya Birch 12. in. bears S. 76. W. 10. lbs. dist.
 58. 58 To a M. Oak 20. in. diam. which stands in the line
 64. 00 To a Branch 50. lbs. wide. course S. 40. W.
 50. 00 To the mile post set for the line of Sec. 5, 6, 7, 8, & 9, from
 which a Birch 10. in. diam. bears S. 23. W. 13. lbs. dist.
 Ya Birch 12. in. diam. bears S. 38. W. 11. lbs. dist.
 Timber. Oak. Elm. Maple. Lipton & Birch.

T. N. C. S. R. N. 1.1. W. 2nd Mer.

- East Between Secs 9 & 16. T. N. C. S. R. N. 1.1. W.
27. 25 To a Branch 10. lbs. wide. Course S. 40. W.
40. 50 To a Post for the line to 44 Sec. from which a W. Oak 22 in. in diam. bears S 31. W. 6. lbs. dist. & a W. Oak 10. in. in diam. bears N. 70. E. 10. lbs. dist.
61. 20 To a Branch 4 lbs. wide. Course South.
81. 00 Intersecting the A. & S. line at the Post bet of Secs 9, 10, 15 & 16. Land Hilly. Timber. Oak. Hickory. Some Poplar.
-
- East Between Secs 10 & 15. T. C. S. R. N. 1.1. W.
11. 25 To a Branch 10. lbs. wide. Course S. 40. E.
39. 50 To a Post for the line to 44 Sec. from which a Poplar 12 in. diam. bears S 76. W. 48. lbs. dist. & a S. 8 in. S 79. E. 24. lbs.
79. 00 Intersecting the A. & S. line. 120. lbs. S. of the Post. Low hilly. Timber. Oak. Hickory. & some Poplar.
-
- East Between Secs 11 & 14. T. C. S. R. N. 1.1. W.
- 34 chains hilly
34. 00 Through level Bottom of a plain to the Post & east by Post.
40. 00 To a Post for the line to 44 Sec. from which a W. Oak 20. in. in diam. bears N. 75. W. 11. lbs. dist. & a W. Oak 21 in. diam. bears S. 5. E. 20. lbs. dist.
53. 50 To the Post Road.
66. 00 To a Branch 50 lbs. wide. Course S. 20. W.
80. 00 Intersecting the A. & S. line at the Post bet for the line to Secs 11, 12, 13, & 14. Timber. Oak & Hickory. some Poplar. Elm & Gum. Come on the Branch.
-
- South Between Secs 14 & 15. T. N. C. S. R. N. 1.1. W.
18. 88 To a Branch 10. lbs. wide. Course S. 45. E.
23. 62 To a B. Oak 22 in. diam. which stands in the line.
36. 25 To a Branch 5. lbs. wide. Course S. 60. E.
40. 00 To a Post for the line to 44 Sec. from which a W. Oak 20 in. diam. bears S 21. E. 19. lbs. dist. & a W. Oak 16 in. diam. bears N. 40. W. 45. lbs. dist.
34. 25 To a W. Oak 14 in. diam. which stands in the line.

T. N. 11. S. R. N. 1.1. W. 2nd Mer.

50. 00 To the Mile Post bet for the line of Secs 14, 15, 22 & 23. from which a W. Oak 21 in. diam. bears S 34. E. 35. lbs. dist. & a B. Oak 22 in. diam. bears N. 54. W. 25 lbs. dist. Hilly Land. Timber. Oak & Hickory.
-
- East Between Secs 14 & 23. T. C. S. R. N. 1.1. W.
1. 75 To a Branch 6 lbs. wide. Course S. 45. W.
14. 50 To the Post Road.
59. 80 To a 44 Sec. Post from which an Elm 12 in. diam. bears N. 15. W. 15. lbs. dist. & a B. Oak 16 in. diam. bears N. 83. E. 40. lbs. dist.
41. 25 To a Branch 6 lbs. wide. Course S. 30. W.
79. 60 Intersecting the A. & S. line at the 50. lbs. S. of the Post bet for the line to Secs 13, 14, 23 & 24. Low Ridges. Timber. W. Y. B. Oak. Hickory. Good Land for Wheat.
-
- South Between Secs 15 & 16. T. C. S. R. N. 1.1. W.
110. 00 To a Post for the line to 44 Sec. from which a W. Oak 22 in. in diam. bears S. 72. E. 54. lbs. dist. & a W. Oak 22 in. diam. bears S. 46. W. 46. lbs. dist.
43. 25 To a Branch 5 lbs. wide. Course S. 40. W.
116. 44 To a Hickory 14 in. diam. stands in the line.
30. 00 To the Mile Post bet. to Secs 15, 16, 21, & 22. from which a W. Oak 24 in. diam. bears S. 77. E. 19 lbs. dist. & a W. Oak 23 in. diam. bears N. 77. E. 28. lbs. dist. Low Ridges. Timber. Oak & Hickory. Good Land for Wheat.
-
- South Between Secs 16 & 17. T. N. C. S. R. N. 1.1. W.
12. 25 To a Branch 6 lbs. wide. Course N. 50. W.
21. 45 To a B. Oak 21 in. diam. which stands in the line.
39. 62 To a Branch 6 lbs. wide. Course 30. W.
140. 00 To a Post for the line to 44 Sec. from which a W. Oak 10 in. diam. bears S. 61. E. 14 lbs. dist. & a W. Oak 16 in. in diam. bears S 63. W. 41 lbs. dist.
68. 50 To a Branch 12 lbs. wide. Course. S. 30. E.
72. 25 To a Branch 5. S. 20. W.
70. 00 To a Rock 33 lbs. high. pointing the N. of the line.

T. A. C. S. Co. A. M. W. 2nd Mer.

50. 00 To the Mile Post set for the bar to Sec. 16, 17, 20 & 21,
from which an O. Oak 32 in. diam. bears S 16. E 43 lbs.
dist. Ya Poplar 12 in. diam. bears N 35. E 8 lbs. dist.
Low Bridges, Timber, Oak, Poplar & Hickory, & some Sugar.

South Between Sec. 17 & 18. T. C. S. Co. A. M. W.

11. 00 To a Branch 6 lbs. wide, course S 1. 20. W.
40. 00 Set a Post for the bar to 44 Sec. from which a W. Oak 24
in. diam. bears S 57. E. 70 lbs. dist. Ya M. Oak 14 in. in
diam. bears S 17. E. 29 lbs. dist.
42. 55 To a Branch 6 lbs. wide, course S 40. W.
78. 00 To a Post 8 " " " S. 60. W.
81. 00 To the Mile Post set for the bar to Sec. 17, 18, 19, 20,
from which a W. Oak 18 in. diam. bears S 38. W 37 lbs.
Ya B. Oak 24 in. diam. bears S 2. W 36 lbs. dist.
Low Bridges, Timber, Oak & Hickory, Jan. 30. 1800.

West Between Sec. 15 & 19. T. C. S. Co. A. M. W.

3. 00 To a Branch 12 lbs. wide, course S 50. W.
10. 50 To a Branch 12 " " " S. 60. W.
15. 00 To a Branch 4 " " " S. 45. W.
40. 00 To the Post set for the bar to the 44 Sec. from which a
W. Oak 24 in. diam. bears N 55. E. 35 lbs. dist. Ya B.
Oak 24 in. diam. bears S 54. E. 55 lbs. dist.
6. 9. 00 To a Branch 6 lbs. wide, course S 50. W.
71. 45 To a B. Oak 20 in. diam. which stands in the line
114. 00 To a Branch 6 lbs. wide, course S 25. W.
115. 00 Intersects the Orange line S. 25. lbs. N. of the Post, &
set a Post; from which a Gum 16 in. diam. bears S 40.
E. 70 lbs. dist. Ya M. Oak 24 in. diam. bears N 68. E. 70 lbs.
dist. Ya Low Bridges, Timber, Oak, Poplar, & Gum.

East Between Sec. 17 & 20. T. C. S. Co. A. M. W.

8. 25 To a Branch 8 lbs. wide, course N. 60. W.
40. 11 Set a Post from which a B. Oak 22 in. diam. bears S.
20. E. 26 lbs. dist. Ya B. Oak 22 in. diam. bears N 40. W. 44 lbs. dist.

T. A. C. S. Co. A. M. W. 2nd Mer.

118. 00 To a Branch 3 lbs. wide, course N 45. E.
80. 00 Intersects the A. & D. line at the Post set for the bar to Sec.
16, 17, 20 & 21. Low B. Oak Bridges. Good Land.

East Between Sec. 16 & 21. T. C. S. Co. A. M. W.

22. 00 To a Branch 10 lbs. wide, course S.
110. 00 Set a Post for the bar to 44 Sec. from which a Gum 8 in.
diam. bears S 89. E. 6 lbs. dist. Ya Gum 7 in. diam. bears W. 3 lbs.
59. 50 To a Branch 12 lbs. wide, course S 20. W.
78. 00 To a Post 6 " " " S.
80. 00 Intersects the A. & D. line 150 lbs. N. of the Post.
Low Bridges, Timber, Oak & Hickory.

East Between Sec. 15 & 22. T. C. S. Co. A. M. W.

25. 25 To a Branch 6 lbs. wide, course S.
110. 00 Set a Post for the bar to 44 Sec. from which a Poplar 12
in. diam. bears N 67. E. 28 lbs. dist. Ya Gum 12 in. diam.
bears S 35. E. 28 lbs. dist.
111. 88 To a Branch 20 lbs. wide, course S 40. W.
80. 00 Intersects the A. & D. line at the Post set for the bar to
Sec. 14, 15, 22 & 23. Land Healthy; Timber, Oak & Hickory.

South Between Sec. 22 & 23. T. C. S. Co. A. M. W.

6. 50 To a Branch 6 lbs. wide, course S 30. W.
28. 75 To the Post Road.
40. 00 Set a Post for the bar to 44 Sec. from which a B. Oak 24
in. diam. bears N 27. W 28 lbs. dist. Ya M. Oak 13 in.
diam. bears S 34. W 27 lbs. dist.
67. 50 To a Branch 7 lbs. wide, course S 60. W.
80. 00 To the Mile post set for the bar to Sec. 22, 23, 26 & 27.
This mile is low Bridges, Timber, Oak & Hickory.

South Between Sec. 21 & 22. T. C. S. Co. A. M. W.

20. 62 To a W. Oak 18 in. diam. stands in the line.
24. 75 To a Branch 12 lbs. wide, course S 45. E.
30. 88 To a Branch 20 " " " S. 60. E.

T. N. C. S. Co. N. M. W. 2nd Mer.

50. 00 To the Mile Post set for the bar to Sec. 16, 17, 20 & 21,
from which an O. Oak 32 in. diam. bears S 16. E. 43 lbs.
dist. Ya Poplar 12 in. diam. bears N 35. E. 8 lbs. dist.
Low Bridges, Timber, Oak, Poplar & Hickory, & some Sugar.

South Between Sec. 17 & 18. T. C. S. Co. N. M. W.

11. 00 To a Branch 6 lbs. wide, course S 20. W.
40. 00 Set a Post for the bar to 44 Sec. from which a W. Oak 24
in. diam. bears S 57. E. 76 lbs. dist. Ya M. Oak 14 in. in
diam. bears S 17. E. 29 lbs. dist.
42. 55 To a Branch 6 lbs. wide, course S 40. W.
78. 00 To a " " " " " S. 60. W.
81. 00 To the Mile Post set for the bar to Sec. 17, 18, 19, 20,
from which a W. Oak 18 in. diam. bears S 38. W 37 lbs.
Ya B. Oak 24 in. diam. bears S 2. W 36 lbs. dist.
Low Bridges, Timber, Oak & Hickory, Jan. 30. 1866.

West Between Sec. 15 & 19. T. C. S. Co. N. M. W.

3. 00 To a Branch 12 lbs. wide, course S 50. W.
10. 50 To a Branch 12. " " " S. 60. W.
15. 00 To a Branch 4. " " " S. 45. W.
40. 00 To the Post set for the bar to the 44 Sec. from which a
W. Oak 24 in. diam. bears N 55. E. 35 lbs. dist. Ya B.
Oak 24 in. diam. bears S 54. E. 55 lbs. dist.
69. 00 To a Branch 6 lbs. wide, course S 50. W.
71. 15 To a B. Oak 20 in. diam. which stands in the line
114. 00 To a Branch 6 lbs. wide, course S 25. W.
115. 00 Intersects the Orange line S. 25. lbs. N. of the Post, &
set a Post; from which a Gum 16 in. diam. bears S 40.
E. 70 lbs. dist. Ya M. Oak 24 in. diam. bears N 68. E. 70 lbs.
dist. Ya Low Bridges, Timber, Oak, Poplar, & Gum.

East Between Sec. 17 & 20. T. C. S. Co. N. M. W.

8. 25 To a Branch 8 lbs. wide, course N. 60. W.
40. 11 Set a Post for the bar from which a B. Oak 22 in. diam. bears S
20. E. 26 lbs. dist. Ya B. Oak 22 in. diam. bears N 40. W. 44 lbs. dist.

T. N. C. S. Co. N. M. W. 2nd Mer.

118. 00 To a Branch 3 lbs. wide, course N. 45. E.
80. 00 Intersects the N. & S. line at the Post set for the bar to Sec.
16, 17, 20 & 21. Low B. Oak Bridges. Good Land.

East Between Sec. 16 & 21. T. C. S. Co. N. M. W.

22. 00 To a Branch 10 lbs. wide, course S.
110. 00 Set a Post for the bar to 44 Sec. from which a Gum 8 in.
diam. bears S 89. E. 6 lbs. dist. Ya Gum 7 in. diam. bears W. 3 lbs.
39. 50 To a Branch 12 lbs. wide, course S 20. W.
78. 00 To a " " " " " S.
80. 00 Intersects the N. & S. line 150 lbs. N. of the Post.
Low Bridges, Timber, Oak & Hickory.

East Between Sec. 15 & 22. T. C. S. Co. N. M. W.

25. 25 To a Branch 6 lbs. wide, course S.
110. 00 Set a Post for the bar to 44 Sec. from which a Poplar 12
in. diam. bears N 67. E. 28 lbs. dist. Ya Gum 12 in. diam.
bears S 35. E. 28 lbs. dist.
114. 88 To a Branch 20 lbs. wide, course S 40. W.
80. 00 Intersects the N. & S. line at the Post set for the bar to
Sec. 14, 15, 22 & 23. Land Healthy, Timber, Oak & Hickory.

South Between Sec. 22 & 23. T. C. S. Co. N. M. W.

6. 50 To a Branch 6 lbs. wide, course S 30. W.
28. 75 To the Post Road.
40. 00 To a Post for the bar to 44 Sec. from which a B. Oak 24
in. diam. bears N 27. W. 28 lbs. dist. Ya M. Oak 13 in.
diam. bears S 34. W. 27 lbs. dist.
67. 50 To a Branch 7 lbs. wide, course S 60. W.
80. 00 To the Mile Post set for the bar to Sec. 22, 23, 26 & 27.
This mile is low Bridges, Timber, Oak & Hickory.

South Between Sec. 21 & 22. T. C. S. Co. N. M. W.

20. 62 To a W. Oak 18 in. diam. stands in the line.
24. 75 To a Branch 12 lbs. wide, course S 45. E.
30. 88 To a Branch 20 " " " S. 60. E.

T. N. C. I. R. N. M. W. 2nd Mer.

40. 00 Set a Post for the bar to 44 Sec. from which a W Oak
18. in. diam? bears South 33 lbs. dist? & a W Oak 10 in.
diam? bears S. 44 E. 33 lbs. dist?
70. 00 To a Branch — lbs. wide. course S 50. E.
80. 00 To the Mile Post bar to Sec? 21, 22, 27, & 28. from
which a Gum 10. in. diam? bears N. 36. W 44 lbs. dist?
& a Gum 12 in. diam? bears N. 28. E. 24 lbs. dist?
Low Bridges, some Bottom on the Branches. Timber:
Oak, Hickory, Gum & Poplar, & some Sugar tree.

South Between Sec? 20 & 21 T. N. C. I. R. N. M. W.

5. 50 To a Branch 6 lbs. wide; course S 30. E.
40. 00 Set a Post for the bar to 44 Sec. from which an Ash 12.
in? diam? bears N 36. W 13 lbs. dist? & a B Oak 21 in? in
diam? bears N 44. E. 22 lbs. dist?
47. 00 To a Branch 12 lbs. wide; course S 70. E.
62. 26 To an W Oak 21 in? diam? stands in the line.
80. 00 To the Mile post set for the bar of Sec? 20, 21, 23, & 29.
from which a W Oak 14 in? diam? bears N. 25. W 10 lbs.
dist? & a W Oak 12 in? diam? bears N. 71. E. 17 lbs. dist?
Low Bridges, Timber, Oak & Hickory: Good for Wheat

South Between Sec? 19 & 20 T. N. C. I. R. N. M. W.

21. 45 To a B Oak 22 in? diam? which stands in the line.
24. 55 To a Branch 10 lbs. wide. course S. 60. W.
40. 00 Set a Post for the bar to 44 Sec. from which a W Oak 12
in? diam? bears S 76. W 21 lbs. dist? & an Ash 6. in?
diam? bears S 50. E. 19 lbs. dist?
59. 38 To a Branch lbs. wide; course N. 70. W.
64. 75 To a W Oak 30 in? diam? stands in the line.
80. 00 To the Mile Post set for the bar to Sec? 19, 20, 29 & 30.
from which a Gum 12 in? diam? bears S. 32. E. 11 lbs. dist?
& a Gum 12 in? diam? bears S. 84. W 12 lbs. dist?
Low Bridges, Timber, Oak, Gum & Hickory. Jan^r 31st 1846.

West Between Sec? 19 & 20 T. N. C. I. R. N. M. W. Jan^r 31st 1846T. N. C. I. R. N. M. W. 2nd Mer.

10. 40 To a Branch 12 lbs. wide. course N 40. W.
20. 10 To a W Oak 14 in? diam? which stands in the line
31. 50 To a Branch 12 lbs. wide. course N. 20. W.
40. 00 Set a Post for the bar to 44 Sec. from which an W Oak 16.
in? diam? bears S. 15. W 12 lbs. dist? & an W Oak 12.
in? diam? bears S. 40. E. 25 lbs. dist?
76. 00 To a Branch 10 lbs. wide. course S. 40. W.
113. 75 Intersecting the West Range line S. 96 lbs. N. of the Post.
& set a Post. from which an Elm 6 in? diam? bears S. 26
E. 13 lbs. dist? & an Elm 8 in? diam? bears N. 54 E. 9 lbs. dist?
Low Bridges, some wet Bottom; Timber. Oak & Hickory.

East Between Sec? 20 & 29 T. N. C. I. R. N. M. W.

14. 00 To a Branch 8 lbs. wide. course S 70. W.
40. 00 Set a 44 Sec. Post from which a B Oak 20 in? diam? bears
West 29 lbs. dist? & a Hickory 12 in? diam? bears N 65. E. 14 lbs.
80. 00 Intersecting the N & S line at the Post set for the bar to
Sec? 20, 21, 23, & 29. Timber Low. B. & W Oak. & Hickory
Good Land for Wheat.

East Between Sec? 21 & 28 T. N. C. I. R. N. M. W.

24. 00 To a Branch 6 lbs. wide. course S.
39. 85 Set a Post for the bar to 44 Sec. from which a W Oak 16.
in? diam? bears N 36. E. 24 lbs. dist? & a Gum 12 in? diam?
bears S. 55. E. 12 lbs. dist?
43. 12 To a Branch 10 lbs. wide. course N. 35. E.
79. 70 Intersecting the N & S line 110 lbs. N. of the Post set for
the bar to Sec? 21, 22, 27, & 28. Low Bridges, Oak & Hickory.

East Between Sec? 22 & 27 T. N. C. I. R. N. M. W.

110. 00 Set a Post for the bar to 44 Sec. from which a W Oak 18.
in? diam? bears N. 55. 1/2 E. 13 lbs. dist? & a Gum 15 in? in
diam? bears N. 22. W. 8 lbs. dist?
112. 00 To a Branch 10 lbs. wide. course S.
80. 00 Intersecting the N & S line 2. 00 lbs. N. of the Post. 36. ch^r is
killy then. wet Bottom to the mile Post, Oak, Maple Elm & Hickory

T. N. C. I. Co. N. 11 W. 2nd Sec.

- South Between Sec. 27 & 28. T. N. C. I. Co. N. 11 W.
37. 00 To a Poplar 20 in. diam. which stands in the line.
40. 00 To a Post for the bar to 1/4 Sec. from which a Gum 12 in. diam. bears S 28. E. 58. lbs. dist. & a B. Oak 28 in. diam. bears N 31. W. 61. lbs. dist.
49. 00 To a B. Oak 22 in. diam. stands in the line.
52. 00 To a Branch 8 lbs. wide. Course S. 40. W.
50. 00 To a Mile Post for the bar to Sec. 27, 28, 33, & 34, from which a M. Oak 20 in. diam. bears N 37. W. 12. lbs. dist. & a M. Oak 18 in. diam. bears N 61. E. 11 lbs. dist.
-
- South Between Sec. 28 & 29. T. N. C. I. Co. N. 11 W.
14. 50 To a Branch 6 lbs. wide. Course S. 30. E.
40. 00 To a Post for the bar to 1/4 Sec. from which a M. Oak 12 in. diam. bears S 51. W. 20. lbs. dist. & a M. Oak 12 in. diam. bears S 49. E. 29 lbs. dist.
60. 18 To a M. Oak 16 in. diam. which stands in the line.
62. 50 To a Branch 4 lbs. wide. Course S. 30. E.
64. 50 Wife of Rocks of the sand kind.
80. 00 To the Mile Post set for the bar of Sec. 28, 29, 32, & 33, from which a B. Oak 16 in. diam. bears S 49. E. 21 lbs. dist. & a M. Oak 12 in. diam. bears N 43. W. 65. lbs. dist. Land Hilly. Timber. Oak, Poplar, Gum, & Hickory.
-
- South Between Sec. 29 & 30. T. N. C. I. Co. N. 11 W.
4. 75 To a Branch 10 lbs. wide. Course S. 60. W.
24. 00 To a Post 10. " " " W.
40. 00 To a Post for the bar to 1/4 Sec. from which a B. Oak 30 in. diam. bears N 5. E. 20. lbs. dist. & a Hickory 10 in. diam. bears S 79. E. 23 lbs. dist.
50. 50 To a Branch " lbs. wide. Course S. 40. W.
59. 95 To a B. Oak 20 in. diam. which stands in the line.
50. 00 To the Mile Post set for the bar to Sec. 29, 30, 31, & 32, from which a M. Oak 18 in. diam. bears S 71. E. 33 lbs. dist. & a M. Oak 18 in. diam. bears N 40. W. 70. lbs. dist. Low Bridges. Timber. Oak, & Hickory.

T. N. C. I. Co. N. 11 W. 2nd Sec.

- West Between Sec. 30 & 31. T. N. C. I. Co. N. 11 W.
5. 00 To a Branch 6 lbs. wide. Course S. 30. E.
40. 00 To a Post for the bar to 1/4 Sec. from which a B. Oak 22 in. diam. bears S 14. E. 7 lbs. dist. & a M. Oak 15 in. diam. bears S 24. W. 37. lbs. dist.
78. 00 To a Branch 6 lbs. wide. Course S. 45. W.
79. 75 To a B. Oak 22 in. diam. which stands in the line.
1. 14. 20 Intersected the West Range line 9. 90. lbs. N. & set a Post from which a B. Oak 28 in. diam. bears S 56. E. 82 lbs. dist. & a Dogwood 7 in. diam. bears S. 7. E. 49. lbs. dist. Low Bridges. Timber. Oak, & Hickory. Feb. 1st 1806.
-
- East Between Sec. 29 & 32. T. N. C. I. Co. N. 11 W.
2. 00 To a Branch 6 lbs. wide. Course S.
14. 50 To a Branch 5. " " " E.
26. 50 To a Branch 6. " " " S.
40. 00 To a Post for the bar to 1/4 Sec. from which a B. Oak 20 in. diam. bears N 36. E. 35. lbs. dist. & a S. Oak 30 in. diam. bears S 53. W. 74 lbs. dist.
50. 00 To a Branch 8 lbs. wide. Course S 20. E.
56. 50 To a Post 6. " " " S. 30. W.
50. 00 Intersected the N. & South line at the Post set for the bar to Sec. 28, 29, 32, & 33. Land Hilly. Timber. Oak, & Hickory. Low large Rocks on the Branches.
-
- South Between Sec. 31 & 32. T. N. C. I. Co. N. 11 W.
15. 75 To a Branch 8 lbs. wide; Course S. 30. E.
40. 00 To a Post for the bar to 1/4 Sec. from which a Gum 12 in. diam. bears N 77. E. 21 lbs. dist. & a Hickory 12 in. diam. bears N 18. W. 25. " "
75. 62 To a B. Oak 22 in. diam. stands in the line.
89. 12 Intersected 3. 95. lbs. E. of the Post. Set a Post. from which a B. Oak 18 in. diam. bears N. 32. W. 24 lbs. dist. & a B. Oak 20 in. diam. bears N. 60. E. 62. lbs. dist. Low Land. Timber. M. & B. Oak, & Hickory.

T. A. C. I. Co. N. 11. W. 2nd Mer.

- East Between Secs 28 & 33. T. A. C. I. Co. N. 11. W.
00. 38 To a Branch 6 lbs. wide. Course N. 85. E.
5. 00 To the Same " " " " S. 30. E.
39. 75 To a 1/4 Sec. Post from which an Oak 30. in? diam? bears
N. 72. E. 32 lbs. dist? & a Oak 14. in? bears S. 80. E. 30. lbs. dist
61. 00 To Bottom to the Mile Post.
73. 50 To a Branch 20. lbs. wide. Course S. 30. E.
74. 50 Intersecting N. & S. line 150. lbs. S. of the Post. bar of the
Secs 27. 28. 33. & 34. Low ridges. Oak & Hickory.

South Between Secs 32 & 33. T. A. C. I. Co. N. 11. W.

7. 14 To a W. Oak 16. in? diam? stands in the line
40. 00 To a 1/4 Sec. Post. from which an Ash 7. in? diam? bears S. 7.
E. 17. lbs. dist? & a Poplar 14. in? diam? bears S. 69. W. 19. lbs. dist
46. 58 To a B. Oak 20. in? diam? which stands in the line
66. 75 To a Branch 6. lbs. wide. Course S. 60. W.
58. 70 Intersecting the R. line 2. 56. lbs. E. of the Post. & set a Post.
from which a Poplar 10. in? diam? bears N. 8. W. 2. 4. lbs. dist?
& a Gum 7. in? diam? bears N. 31. E. 26. lbs. dist?
Land. Hilly. Timber. Oak & Hickory & Poplar.

East Between Secs 27 & 34. T. A. C. I. Co. N. 11. W.

20. chains level upland.
13. 00 To a Branch 8. lbs. wide. Course S
40. 00 To a Post for the bar to 1/4 Sec. from which an Ash 7. in?
diam? bears S. 57. E. 50. lbs. dist? & a Hickory 10. in? diam?
bears N. 79. E. 27. lbs. dist?
55. 00 Broken Bottom to the Mile Post.
63. 50 To the Post Road.
78. 00 To a Branch 10. lbs. wide. Course S. 60. W.
- 5000 Intersected the N. & S. line 120. lbs. S. of the Post set
for the bar to Secs 26. 27. 34. & 35. Low ridges.
Timber. Oak & Hickory, Gum. Ash. Poplar in the Bottom.

South Between Secs 32 & 34. T. A. C. I. Co. N. 11. W.

6. 75 To a W. Oak 36. in? diam? which stands in the line

T. A. C. I. Co. N. 11. W. 2nd Mer.

17. 50 To a Branch 25. lbs. wide. Course S. 40. E.
40. 00 To a Post for the bar to 1/4 Sec. from which a Sugar 14. in?
diam? bears N. 81. E. 37. lbs. dist? & a Sugar 16. in? diam?
bears S. 41. E. 46. lbs. dist?
67. 62 To a B. Oak 22. in? diam? stands in the line.
83. 20 Intersecting 131. lbs. E. of the Post. & set a Post from which
a Poplar 13. in? diam? bears S. 70. W. 7. lbs. dist? & a Hickory
16. in? diam? bears N. 64. E. 35. lbs. dist? Tract to the
Branch. thin hilly Timber Oak Poplar Sugar & Hickory
Feb. 2nd 1806.

Meanders of the Choc. from the End of the Town line
Secs 2. & 35. Turns S. & E. up the River.

Course. Dist

- A. 43. E 17. 00
- A. 26. E 10. 43
- A. 1. E 9. 29
- A. 17. E 5. 00
- A. 25. 30 E 25. 72
- A. 15. E 7. 58
- A. 9. W. 13. 96 To a Post Between Secs 26. & 35.
- A. 3. E 12. 22
- A. 17. 1/2 E 10. 41
- A. 15. E 9. 54
- A. 24. E 8. 41
- A. 36. 1/2 E 6. 36
- A. 17. 1/2 E 2. 07 To a Post Between Secs 25. & 26.
- A. 47. 1/2 E 11. 85 Lapping the mouth of a Branch Secs 28. lbs. wide.
Hills. North.
- A. 37. 1/2 E 11. 44
- A. 69. 1/2 E 11. 93
- A. 80. E 14. 66
- A. 84. 1/2 E 10. 12 To the Mouth of Big Lagoon N. 13. E. 3. 64. lbs.
Feb. 24 1806.

T. No 6 S. R. No 11 N. 2nd Mer Ind.

Meanders of the Ohio from the Range line down to the Mouth of Bigen Creek.

Course Dist.
 N 64 1/2 W 11. 95.
 N 50. W 7. 38

Met 5. 10 To the Mouth of Bigen Creek.

Observations across the Mouth of Bigen. N. 14. W.
 To a Tree on the N. Bank N. 4 1/2. E. 1. 75. S. 66. W. to the
 same Tree. Feb. 6. 1806.

Observations across the Ohio at a Post Return No. 26 & 32.
 S. 86. E. to a Tree on the Side of the River. N. 4. W. 3. 03. Thence S.
 70. E. to the same Tree

- South Range line East of Tree 24. S. 6. E. No. 11. W.
 7. 54 To a W Oak 14 in. diam. which stands in the line.
 140. 00 To a 1/2 the Post from which an O. C. 130 in. diam. bears S. 51.
 E. 23. the dist. 1/2 the Post 12. in. diam. bears S. 36. 56. the dist.
 41. 65 To a Branch 4 the wide. Course N.
 46. 00 To a W. Oak 22. in. diam. stands in the line
 68. 31 To a Branch 6. the wide. Course N.
 80. 00 To the mile post set for the top of Tree 24, 25 from which
 a Poplar 18 in. diam. bears N. 61. W. 56. the dist. 1/2 a W Oak 12.
 in. diam. bears S. 47 1/2. W. 56. the dist. Oak. Poplar. & Hick. 2. 1/2.

- South On the Range on the Boundary of Tree 23.
 2. 54 To a Poplar 12 in. diam. which stands in the line.
 7. 00 To a Branch 6. the wide Course N.
 20. 63 To a Sycamore 6 in. diam. standing on the Bank of the Ohio from
 which a W. Oak 6 in. diam. bears S. 63. W. 8. the dist. 1/2 a
 W. Oak 18 in. diam. bears S. 72. E. 37. the dist.
 Just found. Similar. Oak. & Poplar.
 Observations across the Ohio from the end of the Range
 line Between Ranges. 10 & 11. & Tree 25 & 30. S. 27. W. to a
 Tree on the S. side of the River. N. 6 1/2. W. 11. 95. S. 12. 20.
 W. to the same Tree.

Surveyed by Jacob Kirtley. S. J.

T. No 6 S. R. No 11 N. 2nd Mer Ind.

~~I certify that the foregoing transcript of the
 Field notes of Township No 6 South of Range
 No 11 West of the 2nd Mer. Indiana, has been
 compared with the Original notes in this Office
 and found to be correct:
 Surveyor General's Office,
 Cincinnati, Nov 13th 1839~~

North Boundary.

- Met Qu. S. Boundary of Sec 36. T. 5. S. R. 11. W.
 18. 13 A Branch 10 W. wide Course S. 50. W.
 40. 00 Set of a Post from which
 a Locust 13 in dia W N 30 E 15 100 +
 an Ash 12 " " " S 57 75 40 " "
 49. 00 A Post Road,
 72. 50 A Branch 40 W. wide Course S. 10. W.
 80. 00 Set Post from which
 a W. Oak 28 in dia W N 47 E 70 100 +
 a DO 23 " " " N 11 W 88 " "
 Sand level part Met. Pruner
 Oak, Elm & Hickory.

- Met Qu. S. Boundary of Sec 35. T. 5. S. R. 11. W.
 24. 00 A Branch 30 W. wide Course S. 40. W.
 Crossing it 5 times, leaving it on
 the N. at 36 ch. up said Branch.
 40. 00 Set of a Post from which
 an R. Oak 23 in dia W S 39 E 8 100 +
 a Maple 10 " " " N 11 W 20 " "
 80. 00 Set post Cor. to Sec 35 & 34 from which
 a Hickory 12 in dia W S 17 E 36 100 +
 a DO 8 " " " N 54 E 12 " "
 Sand Brushy some Bottom.
 Pruner Elm, Oak & Hickory.

F. C. S. R. 11. 77. 2^a Mer Lud^a

ch. 250.

West Co. S. Boundary of Sec 34, F. S. R. 11. 77.
 40.00 Set of Sec Post from which
 A N Oak 8 in dia W^o N 31 77 7 100 x
 a do 6 " " " S 29 77 16 " "
 40.68 A Branch 6 1/2 wide course S 30 E.
 45.62 a do 8 " " " South.
 81.00 Set post Cor to Sec 33 & 34 from which
 A N Oak 14 in dia W^o N 50 77 15 100 x
 a do 18 " " " S 76 77 28 " "
 Sand level & Brushy.

West Co. S. Boundary of Sec 33, F. S. R. 11. 77.

40.00 Set of Sec Post from which
 A Hickory 7 in dia W^o S 77 77 13 100 x
 An Elm 6 " " " S 28 77 8 " "
 80.00 Set post Cor to Sec 32 & 33, from which
 A Poplar 18 in dia W^o N 52 77 11 100 x
 a do 18 " " " N 53 E 30 " "
 Low Barren & Brushy Ridge

West Co. S. Boundary of Sec 32, F. S. R. 11. 77.

39.50 A Branch Course N 45 W.
 40.00 Set of Sec Post from which an ash 12
 in dia W^o S 43 77 25 100 x a Hoop pine 8 "
 " " " S 47 E 69 " ". This post in
 Branch Course S. 40. 77.
 79.35 a do " " S 20 E. 20 100 wide.
 80.00 Set post from which
 A N Oak 15 in dia W^o N 73 77 5 100 x
 a do 22 " " " S 46 E 19 " "
 Low Ridge. Some Bottom, on the
 Branches. Oak & Hickory.

West S. Boundary of Sec 31, F. S. R. 11. 77.

40.00 Set of Sec Post from which
 A N Oak 24 in dia W^o S 81 77 40 & A N Oak 16 N 40 W.

F. C. S. R. 11. 77. 2^a Mer Lud^a

ch. 250.

45.90 A Branch 8 1/2 wide course S 45 E.
 72.00 a do 6 " " " S 30 E.
 113.88 Interset Range line N. of Post.
 Jan'y. 10. 1806.
 Jacob Fowler S. S.

West. Boundary:

South Co. S. Boundary of Sec 1, F. C. S. R. 11. 77.
 70 A B Gum 18 in dia,
 110.00 Set of Sec Post from which
 A N Oak 24 in dia W^o S 82 77 10 100 x
 A B Gum 9 " " " S 70 E 36 " "
 48.50 A Red Oak 24 " " "
 81.00 Set post Cor to Sec 1 & 12 from which
 A N Oak 24 in dia W^o S 22 77 5 100 x
 A R " 18 " " " S 30 E 71 " "
 Sand Rolling & Hill. Soliabel Soil.
 Timber Oak, Hickory, Gum &c.

South Co. S. Boundary of Sec 12, F. C. S. R. 11. 77.

40.00 Set of Sec Post from which
 A N Oak 9 in dia W^o S 46 77 14 100 x
 a do 12 " " " S 46 E 36 " "
 64.56 A Buck 12 " " "
 65.00 A Pond 40 1/2 wide course S. 77.
 73.50 A Creek 50 " " " S. 77.
 80.00 Set post Cor to Sec 12 & 13 from which
 A Red Oak 30 in dia W^o S 62 77 65 100 x
 A N " 14 " " " S 57 77 59 " "
 Sand generally level. Some Bottom
 on Creek. Balance thin Soil, Timber & Gum.

South Co. S. Boundary of Sec 13, F. C. S. R. 11. 77.

October 2^a 1805.

T. C. S. R. 11. W. 2nd Mer Surd^a,

20.83	ch. ^{AKS.} A Hickory 13 in dia.
40.00	Set of the Post from which a B. Gum 22 in dia. ^{AKS.} N 85° 72' 27" ^{AKS.} a Red Oak 11 " " " N 48° 2' 047 " "
58.00	a B. Gum 14 " " "
80.00	Set Post for to Sec 13 & 24 from which a Hickory 34 in dia. ^{AKS.} N 50° 29' 00" ^{AKS.} a Hickory 10 " " " N 25° 29' 00" ^{AKS.} Land at the N. End level, the Balance Hilly thin Soil.

South	On E. Boundary of Sec 24, T 64, R 12 W.
16.50	a Hickory 22 in dia.
40.00	Set of the Post from which a Sack Oak 8 in dia. ^{AKS.} N 14° 20' 30" ^{AKS.} a Hickory 12 " " " N 24° 0' 17 " "
64.14	a Red Oak 14 " " "
80.00	Set Post for to Sec 24 & 25 from which a Hickory - in dia. ^{AKS.} N 49° 20' 12" ^{AKS.} about Gum 30 " " " N 54° 20' 83 " " Land as Same.

South	On E. Boundary of Sec 25, T 64, R 12 W.
.12	a Branch 15 ^{AKS.} wide Course S. 70,
27.25	a Hickory 24 in dia.
40.00	Set of the Post from which an Elm 24 in dia. ^{AKS.} N 70° 20' 26" ^{AKS.} a B. Gum 9 " " " N 70° 20' 18 " "
74.00	a B. Oak 20 " " "
80.00	Set Post for to Sec 25 & 36 from which a Hickory 10 in dia. ^{AKS.} N 11° 12' 20" ^{AKS.} a " 9 " " " N 48° 20' 57 " " Land as Same.

South On E. Boundary of Sec 36, T 64, R 12 W.

T. C. S. R. 11. W. 2nd Mer Surd^a

ch. ^{AKS.}	
40.00	Set of the Post from which a B. Gum 12 in dia. ^{AKS.} N 85° 20' 28" ^{AKS.} a Red Oak 10 " " " N 88° 2' 033 " "
50.70	a Hickory 15 " " "
80.00	Set Post for to Sec 7 & 12, T 64, R 12 W. a Red Oak 28 in dia. ^{AKS.} N 57° 20' 84" ^{AKS.} a poplar 30 " " " N 45° 20' 83 " " Land as Same, some Hills, W ^m Rector, D. S.

Surveyor General's Office,
Detroit April 23, 1846.

I hereby certify that
the foregoing Transcript of the field
notes of Township C. S. Range 11, W.
of 2nd Mer, Surd^a has been com-
pared with the original notes in this
Office & found to be correct.

Sur. Genl.