

Township No. 7 South Range No. 9 West 2nd Sec. 7
E. Brandenburg

- South On Range line Town 7 R. 9 W. East side; Sec. 1
12.12 W. Oak 30 in dia
30.75 W. Oak 10 in - Curve S 50 E
40.00 Sec 1/4 Sec post from which a Buck 10 in dia beam
N 19 W. 140 links dist; and a S. 27 W. 28 in
69.38 W. Oak 38 in dia
79.00 W. Oak 50 in
80.00 Mile post from which a Sycamore 5 feet in dia beam
S 22 W. 36 links dist; and a Bay press 8 in dia
N 37 W. 17-45 in - Sand, lies in low ridges; some
bottom on the Branch; Timber Oak, 7 Oak, Sugar
Walnut & Ash; some Bay press & some fern

- South On Range line East side of Sec 12. T. 7. R. 9 W.
25.50 W. Spruce Creek 2.30 links mile; Curve N 80 W
27.00 Int post on the Bank of the Ohio; Hickory 18 in dia beam
N 32 W. 39 links dist; and a Box Elder 13 in
N 52 W. 45 in - New Bottom.
Nov. 14. 1865

- South On the West Range line Town 7 R. 9 W. Sec. 6.
W. Brandenburg
4.75 W. Oak, 24 in dia
5.75 10 50 through a Pendo S 65 E.
40.00 Sec 1/4 Sec post from which a W. Oak 22 in dia beam
S 75 W. 45 links dist; and a W. Oak 22 in
N 77 W. 75 in
54.80 W. Oak 24 in dia
67.50 W. Elm 22 in dia
80.00 Sec mile post from which a Honey Locust 33 in dia
beam N 29 W. 23 links dist; and an Ash -
S 76 W. 45 in - Sand, level; Timber
Oak, Ash, Walnut, Hickory & Honey Locust:

- South On Range line Sec. 7 T. 7 R. 9 W.
25.25 Post on the Bank of the Ohio Hickory 14 in dia beam
S. W. 30 links dist; and a W. Oak 7 inch S 6 E 40

T. N. 7 S. R. N. 9 South 2 miles from

lumber dist; Sands level Bottom Timber Oak Walnut
not Hickory &c Dec. 13 1805

East Between Sec. 6 & 7 T. 7 N. R. 9 W.

10.75 White Oak 36 in dia
35.21 Post just on the Bank of the Ohio; Cottonwood 18 in dia
has S 33 E. 24 links dist; under Mulberry 12 in
N 42 E. 41 in - Sand level; Timber Oak,
Ash, Walnut, & Hoopwoods

South Between Sec. 5 & 6 T. 7 N. R. 9 W.

34.09 Post on the Bank of the Ohio; Hoopwood 20
in dia has N 35 E. 5 links dist; under Elm 10
N 25 W. 10 in - Sand bottom
Timber Oak, Poplar, Walnut & Ash Sugar tree &
Hoopwoods

South Between Sec. 4 & 5 T. 7 N. R. 9 W.

14.50 Post on the Bank of the Ohio from which a Sycamore
22 in dia has S 68 W. 19 links dist; under Pop
Oak 16 in - N 88 E. 50 in - Sand level
bottom; Timber Oak, Poplar, Ash, & Hoopwoods.

South Between Sec. 3 & 4 T. 7 N. R. 9 W.

13.25 Post on the Bank of the Ohio; from which a Hoop
wood 24 in dia has N 72 E. 28 links dist; to the
the 18 in - N 53 W. 22 in -
Sand bottom; Timber Oak, Ash Walnut & Hoop
wood Sugar tree,

South Between Sec. 2 & 3 T. 7 N. R. 9 W.

11.75 a Spruce 14 in dia
33.88 White Oak 15 in dia
35.27 White Oak 6 links side; Course S 30 W
38.38 Post on the Bank of the Ohio; Sycamore 6 feet
in dia has N 42 W. 62 links dist; to the 50 -
S 33 E. 37 in -

T. N. 7 S. R. N. 9 W. 2 miles from

Sand hills in the ridge; Timber Oak, Walnut
& Poplar Hoopwoods Sugar tree & Ash
Dec. 17 1805

South Between Sec. 1 & 2 T. 7 N. R. 9 W.

7.57 White Oak 10 links side; Course S. 57 W
12.00 " " 10 " " " " S 40 W
18.68 White Oak 40 in dia
33.00 White Oak 25 links side; Course S 35 E.
39.12 " " 4 " " " " N. 70 E.
40.00 Post 1/4 station just from which a Poplar 36 in dia
has N 28 W. 22 links dist; under Elm 12 in
N 86 E. 8 in -
71.00 Post on the Bank of the Ohio from which an W
Oak 14 in dia has N 70 W. 12 links dist; to the
N 40 W - S 54 E. 50 in -
Sand hills; Timber Oak, Walnut, Ash, Sugar tree
& Poplar

West Between Sec. 11 & 12 T. 7 S. R. 9 W.

18.00 White Oak 50 links side; S 40 W
24.00 " " 50 " " " " N 20 W
44.00 Post 1/4 sec just from which a Spruce 10 in dia has
N 18 E. 19 links dist; under the 10 in -
S 60 E. 49 in -
39.24 White Oak 50 links side; Course South
65.75 White Oak 20 in dia on the Bank of Ohio & 12 links
south of a Bank of Rock 12 feet high; Broken
some Kelly; Timber Oak, Oak, Poplar, Walnut,
Sugar tree & Ash Dec. 17 1805

Meanders of the Ohio River beginning at a Post on
the Bank in the East Ray & in Section 12 from
1/2 mile down the same

N 59 W 30.38 Passing the mouth of Pigeon Creek at 20
chains 220 links side; Course N 75 W
N 75 W 25.50 White Oak 50 links side Course N

J. N^o 7 S. R. N^o 9th. 2nd Mer

N80W	13.00	To a B. Oak 20 in. dia. between Sec ^s 1 & 12 on a Bank of rock extending from the mouth of the branch 17 th ch ^s down the River
N60W	12.62	
N39W	3.00	To Post between Sec ^s 1 & 2
N39W	33.08	
N75W	27.49	
N72W	20.30	
N67W	6.00	To a Post between Sec ^s 2 & 3 the remainder of the mark begun at Lower side and runs up the River. Dec ^r 17. 1805

		Meanders of the River beginning at a post on the bank at the End of the West Range line Sec ^s 7 from thence up the River & ending thereon
N43 $\frac{1}{2}$ E	24.71	Observations taken across the Ohio at the end of this (line) S42E to a tree on the South side North 57 $\frac{1}{2}$ E thence S. 29.50 E to the above tree.
N57E	9.50	
N56E	6.41	
N51E	5.00	To a Post between Sec ^s 6 & 7
N47E	11.82	
N51E	14.38	
N57 $\frac{1}{2}$ E	10.21	
N59E	48.31	To a Post between Sec ^s 5 & 6
N59E	9.85	
N71E	7.59	Passing a Branch at 5 chains S. the N30E
N77E	11.15	
N79E	17.64	
N75E	14.50	
N86E	11.41	
N78E	3.97	
N86E	7.34	To a Post between Sec ^s 4 & 5
N85E	27.07	
S83E	9.62	

J. N^o 7 S. R. J. W. 2nd Mer Ind^a.

N78E	13.64	
N77E	18.38	
N89E	7.00	
S. 76 $\frac{1}{2}$ E	5.48	passing at 200 chs. a Branch 25 chs wide from N, & to Post between Sec ^s 3 & 4 Dec ^r 16. 1805,
S. 73 $\frac{1}{2}$ E	19.65	
S. 80 $\frac{1}{2}$ E	19.00	
S. 70 $\frac{1}{2}$ E	48.00	To Post between Sec ^s 2 & 3 Passed a Branch at 46.50 3 chs wide from N.

Observations taken across the Ohio
from a Post on the bank, Sec^s 2 & 3
S. 21 $\frac{1}{2}$ W. to a W. tree on S. side of
River. thence N 70 $\frac{1}{2}$ W. 10.42, thence
S 5 $\frac{1}{2}$ W. to above tree.

Observation from post between
Sec^s 6 & 7, to point of an Island
N 25 $\frac{1}{2}$ W to a willow, S 50 $\frac{1}{2}$ W 95 chs,
N 10 $\frac{1}{2}$ E to the same willow.

To upper point of same Island
from a post between Sec^s 3 & 4,
S. 77 $\frac{1}{2}$ W to a willow S 80 $\frac{1}{2}$ E 318
S 35 $\frac{1}{2}$ W to the same willow

Across the Ohio to a black tree
from Post between Sec^s 3 & 4,
S. 8 $\frac{1}{2}$ E. S 80 $\frac{1}{2}$ E 9.30, S 5 $\frac{1}{2}$ W to same tree,
Jacob Fowler D.S.

F. J. S. R. G. W. 2^d Mer End^a,
Ch. S. R.

North Boundary,

West An S. Boundary of Sec 34, T. 6. S. R. G. W.
19.00 A Branch 10 cks wide course S. 20 E.
40.00 Set of Sec Post from which
a B. Oak 20 in dia b^d N 28 1/2 W 23 cks
a Sugar 12 " " " S 47 W 24 " ,
57.50 A S. Branch 4 cks wide for S. 5 W
80.00 Set mile post from which
An Ash 10 in dia b^d S 15 W 16 cks
a Sugar 10 " " " N 30 W 17 " ,
Ridge, Oak Land.

West An S. Boundary of Sec 35, T. 6. S. R. G. W.
19.00 A Branch 20 cks wide course S 30 E,
40.00 Set of Sec Post from which
a Poplar 16 in dia b^d S 40 W 27 cks
a Gum 18 " " " N 21 W 15 " ,
41.12 A Spring Branch 3 cks wide course N 20 E,
42.38 a " " " " " " " N 15 E,
61.88 a " " " " " " " N,
80.00 Set mile post in a Spring Branch
3 cks wide course N 30 E from which
a Poplar 11 ft dia b^d S 78 W 83 cks
a Sugar 12 in " " " N 17 E 37 " ,
Land & a Same.

West An S. Boundary of Sec 34, T. 6. S. R. G. W.
40.00 of Sec Post from which
a Sugar 12 in dia b^d East 12 cks
An Ash 14 " " " S 17 W 23 " ,
52.62 A Spring Branch 5 cks wide course N 10 W,
80.00 A mile post from which
a Gum 12 in dia b^d N 65 W 32 cks
a W. Walnut 14 " " " S 68 W 49 "

F. J. S. R. G. W. 2^d Mer End^a
Ch. S. R.

Low Ridges 42 ch. Timber, Oak
Walnut, Poplar, & Sugar,

West An S. Boundary of Sec 33, T. 6. S. R. G. W.
1.25 A Branch 20 cks wide course S 30 W,
40.00 Set of Sec Post from which
An Oak 20 in dia b^d N 84 E 43 cks
a Sugar 12 " " " S 88 W 58 " ,
42.00 Set mile post all Bottom,
80.00 Set mile post from which
An Ash 20 in dia b^d N 75 W 13 cks
An " 22 " " " S 53 E 28 " ,
Level Bottom, upland.

West An S. Boundary of Sec 32, T. 6. S. R. G. W.
40.00 Set of Sec Post from which
An Ash 12 in dia b^d S 28 E 6 cks
a B. Oak 18 " " " N 53 E 23 " ,
53.00 A Branch 10 cks wide course S 40 W,
73.00 Mount - 70 cks to the N. of line,
about 25 ft high 3 ch dia,
80.00 Set mile post from which
a B. Oak 22 in dia b^d S 27 E 3 cks
a " 22 " " " S 27 W 40 " ,
Land Level, Timber & a Same.

West An S. Boundary of Sec 31, T. 6. S. R. G. W.
40.00 Set of Sec Post from which
An Elm 10 in dia b^d N 31 E 12 cks
A Gum 10 " " " S 31 W 12 " ,
104.42 Intersect Range line 193 cks N.
of Post, Land & a Same,
Dec 14, 1805. Jacob Fowler D. S.

Surveyor General's Office,
 Detroit April 14, 1846

I certify that
 the foregoing Transcript of the
 Field Notes of Township N. 7,
 South in Range N. 9. West of the
 2^d Mer. Ind. has been compared
 with the original notes in this office
 & found to be correct.

Township N. 7 South of Range N. 10 West 2^d Mer

South	1 st mile from base line on West boundary of military lands
17.50	To old corner of Lot
57.48	Old corner
80.00	Set a stake; Land here Buck Timber
South	2 nd mile on the West boundary of military lands
17.60	Old corner
80.00	Put a stake. 50 chains wide fall; with side; first 30 chains here
South	3 rd mile on the West boundary of military lands
17.90	To the old corner, supposed to be the South West corner of the military lands: from which a Substruc 12 in dia bears S 85 th W. 15 links dist; mark Back 20 " " " " N 64 th E 30 " " ; then run from this post;
East	4 th mile on South boundary of the military lands
25.48	Old lot corner
26.70	Road to Red banks
50.80	2 nd corner
75.80	3 rd corner
80.00	Put a Stake Land here good soil; Timber Buck to
East	2 nd mile on South boundary of military lands
20.75	4 th Post
45.74	5 th Old corner, from which by the Plan there might be a line run South it includes a lot of thick spruce from the main tract, but no timber from the post
70.65	6 th lot post
79.30	a corner from which there is a line run South; then South on this line:
South	