

Township No. 7 South of Range & 9th West 2nd Mer.

South Between Sec. 1 & 2. T. 7 N. R. 10 W.
 1.25 At Oak 14 in dia stands in the line
 40.00 Set a post for cor. to 1/4 sec from which a B Oak 22 in
 dia bears N 28 77. 17 links dist; and a Oak 19 in
 " " S 21 77. 25 " "
 63.00 At Brook 20 links mid; Course West
 64.30 " " 20 " " " West
 85.00 Set post for cor. to sec. 1, 2, 11, 12, from which an
 Elm 10 in dia bears N 23 77. 24 links dist; and an
 Hick 24 in " " S 66 77. 14 " " Limbs
 had and a Post set; Limbs Oak, Ash, Hick &
 Gum, & Elm.

East Between Sec. 1 & 12 On Random line
 23.50 At Post 3 links mid; Course N.
 25.00 At Post - " " Course N.
 110.00 Set trap post for cor. to 1/4 sec
 79.00 Intersect Range & line 40 links south of sec. to line
 1 & 12. T. 7 N. R. 10 W. Land sold Jimmie Oak, Hick
 and Ash & Gum April 16. 1906

West On true line between Sec. 1 & 12
 1.75 On Elm 22 in dia stands in the line
 40.50 Set trap post for cor. to 1/4 sec at aver. dist; on true
 line from which a Hick 10 in dia bears S 55 E 10
 links dist; and an Ash 22 in " " S 61 77. 23
 " "
 49.00 Set the post for cor. to sec. 1, 2, 11, & 12

South Between Sec. 11 & 12. T. 7 N. R. 10 W.
 40.00 Set post for cor. to 1/4 sec from which a Hick 12 in dia
 bears N 53 E 30 links dist; and a Elm 18 in
 " " S 18 77. 61 " "
 57.00 On Elm 30 in dia stands in the line
 80.00 Set post for cor. to sec. 11, 12, 13, & 14 from which
 a Poplar 21 in dia bears S 77 77. 22 links dist; & a

T. N. 7 S. R. No 1077. Grand River

Hoopwoods 18 in dia bears S 9 E. 31 links dist;
Lands level and some cane; Timber Oak, Ash,
Walnut & Hoopwoods

South Between Sect. 2, & 3. T. 7 N. R. 1077

40.00 To a post for cor. to the Sec from which a Hoopwood 10
in dia bears N 66 W. 20 links dist; to a Llo 10
" " " S 73 E 17 " "

41.75 4.50 A Sand Nest

60.55 A Hoopwood 26 in dia stands in the line

80.00 To a post cor. to Sect. 2, 3, 10, 11 from which a
Hoopwood 10 in dia bears S 75 E. 9 links dist; and also
Llo 10 " " " N 78 W. 22 " "
Lands level and part oak; Timber Oak, Ash,
Cane, & Hickory

South Between Sect 10 & 11 T. 7 N. R. 1077

10.00 15.50 Cane holes

28.50 A Cypress fence N 90 W

40.00 To a post for cor. to the Sec from which a Hoopwood
20 in dia bears S 2 E. 17 links dist; and also Llo
18 " " " N 82 W. 34 " "

46.71 A Oak 30 in dia stands in the line

72.57 2.00 A Sand Nest

80.00 To a post for cor. to Sect. 10, 11, 14, & 15. from which
a Hoopwood 12 in dia bears S 79 W. 27 links dist;
to a Llo 16 " " " N 36 E. 22 " "
Lands level; Timber Oak, Hickory, Walnut, Ash
Elm & Hoopwoods

South Between Sect 14 & 15 T. 7 N. R. 1077

19.65 A Hoopwood 30 in dia stands in the line

40.00 To a post for cor. to the Sec from which a Hoopwood
Elm 12 in dia bears N 18 W. 12 links dist;

64.25 To a post on the bank of the Ohio; from which a

T. N. 7 S. R. No 1077. Grand River

a Cotton wood 10 in dia bears S 27 W. 5 links dist
to a Llo 12 " " " S 36 E 14 " "
Lands level; Cane, Walnut, Hoopwoods Ash &
Box Elder

East On Random line between Sect 9, & 11

33.00 2.75 A Sand Nest

40.00 To a stump post for cor. to the Sec

40.75 A. Hoopwood - the main, corner St.

80.00 Intersection N. & S line 30 links South of post sec
for cor. to Sect 1, 2, 11, 12 Lands level Timber
Oak, Ash, & Hickory Cane & some Nest

West On true line Between Sect 9, & 11 T. 7 N. R. 1077

40.00 To a stump post at aver. dist; on true line for cor.
to the Sec from which an Oak 23 in dia bears S 60 W
5 links dist; and also a Hoopwood 12 " " " N 78 E
36 " " " April 17, 1806

80.00 To the post sec for cor. to Sect. 2, 3, 10, & 11.

South Between Sect 13 & 14 T. 7 N. R. 1077

35.05 To a Post sec on the 13th Sect of the Ohio from which
a Hoopwood 20 in dia bears N 64 E. 5 links dist
to a Llo 12 " " " N 79 W. 45 " "
Lands level and oak; Timber Walnut Hoopwood
& Ash

East Between Sect 12, & 13. On true line

7.80 A maple 34 in dia stands in the line

29.00 To a Box Elder 10 in dia standing on the bank
of the Ohio from which a Hoopwood 20 in dia bears
N 55 W. 66 links dist; and also a Box Elder 14 " " "
56 W. 50 " " " Lands level and oak;
Timber Cane Walnut Ash Hoopwoods & Box Elder

South Between Sect 3, & 4 T. 7 N. R. 1077

T. N. 7 & R. N. 107. Grand Mar

- 5.50 7.50 A Ponds Course 1707
 17.50 7.50 A Swamp Course 1507
 40.00 Set a post for cor. to 1/4 sec from which all Oak
 10 in dia bears S93 E. 12. limbs dist; + all limbs
 14 u " " N38 W. 34 u "
-
- 43.00 3.50 A Ponds Course West
 53.91 a B Oak 22 in dia. stands in the line
 75.00 1.50 Cypress Ponds West
 80.00 Set a post for cor. to sec. 3, 4, 9, + 10 from which
 a Cypress 48 inches dia bears S66. E. 32 the
 dist; + also 48 u " " S83 W. 70 u
 u " " Lands level and part red; Timber Oak,
 Hickory and Gum.
-
- East On a Random line between Sec 3 & 11
 50 East side of a Pond
 40.00 Set temp post for cor. to 1/4 sec
 80.00 Intersection N. & S. line at the post set for cor. to sec
 2, 3, 10, 11. Lands + Timber same as last time.
-
- West Between line between Sec 3 & 11
 40.00 Set temp post at aver. dist; on true line for
 cor. to 1/4 sec from which a Hickory 10 in dia bears
 S28 E. 13. limbs dist; and a B Oak 14 u " "
 N. 35 W. 31 u "
-
- 80.00 Set a post set for cor. to sec. 4, 3, 9, + 10
-
- South Between Sec 4 & 5. T. 7 N. 107
 25.75 a B Oak 30 in dia stands in the line
 40.00 Set post for cor. to 1/4 sec from which all Oak 12
 in dia bears S63 W. 16 limbs dist; and a B Oak 10
 u " " N20 W. 12 u "
-
- 41.00 1.50 a Ponds Course N45 W
 60.00 2.50 " " " " " "
 80.00 Set post for cor. to sec 4, 5, 8, + 9 T. 7 N. 107
 from which a Hickory 24 in dia bears N58 W. 13

T. N. 7 & R. N. 107. Grand Mar

- limbs dist; and a Hickory 12 in dia bears S64 E
 20 u " " Lands level and part red; Timber Oak
 Hickory and Gum; Timber Ash, Elm + Maple
 South of the post.
-
- West Between line between Sec 5 & 8.
 40.00 Set post for cor. to 1/4 sec from which a B Oak
 dia 12 in dia bears N18 E. 3 limbs dist; + also
 10 13 u " " N82 W. 38 u "
-
- 58.00 To a B Walnut 13 in dia standing on the Bank
 of the Ohio from which a Hoop pole 24 in dia
 bears N38 W. 58 limbs dist; + a Maple 22 u "
 u " " S53 E 65 u " " Lands level and part
 Timber same Walnut 13. Elder Hoop pole + Ash
-
- South Between Sec 8 & 9. T. 7 N. 107
 40.00 Set post for cor. to 1/4 sec from which a Hoop pole
 14 in dia bears N53 E. 13 limbs dist; + a B. Elm
 12 u " " N49 W. 20 u "
-
- 49.84 To a post on the Bank of the Ohio from which a Hoop
 pole 22 in dia bears S37 E. 38 limbs dist; + a Hoop
 pole 23 u " " N31 W. 50 u " " Lands
 level bottom; Timber Walnut, Hoop pole, B. Elm,
 Elm, + Ash. April 18 1806
-
- East Between Sec 4 & 9 On Random line
 10.00 1.00 a Ponds Course N46 W
 31.00 5.00 u " " " " " "
 40.00 Set temp post for cor. to 1/4 sec
 45.00 2.00 a Ponds Course N45 W
 55.50 3.00 u " " " " " "
 73.00 Ponds to the post; Timber Hickory Ash, Maple
 + Cypress
-
- West Between Sec 4 & 9 On true line
 40.00 Set temp post at the aver. dist; on true line for.

T. N. 7 DR. N. 107. 2nd Mer

Cor to post from which a Hoopwood 30 in dia
beams S 74 E. 15 links dist; and a B Walnut 36 n
n A 23 W 36 n

80.00 Post in pond

South Between Sec. 9. & 10 T. 7 DR. 107

5.00 Ponds

5.00 30.00 Through Cans

4000 Set a post for cor to 7/4 sec from which a Hickory
13 in dia beams N 40 E. 13 links dist; to a 10
n n S 71 E. 5 n

50.00 Cans to the post

80.00 Set post cor to sec. 9. 10. 15 & 16 T. 7 DR. 107 from
which an Elm 14 in dia beams N 35 W. 32 links
dist; and a B Elm 12 n n S 22 E. 30 n
n Lunde lock Timber Oak, Hickory, Hoopwood,
Box Elder, & Ash,

East On Random line between Sec. 10 & 15

40.00 Set temp post for cor. to 7/4 sec.

50.00 To East edge of Cans

80.00 Set a lock N.S. line at the post set for cor to sec.
10. 11. 14. & 15 Lunde lock; Timber Oak, Hickory,
Walnut & Ash, Box Elder & Hoopwood.

West On true line between Sec. 10 & 15

40.00 Set temp post at the aver. dist; on true line for cor
to 7/4 sec from which a Mulberry 16 in dia beams S 77 W
34 links dist; and a Hoopwood 14 n n S 66 W
39 n

80.00 To the post set for cor to sec. 9. 10. 15. & 16

East On Random line between Sec. 11. & 14

4.00 2.00 Ponds across A.S. W.

40.00 Set temp post for cor to 7/4 sec

80.70 Set a lock N.S. line at the post set for cor to sec

T. N. 7 DR. N. 107. 2nd Mer

10. 11. 14. & 15. Rich Lunde; Walnut Hoopwood
Box Elder & Ash.

West On true line between Sec. 11. & 14. T. 7 DR. 107

40.35 Make temp post to aver. dist; on true line for cor
to 7/4 sec from which a Hoopwood 12 in dia
beams N 22 W. 21 links dist; to a 10 14 n n
n S 78 W. 24 n n

80.70 To a post set for cor to sec. 10. 11. 14. 15

South Between Sec. 15 & 16 T. 7 DR. 107

16.23 To a post on the Bank of the Ohio from which a
Hoopwood 12 in dia beams S 3 E. 15 links dist; to a
Mulberry 10 n n S 66 W. 4 n n
Lunde lock & Cans; Timber Walnut, Hoopwood
Ash, & Box Elder,

West Between Sec. 9 & 16 T. 7 DR. 107

29.67 To a post on the Bank of the Ohio from which a
Hoopwood 16 in dia beams N 82 E. 27 links dist; to a
Hoopwood 24 n n A 48 W. 54 n n
Rich Lunde; Cans, Walnut, Hoopwood Ash & Box
Elder.

South Between Sec. 5 & 16 T. 7 DR. 107

40.00 Set post for cor to 7/4 sec from which a Hoopwood 13
in dia beams N 44 E. 40 links dist; to a Hoopwood 20
n n A 81 W. 61 n n

12.75 To a Hoopwood 23 in dia stands in the line

31.50 To a post on the Bank of the Ohio from which a Maple
20 in dia beams S 18 E. 37 links dist; to a Maple
21 n n A 11 W. 27 n n Lunde lock in
low rich bottom; Timber Ash, Hoopwood & Box
Elder. April 19. 1806

Meanders of the Ohio River beginning at a post

T. No. 7 DR. No. 107. 2nd. Mar

Cor to post from which a Hoopwoods 30 in dia
beams S 74 E. 15 links dist; and a Walnut 36 in
" " N 23 W. 36 "

80.00 Post in pond

South Between Sec. 9. & 10 T. 7 DR. 107

5.00 Ponds

5.00 30.00 Through Corn

4000 Set apart for cor to 74 sec from which a Hickory
13 in dia beam N 40 E. 13 links dist; & a 160
" " " S 71 E. 5 "

50.00 Corn to the post

80.00 Set apart cor to sec. 9, 10, 15 & 16 T. 7 DR. 107 from
which an Elm 14 in dia beam N 35 W. 32 links
dist; and a B. Elm 12 in " " S 22 E. 30 "
" " Lands with Timber Oak, Hickory, Hoopwoods,
Box Elder, & Ash,

East On Random line between Sec. 10 & 15

40.00 Set timber post for cor. to 74 sec.

50.00 To East Edge of Corn

80.00 Intersected N.S. line at the post sec. for cor to sec
10, 11, 14, & 15 Lands with Timber Oak, Hickory,
Walnut & Ash, Box Elder & Hoopwoods,

West On true line between Sec. 10 & 15

40.00 Set timber post at the aver. dist; on true line for cor
to 74 sec from which a Mulberry 16 in dia beam S 87 W.
34 links dist; and a Hoopwood 14 in " " N 6 W.
39 "

80.00 To the post sec for cor to sec 9, 10, 15, & 16

East On Random line between Sec. 11 & 14

4.00 2.00 Ponds Corn N 50 W

40.00 Set timber post for cor to 74 sec

80.70 Intersected N.S. line at the post sec for cor to sec

T. No. 7 DR. No. 107. 2nd. Mar

10, 11, 14, & 15. Rich Lands; Walnut Hoopwoods,
Box Elder & Ash,

West On true line between Sec. 11 & 14 T. 7 DR. 107

40.35 Timber post to aver. dist; on true line for cor
to 74 sec from which a Hoopwood 12 in dia
beam N 22 W. 21 links dist; & a 160 14 in
" " S 78 W. 24 "

80.70 To a post sec for cor to sec 10, 11, 14 & 15

South Between Sec. 15 & 16 T. 7 DR. 107

40.23 To a post on the Bank of the Ohio from which a
Hoopwood 12 in dia beam S 3 E. 15 links dist; & a
Mulberry 10 in " " S 66 W. 4 in
" " Lands with Corn, Timber Walnut, Hoopwood
Ash, & Box Elder,

West Between Sec. 9 & 16 T. 7 DR. 107

29.67 To a post on the Bank of the Ohio from which a
Hoopwood 16 in dia beam N 82 E. 27 links dist; & a
Hoopwood 24 in " " N 48 W. 54 in
" " Rich Lands; Corn, Walnut, Hoopwood Ash & Box
Elder.

South Between Sec. 5 & 16 T. 7 DR. 107

40.00 Set post for cor differ from which a Hoopwood 13
in dia beam N 44 E. 40 links dist & a Hoopwood 20
in " " N 81 W. 61 "

42.75 To a Hoopwood 23 in dia at corner in the line

51.50 To a post on the Bank of the Ohio from which a Maple
20 in dia beam S 8 E. 37 links dist; & a Maple
21 in " " N 81 W. 27 in Lands lies in
low rich bottom; Timber Ash, Hoopwoods & Box
Elder. April 19 1806

Meanders of the Ohio River beginning at a post

T. N^o 7 S. R. N^o 10th. 2nd Mer. 7th

on the Banks between Sect. 9, 146

N63th 14.50N61th 44.00 To a post between Sect 8, 19N57th 25.00N54th 14.20N46th 30.00N40th 7.12 To a B Walnut between Sect 5, 8N40th 19.50N34th 19.34 To a post between Sect 5, 6N32th 17.75N25th 40.00 To a post between Sect 6, 31 across
by Rang 2, 10 West.Meadow of the Ohio beginning at a post between
Sect 9, 146 & thence up the RiverN60^E 26.31N69^E 7.75 To a post on the Banks between SectN69^E 20.50 15, 16N70^E 19.00N58^E 22.75N49^E 18.50N45^E 10.25N63^E 5.00 To a post between Sect 14, 15N73^E 5.50N82^E 30.00N88^E 8.50N70^E 10.00Observation across the Ohio to the point of lands above
the mouth of Gray River N49^E to the point; thenceN49^E 16.00 thence South 17, 30 to the same pointN49^E 16.00N31^E 26.25 To a post between Sect 13, 14N37^E 24.25N42^E 22.30 To a post between Sect 12, 13N41^E 5.61N37^E 16.50T. J. S. R. 10th. 2nd Mer. Sectⁿ 249N46^E 47.27. To a post between Sect
7, 12. Sth 7th Range 9th.
April 20, 1816
Daart Fowler D.S.

East Boundary, Var.

South On the E Boundary of Sect 1,
11.75 A N. Oak 24 in dia.
5.75 A Pond 10 1/2 ch^d wide (ours. S 65 E,
110.00 Set of the Post from which
A N. Oak 22 in dia but S 75 N 45 W
A S 22 " " " N 77 W 75 " "
54.80 A N. Oak 24 " "
67.50 An Elm 22 " "
81.00 Set Post for to Sect 10, 12 from which
Attorney Locust 33 in dia but S 29 W 23 N
An Ash " " " S 77 W 45 " "
Said Sect Timber Oak, Ash &
Walnut, Hickory & Honey Locust.

South On E Boundary of Sect 12,
25.25 Set Post on bank of the Ohio from which
A Hickory 14 in dia S 70 W 30 W
A S 7 " " " S 56 E 40 " "
Said & Same. Dec 13, 1805,
Daart Fowler D.S.

North Boundary,

West On S. Boundary of Sect 36, P. O. S. R. 10th,
6.90 A N. Oak 22 in dia.
8.00 A Pond 18 1/2 ch^d wide (ours. N 45 W,
40.00 Set of the Post from which
A Gum 12 in dia but N 58 W 22 W

