

## Township N. 7. South of Range N. 11 West of the 1st Mer.

- South Between Sec. 2 & 3. T. 7. S. R. N. 11. W.  
 22. 70 To a Maple 12. in. diam. stands in the line  
 26. 62 To a Cotton wood 24 in. " " " "  
 30. 70 To a Post on the Bank of the Ohio from which a Maple  
 12. in. diam. bears S 70. N. 7. lbs. dist. & a Mulberry 12. in.  
 diam. bears S 52. 42 E. 35. lbs. dist. Low Bottom.  
 Timber. Maple & Cotton wood. Jan 21. 1806

- South Between Sec. 3 & 4. T. 7. S. R. N. 11. W.  
 20. 00 To a Bayou 150 lbs wide, course S. 20. W.  
 26. 12 To a Hickory 12. in. diam. which stands in the line  
 33. 00 To a Pond 350. lbs wide. course W.  
 40. 00 Set a Post for the bar to 1/4 Sec. from which a Sugar 10. in.  
 diam. bears N. 12. E. 6. lbs. dist. & a Sugar tree 12. in. diam.  
 bears N. 68. W. 23. lbs. dist.  
 48. 25 To a Sugar tree 22. in. diam. which stands in the line.  
 49. 00 300 lbs. through the Pond of Bayou bearing on the West.  
 64. 50 To a Pond 500 lbs wide. course S. 50. W.  
 80. 00 To the mile Post set for the bar to Sec. 3. 4. 9. & 10 from which  
 a W. Oak 22. in. diam. bears N. 32. W. 56. lbs. dist. & a B. Oak  
 32. in. diam. bears S 53. E. 100. lbs. dist. Sand, Broken  
 to the Bayou. then Bottom; Timber. W. Oak. Sycamore. Sugar & Hickory

- East Between Sec. 3. & 10. T. 7. S. R. N. 11. W.  
 10. 50 To a W. Oak 36. in. diam. which stands in the line.  
 38. 50 To the Post Road.  
 40. 00 Set a Post for the bar to 1/4 Sec. from which a Sugar 13. in.  
 diam. bears N. 32. E. 22. lbs. dist. & a Sugar 14. in. diam.  
 bears S 11. E. 30. lbs. dist.  
 43. 94 To the Post on the Bank of the Ohio from which a Sugar  
 21. in. diam. bears N. 13. W. 19. lbs. dist. & a Sugar 12. in. in  
 diam. bears S 35. W. 23. lbs. dist. Low Bottom.  
 Timber. Oak. Walnut. Ash. & Sugar tree.

- South Between Sec. 9. & 10. T. 7. S. R. N. 11. W.  
 6. 12 To a W. Oak 24. in. diam. stands in the line

T. N<sup>o</sup> 7. S. Co. N<sup>o</sup> 11. W. 2<sup>nd</sup> Mer.

40. 00 Set a Post for the line to 44 Sec. from which a B. Oak 18 in. diam. bears N. 81. E. 12. lbs. dist. 7 a M. Oak 21 in. diam. bears N. 40. E. 20. lbs. dist.
60. 00 To a B. Oak 36 in. diam. which stands in the line.
74. 00 To a Pond 4.20 lbs. wide. course S. 50. W.
50. 00 To the Mile Post set for the line to Sec. 9. 10. 15. & 16. from which a Sugar 12. in. diam. bears N. 63. E. 15. lbs. dist. 7 a Sugar 15. in. diam. bears N. 21. W. 25. lbs. dist.  
Bottom Land: Timber. Sugar tree Oak. & Walnuts
- 
- East Between Sec. 10. & 15. T. N<sup>o</sup> 7. S. Co. N<sup>o</sup> 11. W.
30. 00 10 chains through Pond. course S. 70. W.
40. 00 Set a Post for the line to 44 Sec. from which a Gum 16. in. diam. bears N. 56. E. 22. lbs. dist. 7 an Ash 30. in. in diam. bears S. 77. W. 32. lbs. dist.
51. 69 To a B. Oak on the Bank of the Ohio River. from which a Sugar 16. in. diam. bears N. 34. W. 50. lbs. dist.  
Sub. Bottom Land. Timber Oak. Walnuts. Ash & Sugar Gum. Jan. 17. 1806.
- 
- South Between Sec. 4. & 5. T. N<sup>o</sup> 7. S. Co. N<sup>o</sup> 11. W.
14. 50 To a Branch 10. lbs. wide. course S. 40. W.
24. 00 To a Branch 16. lbs. " " S. 30. E.
40. 00 Set a 44 Sec. Post from which a Sugar 5. in. diam. bears N. 37. E. 12. lbs. dist. 7 a Sugar 5. in. diam. bears S. 12. W. 22. lbs. dist.
64. 00 To a Branch 25. lbs. wide. course S. 10. W. keeping the same several times bearing it on the W. at 75. chains
50. 00 To the Mile Post set for the line to Sec. 4. 5. 8. & 9. from which a M. Oak 14. in. diam. bears N. 81. E. 50. lbs. dist. 7 a M. Oak 12. in. diam. bears S. 63. E. 91. lbs. dist.  
Land some Bottom: Timber. Oak. Poplar. & Sugar.
- 
- East Between Sec. 4. & 9. T. N<sup>o</sup> 7. S. Co. N<sup>o</sup> 11. W.
7. 50 To a Branch 10. lbs. wide. course N. 50. W.
40. 00 Set a 44 Sec. Post from which a Sugar 12. in. diam. bears N. 61. E. 32. lbs. dist. 7 a M. Oak 15. in. bears N. 48. E. 33. lbs. dist.

T. N<sup>o</sup> 7. S. Co. N<sup>o</sup> 11. W. 2<sup>nd</sup> Mer.

55. 00 Bottom Land to the Post.
61. 00 To a Bayou 150 lbs. wide. course S. 30. W.
70. 00 To a Pond 350. " " " S. 60. W.
50. 00 Intersecting the N. & S. line at the Post set for the line to Sec. 3. 4. 9. & 10. Timber. Oak. Poplar. Walnut. & Ash
- 
- South Between Sec. 5. & 6. Town 7. S. Range N. 11. W.
34. 50 To a B. Oak 20 in. diam. which stands in the line
40. 00 Set a Post for the line to 44 Sec. from which a M. Oak 12. in. diam. bears S. 112. E. 20. lbs. dist. 7 a Poplar 10. in. diam. bears S. 11. W. 5. lbs. dist.
59. 70 To a Poplar 20 in. diam. stands in the line.
50. 00 To the Mile Post set for the line to Sec. 5. 6. 7. & 8. from which a B. Oak 22. in. diam. bears S. 39. W. 33. lbs. dist. 7 a B. Oak 24. in. diam. bears S. E. 43. lbs. dist. Oak & Poplar. Hilly
- 
- East Between Sec. 5. & 5. T. N<sup>o</sup> 7. S. Co. N<sup>o</sup> 11. W.
10. 00 To a Branch 6. lbs. wide. course S. 20. E.
39. 50 Set a Post for the line to 44 Sec. from which a Gum 12. in. diam. bears S. 77. W. 46. lbs. dist. 7 a Gum 10. in. diam. bears S. 56. E. 12. lbs. dist.
33. 00 To a Branch 25. lbs. wide. course S.
79. 60 Intersecting the N. & S. line 10. lbs. S. of the Post set for the line to Sec. 4. 5. 8. & 9. Land Hilly. Timber. Oak. & Poplar. 7 some land in the Branch.
- 
- South Between Sec. 5. & 9. T. N<sup>o</sup> 7. S. Co. N<sup>o</sup> 11. W.
14. 50 To a M. Oak 24. in. diam. stands in the line.
31. 50 To a Branch 50. lbs. wide. course S. 25. E.
36. 00 To a Bayou 150. lbs. " " S. 60. W.
40. 00 Set a 44 Sec. Post from which a M. Oak 38 in. diam. bears S. 62. E. 28. lbs. dist. 7 an Elm 12. in. diam. bears S. 75. E. 21. lbs. dist.
55. 58 To a Hickory 30 in. diam. which stands in the line
75. 00 To a Cypress Swamp.
50. 00 To the Mile Post in Swamp from which a Cypress 20. in. diam. bears S. 30. W. 29. lbs. dist. 7 a S. 22. in. diam. bears S. 16. W. 10. lbs. dist.

## T. N. 7. S. R. N. 11. W. 2nd Mer.

- East Between Sec. 9. & 16. T. N. 7. S. R. N. 11. W.  
300. chains through a Swamp
40. 00 Set a Post for the bar to 44 Cha. from which a Sugar 16 in. diam. bears S. 56. N. 16. lbs. dist. Jan Ash 6. in. in diam. bears S. 19. E. 25. lbs. dist.
48. 50 To a Pond 750. lbs. wide. Course S. 20. W.
50. 00 Intersecting the N. & S. line 20. lbs. N. of the Post set for bar to Sec. 9. 10. 15. & 16. Good Sand. Part wet. Timber, Oak, Sugar, & Hickory.
- 
- South Between Sec. 15. & 16. T. N. 7. S. R. N. 11. W.
18. 50 To a B. Oak 22. in. diam. stands in the line
40. 00 Set a Post for the bar to 44 Cha. from which a Gum 16 in. diam. bears S. 39. N. 15. lbs. dist. Ya Poplar 20. in. in diam. bears West 35. lbs. dist.
16. 00 250 chain. through Cypress swamp. Course S. 40. W.
52. 50 350. " " " " " S. 40. W.
63. 58 To a M. Oak 14. in. diam. which stands in the line.
50. 00 To the mile Post set for the bar of Sec. 15. 16. 21. & 22. from which an Ash 15. in. diam. bears S. 25. E. 3. lbs. dist. Ya M. Oak 12. in. diam. bears S. 21. E. 24. lbs. dist. Good Sand. Timber, Oak, Sugar, & Ash.
- 
- East Between Sec. 15. and 22. T. N. 7. S. R. N. 11. W.
40. 00 Set a Post for the bar to 44 Cha. from which a Maple 12. in. diam. bears S. 62. W. 27. lbs. dist. Jan Elm 14. in. diam. bears S. 2. E. 43. lbs. dist.
46. 00 12. 50. Through a Swamp.
50. 00 To the mile Post set for the bar to Sec. 14. 15. 22. & 23. from which a Sugar 20. in. diam. bears S. 27. E. 12. lbs. dist. Ya Sugar tree 30. in. diam. bears S. 5. E. 37. lbs. dist. Timber, Oak, Gum, Sugar, & Poplar.
- 
- East Between Sec. 14. & 23. T. N. 7. S. R. N. 11. W.
28. 53. To a Post on the Bank of the Chic. from which a Sugar 16. in. diam. bears S. 20. W. 10. lbs. dist. Ya Sugar 12. in.

## T. N. 7. S. R. N. 11. W. 2nd Mer.

- diam. bears S. 7. E. 11. lbs. dist. Rich Land; Timber, Poplar, Mahul. Sugar, & Oak.
- 
- North Between Sec. 14. & 15. T. N. 7. S. R. N. 11. W.
27. 32 To a Post on the Bank of the Chic. from which an A. Oak 15. in. diam. bears S. 50. E. 6. lbs. dist. Jan M. Oak 27. in. diam. bears S. 65. W. 25. lbs. dist. Timber, Oak, Poplar, Gum, & Hickory. Jan 3 18 1806.
- 
- West Between Sec. 6. & 7. T. N. 7. S. R. N. 11. W. 2nd Mer.
16. 12 To a Poplar 33. in. diam. which stands in the line.
11. 00 Set a Post for the bar to 44 Cha. from which a M. Oak 36. in. diam. bears S. 50. W. 20. lbs. dist. Ya Sugar 7. in. diam. bears S. 77. W. 24.
40. 62 To a Branch 2. lbs. wide. Course S. 50. W.
51. 30 To a Id. - 10. " " " S. 45. W.
65. 00 To a Id. - 30. " " " S. 35. E.
57. 00 To a Branch 10. " " " South.
110. 04 Intersecting the W. Range 5.50 lbs. N. of the Post & set a Post. from which an A. Oak 27. in. diam. bears S. 25. E. 39. lbs. dist. Ya Maple 5. in. diam. bears S. 24. E. 18. lbs. dist. Good Sand. Hickory, Timber, Oak, Sugar, &c.
- 
- South Between Sec. 7. & 8. T. N. 7. S. R. N. 11. W.
25. 10 To an A. Oak 20. in. diam. stands in the line
40. 00 Set a Post for the bar to 44 Cha. from which a Poplar 24. in. diam. bears S. 19. W. 42. lbs. dist. Ya M. Oak 18. in. diam. bears S. 47. W. 26. lbs. dist.
68. 50 To the River Bottom.
72. 25 To the Bank of the Bayou 210. lbs. wide. Course S. 60. W.
50. 00 To the mile Post set for the bar of Sec. 7. 8. 17. 18. from which an A. Oak 25. in. diam. bears S. 50. W. 25. lbs. dist. Jan Elm 10. in. diam. bears S. 41. W. 6. lbs. dist. - Good Sand. Hickory to the Bottom. Timber, Oak, Poplar, Sugar, & Hickory.
- 
- West Between Sec. 7. & 15. T. N. 7. S. R. N. 11. W.
4. 00 To a Bayou 210. lbs. wide. Course S. 45. W.







T. A. 7. S. Co. N. 11. W. 2<sup>nd</sup> Mer.

15. E 17. 52 To a Post Between Sec. 3. & 10.  
 N. 17. E 16. 56  
 N. 39. E 16. 52 Piping the Upper end of the Bayou at S. 12  
 Leaving it Runs N. 20. W.  
 N. 45. E 29. 00 To a Post Between Sec. 2. & 3.  
 N. 47. E 30. 60  
 N. 52. 48 E 16. 54 To a Post Between Sec. 2. & 35. Runs 6. & 7.

- South Between Sec. 22. & 23. T. A. 7. S. Co. N. 11. W.  
 14. 25 To a Gum 24. in. diam. which stands in the line.  
 37. 50 12. 50. Through a Swamp. Course S. 80. W.  
 40. 00 Set a Post for the bar to 44 Sec. from which an W. Oak 18. in.  
 diam. bears S. 64. E. 11. lbs. dir. Y an. Ash 12. in. diam.  
 bears N. 56. W. 15. lbs. dir.  
 50. 23 To a Hickory 21. in. diam. stands in the line  
 50. 00 At the Mile Post in the edge of a Pond. Course S. 50. W.  
 from which an Elm 10. in. diam. bears N. 44. W. 32. lbs. dir.  
 Y an. Maple 10. in. diam. bears S. 35. E. 33. lbs. dir.  
 Land best. Timber. Oak. Ash. Sugar & Poplar

- East Between Sec. 25. & 26. T. A. 7. S. Co. N. 11. W.  
 9. 50. Through a Pond. Course S. 75. W.  
 14. 50 To a Poplar 36. in. diam. stands in the line.  
 40. 00 Set a Post for the bar to 44 Sec. from which a Hoopwood 12.  
 in. diam. bears S. 16. E. 19. lbs. dir. Y a Poplar 18. in. diam.  
 bears N. 20. E. 33. lbs. dir.  
 50. 00 To the Mile post set for the bar to Sec. 25. 24. 23. & 26  
 from which a Hickory 22. in. diam. bears S. 6. E. 19. lbs. dir.  
 Y a Bushy 12. in. diam. bears N. 21. W. 34. lbs. dir.  
 Land best & Chick; Cane Brake from the Pond.  
 Timber. Poplar. Walnut. Hoopwood. Ash. & Bushy.

- East Between Sec. 24. & 25. T. A. 7. S. Co. N. 11. W.  
 4. 00 To a B. Walnut 30. in. diam. stands in the line  
 15. 50 To a Pond 2. 50 lbs. wide. Course S. 45. E.  
 35. 79 To a Post on the Bank of the Chic. from which a Hickory

T. A. 7. S. Co. N. 11. W. 2<sup>nd</sup> Mer.

12. in. diam. bears N. 30. E. 19. lbs. dir. Y a Sugar tree 21. in.  
 diam. bears S. W. 60. lbs. dir. Cane to the Pond.  
 Yumber. Walnut. Ash. Hoopwood. Yelm. Apr. 4<sup>th</sup> 1806.

- South Between Sec. 25. & 26. T. A. 7. S. Co. N. 11. W.  
 20. 27 To a Hoopwood 18. in. diam. stands in the line.  
 40. 00 Set a Post for the bar to 44 Sec. from which a Hoopwood  
 10. in. diam. bears S. 66. E. 15. lbs. dir. Y a Sugar 8. in. diam.  
 bears N. 56. W. 15. lbs. dir.  
 65. 76 To an Ash 18. in. diam. which stands in the line.  
 50. 00 To the Mile Post for the bar of Sec. 25. & 26. 25. & 36.  
 from which an Ash 12. in. diam. bears N. 51. W. 18. lbs. dir.  
 Y an Ash 12. in. diam. bears S. 73. E. 49. lbs. dir. Land  
 Sand. & plenty of Cane. Yumber. Ash. Walnut. Elm & Sugar.

- East Between Sec. 25. & 26. T. A. 7. S. Co. N. 11. W.  
 32. 57 To a W. Oak 24. in. diam. which stands in the line.  
 40. 00 Set a Post for the bar to 44 Sec. from which a Hoopwood  
 18. in. diam. bears N. 89. W. 16. lbs. dir. Y a Hoopwood 8. in.  
 diam. bears N. 55. E. 9. lbs. dir.  
 51. 07 To a Hickory 38. in. diam. which stands in the line  
 60. 60 To a Post on the Bank of the Chic. from which a Mul-  
 berry 20. in. diam. bears N. 56. W. 36. lbs. dir. Y a Hoopwood 7.  
 in. diam. bears S. 2. E. 33. lbs. dir. Land & Chick. Bottom  
 Sand. Timber. Cane. Ash. Walnut. Hoopwood. & Sugar.

- South Between Sec. 25. & 26. T. A. 7. S. Co. N. 11. W.  
 40. 00 Set a Post for the bar to 44 Sec. from which a Hickory 8. in.  
 diam. bears N. 54. E. 8. lbs. dir. Y an Elm 14. in. diam. bears  
 N. 54. E. 34. lbs. dir.  
 50. 00 At the Mile Post set for the bar to Sec. 25. & 26. from which  
 a Hickory 14. in. diam. bears S. 1. E. 26. lbs. dir. Y a S. 15.  
 in. diam. bears N. 89. W. 45. lbs. dir. Land. Land & Chick.  
 Timber. Cane & Walnut. Hoopwood & Sugar.

- East Between Sec. 7. & 8. Range. 11. & Sec. 36. & 1.









T. N<sup>o</sup> 7 S. R. N<sup>o</sup> 11 W. 2<sup>nd</sup> Sec. Mer. Ind.

79.20	Intersected the N18 line 10 links S of the post set for the cor to sec. 21, 22, 27, 28; Oak, Poplar, Sugar Ash.
West	On true line between Sec 21 & 28 T. N <sup>o</sup> 7 S. R. N <sup>o</sup> 11 W. Blazed back
39.60	Moved the temporary post from which a Sugar 13 in dia. bears S82 E. 35 links dist, and a Do 16 " " " N82 W 18 " "
South	Between Sec 28 & 29 T. N <sup>o</sup> 7 S. R. N <sup>o</sup> 11 W.
00.50	450 Cypress Spunk Course W.
16.00	100 " " " "
35.11	To a Hick 7 1/2 in dia. stand in the line.
32.00	" " " " " " " " " " " "
40.00	Set a post for the cor to 1/4 Sec from which a Hick 7 1/2 in dia. bears N57 W. 13 links dist; to a W Oak 16 " " " " " " " " " "
40.50	To a Branch 19 links wide, Course W.
44.25	" " " " " " " " " " " "
47.50	" " " " " " " " " " " "
51.50	" " " " " " " " " " " "
63.50	" " " " " " " " " " " "
67.00	" " " " " " " " " " " "
80.00	To the Mile post set for the cor to sec. 28, 29, 32, 33 from which a Hick 7 1/2 in dia. bears N5 E. 29 lbs dist and an Ash 22 in dia bears S. 57 W. 45 lbs dist. Timber Cane, Oak, Hick; Some Ash & Poplar.
West	Between Sec 29 & 30 T. N <sup>o</sup> 7 S. R. N <sup>o</sup> 11 W.
12.00	To a Branch 20 links wide, Course N. 40 W.
19.89	To a Post on the Bank of the Ohio River from which a Cottonwood 30 in dia. bears S85 W. 11 links dist; to a Do 18 " " " " " " " " " " " "
	Course to the Branch; Timber Oak, Hick; Maple & Hardwood
East	Between Sec 28 & 33 T. N <sup>o</sup> 7 S. R. N <sup>o</sup> 11 W.

T. N<sup>o</sup> 7 S. R. N<sup>o</sup> 11 W. 2<sup>nd</sup> Sec.

5.50	To the Pond. 4.5.0 lbs. wide. Course N. 45. W.
15.50	To a Pond 350 lbs. wide, Course N. 45. W.
22.00	To a Pond 200 " " " " " " " " " " " "
30.10	To a Pond 500 " " " " " " " " " " " "
40.00	Set a Temp <sup>o</sup> post for the cor to 1/4 Sec.
49.00	To a Pond 650 lbs. wide, Course S. 45. W.
51.50	To a Pond 3.50. " " " " " " " " " " " "
73.00	A Pond to the Post. The Land Between the Ponds is Oak, Hickory, Gum, & Maple, & Cane with Cane.
West	On true line between Sec 28 & 33 T. N <sup>o</sup> 7 S. R. N <sup>o</sup> 11 W. Blazed Back.
	Set a Post for cor to 1/4 Sec. from which a Do Oak 20 in. diam. bears N. 24 W. 9 lbs. dist; & a Do Oak 18 in. diam. bears N. 58 E. 34 lbs. dist.
South	Between Sec 33 & 34 T. N <sup>o</sup> 7 S. R. N <sup>o</sup> 11 W.
160	To a Pond. Course E.
6.00	To a Pond 2.50 lbs. wide, Course. N. 45. W.
12.50	To a Pond 250 " " " " " " " " " " " "
18.00	To a Pond 5.50 " " " " " " " " " " " "
33.00	To a Pond 2.50 " " " " " " " " " " " "
38.50	To a Pond. 275. " " " " " " " " " " " "
40.00	Set a Post for the cor to 1/4 Sec. from which a Maple 18 in. diam. bears S. 71. W. 27 lbs. dist; & an Elm 16 in. diam. bears S. 25. E. 45 lbs. dist.
53.50	To a Pond 200 lbs. wide. Course N. 45. W.
56.79	To a W Oak 18 in. diam. which stands in the line.
63.00	To a Pond 150 lbs. wide; Course N. 45. W.
72.50	To a Pond .50. " " " " " " " " " " " "
75.25	Intersected the Orange line 62 lbs. E of the Post; set a Post. from which a Sycamore 12 in. diam. bears N. 59. E. 27 lbs. dist; & Hickory 10 in. diam. bears N. 71. W. 33 lbs. dist. Timber Oak, Hickory, Gum, & Maple. Between the Ponds
	Apr. 10. 1806
South	Between Sec 32 & 33 T. N <sup>o</sup> 7 S. R. N <sup>o</sup> 11 W.

T. N. 7. S. Co. N. 11. W. 2<sup>nd</sup> Mer.

27. 00	To a Branch 50. lbs. wide. Course N. 45. W.
110. 00	To a Post for the last to 44 Sec. from which a Maple 2 1/2 in? diam? bears S 43 E. 28. lbs. dist? & a Maple 30. in? diam? bears N. 25. E. 21. lbs. dist.
63. 00	To a Hickory 23. in? diam? which stands in the line.
77. 00	Intersecting the Range line 41. lbs. west of the Post & 116. lbs. Dist. from which a Hickory 10. in? diam? bears N. 22. E. 39. lbs. dist? & an Ash 8. in? diam? bears N. 10. W. 34 lbs. dist. (came to the Branch; Timber. Ash, Hesperony & Hickory Maple & Elm. Low ground) from the Branch to the Post.

Apr. 5<sup>th</sup> 1806.

Manders of the Ohio River. from a Post Between Towns 7. &amp; 8. Sec? 1. &amp; 12. and up the River Bank.

Course	Dist	
A. 15. E	20. 15	
A. 3. E	23. 98	
A. 2. W	14. 62	
A. 18 1/2 W	20. 85	To a Post on the Bank. Between Sec? 25. & 36.
A. 14. W	9. 34	
A. 18. W	68. 75	
A. 22. W	3. 72	To a Post Between Sec? 24. & 25.
A. 22. W	22. 92	
A. 33. W	15. 87	
A. 11. W	11. 00	
A. 49. W	15. 30	To a Post Between Sec? 23. & 24.
A. 53. W	14. 87	
A. 64 1/2 W	18. 00	
A. 60. W	10. 12	
A. 55. W	12. 00	
A. 50. W	0. 36	To a Post Between Sec? 11. & 23.

Apr. 7<sup>th</sup> 1806.

Manders of the Ohio beginning at a Post. in the line Between Sec? 5. &amp; 32. Towns 7. &amp; 8.

T. N. 7. S. Co. N. 11. W. 2<sup>nd</sup> Mer.

Course	Dist	
A. 30. E	23. 50	
A. 32. E	16. 25	
A. 27. E	17. 75	
A. 25. E	18. 25	
A. 16. E	11. 20	To a Post Between Sec? 29. & 32.
A. 14. E	14. 00	
A. 6. E	9. 50	
A. 6. W	12. 50	
A. 14. W	12. 50	Lapping a Drain at 12. 25.
A. 20. W	10. 50	
A. 15. W	20. 25	
A. 23. W	11. 50	To a Post Between Sec? 20. & 29.
A. 26. W	15. 00	
A. 36. W	14. 64	
A. 45. W	5. 00	Lapping a Drain of 7. 50.
A. 55. W	27. 00	
A. 63. W	12. 12	To a Post Between Sec? 19. & 20.
A. 63. W	7. 50	
A. 75. W	8. 24	
A. 81. W	22. 00	
West	5. 00	

5. 32. W. 9. 50 To the Mouth of the Bayou 2. 50 lbs. wide. To which place I Mandred the River. in the last winter's Survey. This completes the 11<sup>th</sup> Range. This 15<sup>th</sup> day of April 1806. This is the End of the notes for Town 7, which is now completed.

Surveyed by  
Jesse Fisher D. C.

~~I certify that the foregoing Transcripts of the Files notes of Township N. 7. South of Range. 11<sup>th</sup> West of the 2<sup>nd</sup> Mer. (Ind.?) has been compared with the Original notes in this Office & found to be correct.~~

~~Surveyor General's Office~~

~~Dec 3<sup>rd</sup> 1839.~~

~~Loof forward.~~



Town of S. R. 11. W. 2<sup>nd</sup> Mer Ind<sup>a</sup>,

## North Boundary, Var. —

East Co. S. Boundary of Sec 35, T. 6 S. R. 11 W.  
from cor to Sec 34 & 35 —

- 15.25 A cottonwood 7 feet dia.  
35.15 A Maple on the Banks of Ohio River  
a cottonwood 24 in dia b<sup>d</sup> N 15 W 35 200<sup>+</sup>  
A Maple 10 " " " S 45 W 15 " "  
Level Bottom, Jan'y 16, 1806,

West Co. S. Boundary of Sec 30, T. 6 S. R. 11 W.

- 22.50 A Branch 50 lks wide Course S. 45 W.  
40.00 Set of Sec Post from which  
A R. Oak 24 in dia b<sup>d</sup> N 72 E 11 lks<sup>+</sup>  
A " " 23 " " " N 18 E 43 " "  
43.50 A Past Road,  
62.50 A Branch 20 lks wide Course S,  
65.00 over hilly ground to the mile post,  
80.00 Set post Cor. to Sec 33 & 34 from which  
A R. Oak 14 in dia b<sup>d</sup> S 76 E 66 lks<sup>+</sup>  
A Poplar 12 " " " S 72 W 17 " "  
Oak, poplar & Hickory, Jan'y 16, 1806,

West Co. S. Boundary of Sec 33, T. 6 S. R. 11 W.

- 10.00 A Branch 6 lks wide Course S. 20 E.  
40.00 Set of Sec Post from which  
A R. Oak 14 in dia b<sup>d</sup> S 81 W 38 lks<sup>+</sup>  
A " " 20 " " " N 39 W 35 " "  
80.00 Set mile post from which  
A Poplar 15 in dia b<sup>d</sup> S 85 E 24 lks<sup>+</sup>  
A " " 12 " " " S 25 W 34 " "  
Ridgy Land, Oak & poplar,

West Co. S. Boundary of Sec 32, T. 6 S. R. 11 W.

- 18.88 A Branch 20 lks wide Course S 30 E,  
40.00 Set of Sec Post from which

T. 7. S. R. 11. W. 2<sup>nd</sup> Mer Ind<sup>a</sup>,A R. Oak 15 in dia b<sup>d</sup> S 31 E 7 lks<sup>+</sup>

- A Gum 8 " " " N 30 W 20 " "  
80.00 A mile post from which  
A poplar 14 in dia b<sup>d</sup> S 87 W 7 lks<sup>+</sup>  
A " " 22 " " " S 34 E 38 " "  
Ridgy Oak, Poplar & Sugar,

West Co. S. Boundary of Sec 31, T. 6 S. R. 11 W.

- 38.00 A Branch 12 lks wide Course S 40 W,  
40.00 Set of Sec Post from which  
A Sugar 13 in dia b<sup>d</sup> N 40 E 16 lks<sup>+</sup>  
A R. Oak 34 " " " N 10 E 25 " "  
45.02 A Branch 6 lks wide Course S,  
68.00 A " " 12 " " " " S,  
72.75 A " " 6 " " " " S,  
109.25 Intersect 300 lks N. of Town Corner,  
January 17, 1806,  
Jacob Fowler ds,

## West Boundary, Var. —

South Co. E. Boundary of Sec 1, T. 6 S. R. 11 W.

- 11.85 A Poplar 14 in dia,  
20.00 A Branch 6 lks wide Course S. W.  
31.50 A Branch 18 lks " " S. E.  
33.00 Same Branch Course S W,  
35.00 " " " " S. E.  
38.50 " " " " S. W.  
39.25 " " " " S. E.  
40.00 Set of Sec Post from which  
A poplar 30 in dia b<sup>d</sup> S 87 W 21 lks<sup>+</sup>  
A R. Oak 36 " " " N 33 E 13 " "  
52.75 A " " 30 " " "  
80.00 Set post Cor. to Sec 1 & 12 from which  
A R. Oak 24 in dia b<sup>d</sup> S 41 W 50 lks<sup>+</sup>

D. J. S. R. 11. W. 2<sup>a</sup> Mer. Sec<sup>a</sup>

ch. 1/2	A Hickory 13 in dia b <sup>p</sup> N54772611K5
	Land Rolling & part Hilly good Soil Timber Poplar, Oak, Hickory, Ash &c. and few Spice Sapwoods.
South A. C. Boundary of Sec 12, D. J. S. R. 11. W.	
25.70	A Red Oak 30 in dia,
40.00	Set of Sec Post from which A Black Gum 12 in dia b <sup>p</sup> S97201K5 A Black Oak 36 " " " N12612 "
55.16	An Elm 12 " "
67.40	A Brook 14 K5 mile Course S. E.
80.00	Set post (or to Sec 12 & 13 from which A B. Oak 45 in dia b <sup>p</sup> S627069K5 A B Gum 20 " " " S462748 " Land Hilly & rich. Timber Oak Hickory &c.
South A. C. Boundary of Sec 13, D. J. S. R. 11. W.	
34.00	A N. Oak 15 in dia b <sup>p</sup> .
40.00	Set of Sec Post from which A Red Oak 16 in dia b <sup>p</sup> S457020K5 A " 19 " " " N35635 "
44.00	A Hickory 24 " "
80.00	Set Post (or to Sec 13 & 24 from which A N. Oak 30 in dia b <sup>p</sup> N567557K5 A " 11 " " " S642744 " Land very Hilly. Timber & same.
South A. C. Boundary of Sec 20, D. J. S. R. 11. W.	
16.59	A Red Oak 20 in dia,
36.25	Set Post on Bank of the Ohio River Or to Town of J. S. R. 11 & 12. W. from which A Honey Locust 14 in dia b <sup>p</sup> N767014K5 A Pecan tree 30 " " " N7764 "

D. J. S. R. 11. W. 2<sup>a</sup> Mer. Sec<sup>a</sup>

ch. 1/2  
Land Hilly & rich. Timber  
Poplar Ash, Oak, Birch &c.  
The above corner is 1 1/2 miles above  
Diamond Isle, 12 miles below  
the Red Banks & 33 miles by Water  
above the mouth of the Kanawha,  
W<sup>m</sup> Rector D. S.,  
W<sup>m</sup> Aldham  
Stephen Rector & Chairman,  
Sorenish Bellsha,  
Christopher Aldred & markers,

Surveyor General's Office,  
Detroit April 24, 1846.

I hereby certify that  
the foregoing Transcript of the field  
notes of Township 7. South Range 11  
West of the 2<sup>a</sup> Mer. Sec<sup>a</sup> has  
been compared with the original  
notes in this office and found to be  
correct.

S<sup>ur</sup>, Genl.