

Thunshipp & S. South of Range #11. Part of the 2nd Mer.

- South Between Sec. 1 & 2. Town 3. South R. 11. W.
 35. 50 To a Hickory 15. in. diam. which stands in the line
 40. 00 Set a Post for the cor. to 44 Sec. from which a Hickory 18.
 in. diam. bears S. 59° W. 20 lbs. dist. & a Box Elm 10. in. in
 diam. bears S. 58° E. 50 lbs. dist.
 50. 00 To the mile Post set for the cor. to Sec. 1. S. 11. 8 12. from
 which a Box Elm 13. in. diam. bears S. 63° W. 30 lbs. dist.
 & a B. Walnut 36. in. diam. bears S. 50° E. 50 lbs. dist.
 Land locl. & Rich. Timber. Some Walnut, Hopwood,
 Ash, Box Elm, & Buckeye.

- South Between Sec. 11. & 12. S. #3. S. R. #11. W.
 28. 00 To a Post in the Bank of the Ohio, from which a Maple
 29. in. diam. bears N. 77° E. 42. lbs. dist. & a Box Elm 12.
 in. diam. bears N. 76° W. 5. lbs. dist. Some Birch, Timber
 Pine & Walnut. Hopwood, Ash, & Sugar tree.

- East Between Sec. 1 & 12. S. #5. S. R. #11. W.
 17.40 To a Post on the Bank of the Ohio for the cor. to
 Sec. 1. & 12. from which a
 Box Elm 16 in. dia. bears N. 59° E. 37. lbs. dist; & an
 Elm 12 in. dia. S. 40° E. 38. in.
 Sandwick; N. J. Come; Timber Walnut Hop
 wood, Ash, & Sugar tree

April 6th 1806.

- South Between Lot. 4 & 5. T. #8 S. R. #11. W.
 27.58 To a Hickory 30 in. dia. tree in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Box Elm 12 in. dia. bears N. 60° W. 20 lbs. dist; &
 a 10 in. dia. S. 34° E. 32. in.
 59.26 To an Elm 36 in. dia. tree in the line.
 80.00 Set a post for the cor. to lot 4. 5. 8. 9. from which a
 Hopwood 19 in. dia. bears N. 13° E. 15. lbs. dist; &
 a Hickory 13 in. dia. S. 59° E. 21. in.
 The last 1/2 ch. come Hopwood, Elm, Cottonwood

T. A. 8 S. R. A. 11 M. 2nd Mrs. Inn.

Maple & Hickory; Hick stands.

- South Between Lat. 8. 849 T. A. 8 S. R. A. 11 M.
35.00 To a W. Rock 20 m. dia. Stands in the tree.
40.00 Set a post for the cor. to the post. From which a
Pecan tree 30 m. dia. bears NNE. 20 ft. dist, to
Elm 12 m. n. - S30W 28 m. -
50.00 Set a post for the cor. to sec. 8. 9. 16. 17. From
which an Elm 12 m. dia. bears N38E. 34 ft. dist,
under P. Elder 12 m. n. - S85W 24 m. -
Sand rock; same Box Elder, Maple, H. Locust
& Hickory.

- South Between Lat. 11. 147 T. A. 8 S. R. A. 11 M.
27.35 To a Sycamore 30 m. dia. Stands in the tree.
35.10 Set a post on the Bank of the Ohio. for the cor. to sec.
16. 17. from which a
Cottonwood 18 m. dia. bears N72W. 9 ft. dist, to
Elm 12 m. n. - N69E 17 m. -
Sand rock; Timber Cottonwood, Maple, H. Locust
& Elder, & Hoopwood.

- West On the line between Sec. 8. 117. T. 8 S. R. A. 11 M.
12.24 To a Honey Locust 30 m. dia. Stands in the tree.
40.00 Set a post for the cor. to 11 sec. from which a
P. Elder 13 m. dia. bears N63E 40 ft. dist, to
Hoopwood 10 m. n. - N58W 34 m. -
51.53 Set a post on the Bank of the Ohio. for the cor. to
sec. 8. 117 from which a
Cottonwood 12 m. dia. bears N72W. 25 ft. dist, to
Maple 10 m. n. - S56E 18 m. -
Sand rock; Cottonwood H. Locust Box Elder
& Hoopwood.

- West On the line between Sec. 5. 16. T. A. 8 S. R. A. 11 M.
28.00 To a Sycamore 7 ft. in dia. Stands in the tree.

T. A. 8 S. R. A. 11 M. 2nd Mrs. (Ind.)

- 33.50 To the N. Edge of town
40.00 Steeped for the cor. to 11 sec. from which a
P. Elder 14 m. dia. bears North 24 ft. dist, to
Elm 12 m. n. - S34E 16 m. -
50.10 150. Toth pine. Lemire A.
80.70 Set a post for the cor. to sec. 5. 6. 7. 8. From which a
Maple 14 m. dia. bears N16W. 15 ft. dist, to a
P. Elder 16 m. n. - S58E. 25 m. -
Cottonwood, Box Elder, Hoopwood, & Maple.

- South Between Lat. 7. 18. T. A. 8 S. R. A. 11 M.
5.88 To a Cottonwood 36 m. dia. Stands in the tree.
37.50 Set a post on the Bank of the Ohio. for the cor. to sec.
7. 18. From which a
Cottonwood 19 m. dia. bears S16E 9 ft. dist, to
Elm 16 m. n. - S2W 11 m. -
Sand rock; Timber Cottonwood & Maple.

- West Between Lat. 6. 17. T. A. 8 S. R. A. 11 M.
4.75 To a Cottonwood 12 m. dia. Stands on the Bank
of the Ohio. for the cor. to sec. 6. 17. From which a
Cottonwood 14 m. dia. bears N63E 39 ft. dist, to
Elm 12 m. n. - S13E 24 m. -
Imita Maple, Cottonwood, & Hoopwood.

- North Between Lat. 5. 16. T. A. 9 E. R. A. 11 M.
31.33 To a Maple on the Bank of the Ohio. from which a
Maple 16 in. diam. bears S35W 22 ft. dist. To a Maple 6.
in. diam. bears N32E 24 ft. dist. Timber. Maple
Cottonwood. Hoopwood &c. Apr. 11th 1806.

- South Between Sec. 2. 83. T. A. 8 S. R. A. 11 M.
16.50 To a Pine 2.95 lbs. weight. leaves 47.
40.01 Sets a Post for the cor. to 11 sec. from which an Ash 3 in.
diam. bears S33E 19 lbs. dist. To an Ash 14 in. diam. bears
N31W 33 lbs. dist.

T. #8 S. R. #11 W. 2nd Mer.

51. 00 To a Pond 150 ft. wide. course N.
 68. 75 To a Pond 100 " " " W.
 50. 00 To the Mile Post set for the Cor. of Sec. 3, 3, 10, & 11, from which a B. Walnut 24 in. diam. bears 160 E. 41 lbs. dist. 100 Elm 12 in. diam. bears 171 E. 30 lbs. dist.
 Timber. Hickory. Walnut. Elm. & Gum.

- East Between Sec. 2 & 11. on a Random line
 40. 00 Set a Timp^g Post for the Cor. to 14 Sec.
 50. 00 Intersecting the 1 & 2 line 150 ft. N of the Post set for the Cor. to Sec. 1. I. M. 812. Timber. Walnut. Box Elder. Ash. Hophornbeam. Hickory. Buckeye with thick base
 West On the True line Between Sec. 1 & 11. T. 8. S. R. #11 W.
 40. 30 Mds of the Timp^g Post. from which an A. Oak 30 in. diam. bears 160 E. 44 lbs. dist. & a Maple 9 in. diam. bears 159 M. 8 lbs. dist.
 50. 00 Set a Post for the Cor. to Sec. 2. 3. 11. & 11.

- South Between Sec. 10 & 11. T. #8. S. R. #11 W.
 4. 88 Ivan Elm 22 in. diam. stands in the line.
 5. 50 To a Pond 110 lbs. wide. course S. 70. W.
 29. 00 To a Pond 150 " " West.
 40. 00 Set the Post for the Cor. to 14 Sec. in a Swamp 2. 11. W. from which an Ash 12 in. diam. bears 161 E. 36 lbs. dist. Ivan Ash 22 in. diam. bears 166 M. 38 lbs. dist.
 58. 36 To a H. Locust 30. in. diam. which stands in the line
 81. 00 To the Mile post set for the Cor. to Sec. 10. 11. 14. & 15. from which an Ash 12 in. diam. bears 148. 8. lbs. dist. Ivan Ash 12 in. diam. bears 177 M. 16. lbs. dist.
 Timber. Walnut. H. Locust. Ash. Hickory. Elm & Box Elder. Game is Plenty.

- South Between Sec. 3 & 4. T. 8. S. R. #11 W.
 82. 00 To a Pond 100 lbs. wide. course N. 45. W.
 36. 90 To a Pond 100 " " N. 45. W.

T. #8. S. R. #11. W. 2nd Mer.

40. 00 Set a Post for the Cor. to 14 Sec. from which a Hickory 26 in. diam. bears 187 E. 8. lbs. dist. & a G. 34 in. diam. bears 1. 88. W. 27. lbs. dist.
 58. 08 To a Hickory 26 in. diam. which stands in the line.
 77. 00 A Pond to the Post. course N. 45. W.
 50. 00 To the Mile Post Cor. of Sec. 3. 4. 9. & 10. from which a Cyp. 36 in. diam. bears 1. 18. M. 37. lbs. dist. & a Maple 26 in. diam. bears 1. 21. M. 30. lbs. dist. ~ Game Between the Ponds. Timber. Oak. Hickory. Ash. Gum. Apr. 12. 1816.

- East Between Sec. 3. & 10. On a Random line. T. 8. S. R. #11 W.
 90. 00 A Pond. course N. 45. W.
 40. 00 Set a Timp^g Post for the Cor. to 14 Sec.
 50. 00 Intersecting the 1 & 2 line 90 ft. S of the Post set for the Cor. to Sec. 1. 3. 10. & 11. Timber. Walnut. Hophornbeam. Box Elder. Ash. Hickory. Some Game.

- West On the True line Between Sec. 3. & 11. T. 8. S. R. #11 W.
 40. 00 Mds of the Timp^g Post. from which a thick 2 in. diam. bears 1. 62. M. 14. lbs. dist. Ivan Ash 14 in. diam. bears 153 E. 33. lbs. dist.

- West Between Sec. 4. & 9. T. #8. S. R. #11 W.
 9. 30 To a Pond 100 lbs. wide. course N. 45. W.
 36. 50 To a Pond " " " N. 45. W.

- East On the same 4. 8. 9. T. 8. S. R. #11 W. 2nd Mer.
 5. 50 To a Pond 110 lbs. wide. course N.
 39. 50 To the Pond " " " Timber. Oak. Gum. Poplar. Maple. Hickory & Cyp. 1816.

- South Between Sec. 9. & 10. T. #8. S. R. #11 W.
 9. 50 To a Pond 100 lbs. wide. course N. 45. W.
 19. 50 To a Pond 5. 00 " " " N. 45. W.
 37. 00 To a Pond 5. 00 " " " N. 45. W.
 40. 00 Set a Post for the Cor. to 14 Sec. from which a Maple 8. in. diam. bears 1. 40. E. 25. lbs. dist. & a Maple 12. in. diam.

T. P. S. T. R. N. M. W. 2nd Mar

Years A.D. 514. M. 23 lvs. dry.

58. 43 To a Hickory 11 in. diam. stands in the line.
 50. 00 To the Mile Post set for the con. of Sec. 9. 10. 13. & 16. from
 which a Hickory 12 in. diam. bears A. 86. W. 24. lbs. dia.
 & an Elm 18. in. diam. bears A. 7. E. 22. lbs. dia.
 Timber. Hickory. Elm. Ash. &c. & plenty of bone.

South Between Sec. 15 & 16. T. N. 8. S. R. 1. M. 11. 1881.

22.00 To the Edge of town

39. 37 So a Port on the Bank of the Ohio, from which a B. Malnu
2 in. diam. bears A. 36. W. 19. lbs. dist. by a Hespene of 10 in.
diam. bears A. 37. E. 19. lbs. dist. Timber. Walnut.
Hespene. Cottonwood. & Bevelder.

East Between Sec. 9 & 16 On a Branch Line. S. E. C. H.

Mo. 10 Get a Sample Post for the Box to 44 Soc.

50. 00 Intercepted the 18 Mile 30 lbs. Soft the Port set for the
run to Dec. 9. 10. 15. \$16. a Tinbar. Walnut. Corpsewood
& Boxelder. & a thick growth of Cane.

West On the true line Between Sec. 9 & 10. S. 48. R. 11.
40. 90 Met at the Temp^o. Post. from which a Military & in
diam? bars 3 17/8 x 15 lbs. dirt & an Elm 13 in? diam? bars
A. 24. W. 37 lbs. dirt

South Botan. Soc. 14 & 15. T. 8. Pl. 112. Ap. 13rd 1806.
10. 50 *Sp. a. Dug.* 150. lbs. wide. Burne A. 45. M.
30. 65 *Span Elm* 3. in. diam. standing on the Bank of the Ohio.
from which a Sprout of 18. in. diam. bears 8. 5. 2. C. 7. lbs. dist.
to Hickory 24. in. diam. bears A. 5. 4. M. 12. lbs. dist.
Rich Tan. Timber. Lame. Walnut. Hopwood &c. spk.

East Between No. 10 & 15 T. & R. S. Sec. 4 11. 11.

40. 00 To a Lump? Post for the box to 14 She.
79. 00 To a Ping 100 lbs. wide Course 14

T. & S. S. Co. N.Y. W. 2nd May.

50. 30 Intersecting the N. & S. line 10 mrs. S. of the Port set for the
ber. to Dec. 10. 11. 14 & 15. Dick Tand. & Plenty of Game.
Timber. Walnut. Hornwood. Ash. & Box Elm. & Hickory.

West On the Blue line Blazed back. Between Dec. 10 & 15.

40. 15 Moves the Temp^o Port. from which a Box Elm 8 in.
diam. bears A. 66. M. 10 mrs. dist. & a Hickory 14. in. 2 diam.
bears J. 50. M. 10. + .

East Between Sec. 11 & 14 S. & E. 8. S. R. & P. M. St.
37. 90 Set a Post on the Bank of the Ohio from which a Stick
13. in. diameter bears N. E. 67. E. 14. lbs. dist. 8. a Hickory &
up. a a S. 18. W. 9. a a Rich Sand.
Timber. Bone. Walnut. Hesperocarp. Hickory. Ash &c.
Ap'l 14th 1806.

*Manners of the Ohio River, from a Post on the Bank
Between the 11th & 12th from 5. U.S.C. 11 M. Ap: 12th 1806.*

Course Dist.

A.33.92 E. 29. 45

N. 27.40 E. 10. 50 To a Port Between Sec. 1. & 2. (Sec. 2)

N.27. 6 62.50

No. 19. & 31. 40. So a Post Between Skans J. S. Dec. 1836.
App. 6th 1806.

Manevers of the Ohio down the same. Beginning at
a Post Between Sec^d 11. & 12. Town & South Range N.W.
Curve First.

S 40. W 17. 3.

S45. M. 32. 50

8.44. W. 16. 85. To a Post Between No. 11 & 14.

\$.52 W. 12. 00

3.59. W \$7.50 To a Postman Elm Between Sec? 1/4 & 1/2
8

S. 10. W. 22. m

175. W. 18. 60

S. S. M. 22. 11
Sept. 1. 22.

5.0444 W. St. It is a Lost Between Sec. 15. & 16.

T. 8. S. R. 11. M. 2nd Mer Secd.

lower. Dist.
 8. 87 W. 40. 30
 1.85 W. 18. 30
 A. 144 W. 21. 75 To a Post Between Sec. 6. & 7.
 A. 73. W. 7. 00
 A. 64 W. 27. 00
 A. 53 W. 13. 00
 A. 45. W. 12. 07 To a Post Between Sec. 8. & 17. - Ap. 14th 1806.
 A. 41. W. 23. 50
 A. 27 W. 19. 00
 A. 15. W. 06. 50 To a Post Between Sec. 7. & 8.
 A. 10. W. 14. 50
 A. 7. W. 15. 00
 A. 2. W. 08. 20 To a Post Between Sec. 6. & 7.
 A. 7. E. 22. 70 To a Post Between Sec. 5. & 6.
 A. 9. E. 04. 50
 A. 12. E. 04. 30
 A. 13. E. 29. 25
 A. 19. E. 14. 61
 A. 30. E. 5. 75 To a Post Between Towns 7. & 8. & Sec. 5 & 32.
 Ap. 13th. 1806.

On this side the Field notes for Town 8. is now completed
 Surveyed by Jacob Foster,
 Deputy Surveyor.

N. Boundary.

See next page.

~~I certify that the preceding transcript of the field notes
 of Township No. 8. South of Range 11. N.W. of the 2nd
 Mer. And has been compared with the Field notes in
 this Office & found to be correct.~~

Surveyor's Office
 Dec. 4th. 1839.

T. 8. S. R. 11. M. 2nd Mer Secd.

East On S. Boundary of Sec. 36, T. 8. R. 11. M.
 40.00 Set q^t the Post from which
 A Walnut 22 in dia. at N 69° E 49' W
 At Mulberry 10 " " 87 E 6 " ,
 47.78 Hickory 20 " "
 50.50 A Pond 400 ft wide, S.
 51.50 Post on Bank of the Ohio from which
 At Mulberry 14 in dia. S. 27° W. 34° N.
 A Hoopwood 10 " " N 53 W 42 " .
 Land here rich, timber Ash
 Walnut & Sycamore. April 5. 1806.

West On S. Boundary of Sec. 35, T. 8. R. 11. M.
 April 8. 1806.
 17.88 A Hickory 30 in dia.
 40.00 Set q^t the Post from which
 A Hickory 18 in dia. W. N 51° E 18. 11° N.
 A R. Oak 36 " " S 38 W 22 " .
 44.50 14.50. thence pond course. S. 70. W.
 80.00 Set mile post from which
 A Gum 30 in dia. W. N 45 W 28. 11° N.
 A. 50. 28 " " S 22 E 9 " .
 Land covered with trees.
 Timber Oak, Gum, Hickory & Ash.
 Some Walnut.

West On S. Boundary of Sec. 34, T. 8. R. 11. M.
 19.74 A Hickory 30 in dia.
 40.00 Set q^t the Post from which
 A Hickory 10 in dia. W. N 42 W 11° N.
 A Hoopwood 10 " " S 49 E 30 " .
 57.50 A Hickory 33 " "
 70.00 A Pond 350 ft wide furst N. 50. 70.
 80.00 Set mile post from which
 An ash 15 in dia. S. on corner.

J. G. S. R. M. 3rd Mer., Ind.^a
d. 1846.

A Beech tree 10 in dia W N 29° E 32 m
A Hoopwood 10 " " S 22° E 20 "
Land & same,

West On S. Boundary of Sec 33, T. 7, R. 11, Ind.
19.50 A Pond 350 ft wide Course N 60° W.
35.50 A so 150 " " N 50° W.
40.00 Set of Side Post from which
A B Walnut 22 in dia W N 40° E 8 m.
A Hickory 20 " " S 72° E 15 "
59.75 A B Walnut 30 " "
64.50 A Pond 200 ft wide Course N 60° W.
80.00 Mile post from which
An ash 22 in dia W S 15° E 14 m.
A Hoopwood 14 " " N 74° E 25 "
Land & same.

West On S. Boundary of Sec 33, T. 7, R. 11, Ind.
33.00 A Pond Course N 10 E.
40.00 Set of Side Post from which
A B or Elder 14 in dia W N 64° E 52 m.
A Maple 20 " " S 34° E 50 "
54.18 A Cottonwood 33 " "
62.11 Set post on Bank of the Ohio
from which
a Cottonwood 20 in dia W N 72° E 11 m.
a so 22 " " S 28° E 37 "
Land same Bottom, Cottonwood
Maple & Hickory.
April 9, 1806.

Jacob Fowler, S.

Surveyor General's Office,
Detroit April 24, 1846.

I hereby certify that
the foregoing Transcript of the field
notes of Township 8, South in Range
11, West of 2nd Mer., Ind.^a has been
compared with the original notes in
this office & found to be correct,

Sur. Genl.